

36 疾病異常被患率

1 小 学 校

区 分	栄養 要注意	せき 柱異常	胸郭 異常	目						耳		鼻およびいん頭			伝皮 染膚 性疾 患
				近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異常	トホ ラム	難 聴 (両耳)	中 耳 炎	蓄 のう 症	アイ デノ ド	へん と う 肥 大	
計	昭和23	1.57	-	-	8.30	-	-	0.65	0.72	5.30	0.56	-	-	-	-
	24	1.92	1.27	1.10	5.44	0.16	0.04	0.30	0.72	5.08	0.48	0.83	0.15	0.30	6.78
	25	1.75	1.14	1.03	8.22	0.20	0.06	0.46	1.09	5.32	0.44	0.86	0.16	0.40	7.29
	26	1.75	1.23	1.21	7.72	0.09	0.06	0.24	0.74	5.09	0.38	0.94	0.25	0.56	8.51
	27	1.53	1.03	0.96	8.99	0.27	0.10	0.56	0.94	6.66	0.54	0.95	-	0.78	8.65
	28	1.41	1.05	1.08	10.50	0.45	0.14	0.55	1.44	5.55	0.52	0.87	0.62	0.98	9.88
	29	1.47	1.04	1.08	10.23	0.45	0.14	0.60	1.61	5.34	0.47	0.86	0.66	1.02	9.69
	30	1.37	0.89	1.09	10.29	0.35	0.15	0.46	1.60	4.66	0.46	0.73	0.93	1.26	10.87
	31	1.31	0.96	1.07	9.21	0.22	0.14	0.45	1.54	4.30	0.32	0.65	0.99	0.86	10.51
	32	0.97	0.81	1.04	9.61	0.25	0.13	0.46	1.69	4.53	0.34	0.65	1.06	1.00	11.25
	33	0.94	0.81	0.99	9.78	0.25	0.12	0.39	1.64	4.23	0.33	0.55	1.02	0.78	10.36
	34	0.95	0.83	1.08	9.13	0.21	0.15	0.30	1.63	3.52	0.63	0.57	1.16	0.17	10.31
	35	0.83	0.68	0.94	9.69	0.14	0.14	0.22	1.57	3.55	0.53	0.55	1.38	0.68	9.79
	36	0.69	0.58	0.88	12.36	0.30	0.23	0.23	1.51	3.09	0.52	0.49	1.45	0.71	10.22
	37	0.64	0.58	0.91	12.09	0.17	0.17	0.26	1.54	2.81	0.48	0.47	1.54	0.75	9.99
男	38	0.61	0.56	0.92	11.77	0.24	0.22	0.24	1.62	2.51	0.46	0.42	1.38	0.66	10.21
	39	0.53	0.55	0.85	11.99	0.24	0.24	0.25	1.63	2.16	0.43	0.39	1.40	0.67	9.50
	40	0.48	0.55	0.76	12.09	0.16	0.19	0.22	1.58	1.94	0.43	0.34	1.31	0.60	9.71
	昭和23	1.55	-	-	7.57	-	-	0.61	1.19	4.98	0.65	-	-	-	-
	24	1.97	1.42	1.20	4.98	0.16	0.04	0.29	1.21	4.80	0.54	1.02	0.16	0.31	6.75
	25	1.79	1.31	1.14	7.48	0.22	0.06	0.43	1.86	5.02	0.52	1.05	0.18	0.43	7.30
	26	1.77	1.43	1.37	6.90	0.11	0.05	0.22	1.32	4.73	0.45	1.20	0.28	0.59	8.58
	27	1.55	1.24	1.12	8.08	0.31	0.09	0.55	1.63	6.22	0.64	1.16	-	0.81	8.67
	28	1.42	1.25	1.25	9.44	0.50	0.12	0.54	2.51	5.16	0.60	1.05	0.65	1.03	9.90
	29	2.19	1.20	1.26	9.30	0.48	0.13	0.59	2.79	4.92	0.53	1.05	0.74	1.08	9.80
	30	1.39	1.02	1.28	9.34	0.40	0.15	0.44	2.80	4.32	0.52	0.88	1.04	1.34	10.94
	31	1.31	1.10	1.23	8.54	0.24	0.13	0.42	2.74	3.94	0.36	0.80	1.12	0.94	10.62
	32	1.01	0.91	1.24	8.80	0.24	0.13	0.45	3.03	4.15	0.38	0.78	1.17	1.09	11.37
	33	0.94	0.93	1.17	8.86	0.27	0.11	0.38	2.92	3.81	0.37	0.66	1.10	0.83	10.42
	34	0.97	0.95	1.27	8.29	0.22	0.15	0.27	2.90	3.19	0.66	0.68	1.28	0.77	10.32
	35	0.86	0.71	1.12	8.73	0.16	0.13	0.22	2.85	3.13	0.54	0.65	1.52	0.76	9.72
	36	0.70	0.65	1.06	11.09	0.25	0.21	0.23	2.77	2.80	0.57	0.59	1.60	0.79	10.24
	37	0.66	0.63	1.09	10.82	0.17	0.15	0.24	2.83	2.54	0.50	0.57	1.72	0.79	10.07
女	38	0.60	0.62	1.14	10.50	0.26	0.21	0.23	2.97	2.25	0.51	0.50	1.52	0.73	10.47
	39	0.54	0.61	1.03	10.66	0.26	0.21	0.24	3.02	2.03	0.47	0.46	1.54	0.71	9.79
	40	0.47	0.61	0.92	10.78	0.15	0.18	0.21	2.93	1.71	0.47	0.41	1.45	0.66	10.01
	昭和23	1.58	-	-	9.03	-	-	0.68	0.24	5.61	0.46	-	-	-	-
	24	1.87	1.12	1.01	5.92	0.15	0.04	0.31	0.22	5.37	0.42	0.64	0.13	0.29	6.82
	25	1.71	0.97	0.91	8.97	0.17	0.06	0.48	0.30	5.63	0.38	0.66	0.14	0.37	7.27
	26	1.72	1.02	1.04	8.57	0.07	0.07	0.26	0.14	5.46	0.31	0.68	0.22	0.53	8.43
	27	1.51	0.82	0.80	9.90	0.23	0.10	0.57	0.23	7.12	0.43	0.73	-	0.74	8.62
	28	1.39	0.85	0.91	11.59	0.41	0.15	0.56	0.33	5.95	0.44	0.66	0.59	0.92	9.86
	29	1.42	0.87	0.90	11.19	0.42	0.15	0.61	0.39	5.78	0.41	0.67	0.57	0.84	9.58
	30	1.36	0.76	0.90	11.27	0.30	0.14	0.48	0.36	5.02	0.39	0.57	0.81	1.18	10.79
	31	1.32	0.81	0.89	10.14	0.20	0.15	0.48	0.28	4.68	0.28	0.49	0.86	0.77	10.40
	32	0.94	0.69	0.83	10.45	0.26	0.13	0.47	0.33	4.93	0.30	0.51	0.93	0.92	11.13
	33	0.93	0.68	0.81	10.73	0.24	0.13	0.40	0.32	4.66	0.29	0.43	0.93	0.71	10.29
	34	0.92	0.70	0.87	10.01	0.19	0.15	0.32	0.30	3.86	0.59	0.45	1.02	0.65	10.03
	35	0.80	0.65	0.75	10.69	0.13	0.15	0.22	0.24	3.99	0.53	0.45	1.24	0.60	9.86
	36	0.67	0.50	0.70	13.68	0.35	0.26	0.23	0.21	3.40	0.48	0.38	1.32	0.63	10.20
	37	0.62	0.51	0.72	13.42	0.18	0.18	0.28	0.20	3.08	0.46	0.36	1.35	0.70	9.91
計	38	0.61	0.50	0.70	13.10	0.22	0.23	0.24	0.21	2.76	0.41	0.34	1.23	0.58	9.95
	39	0.53	0.48	0.67	13.39	0.21	0.26	0.25	0.21	2.38	0.39	0.31	1.25	0.63	9.20
	40	0.48	0.50	0.59	13.46	0.17	0.20	0.23	0.16	2.19	0.40	0.27	1.15	0.54	9.38

この表は、健康診断受検者のうち疾病異常被患者(疾病異常に該当する旨健康診断票に記載のあった者)の占める割合を示性の者のみ調べた。

の 推 移 (昭和23年度～昭和40年度)

(%)

心臓の疾患	精神薄弱	身体虚弱	運動障害	寄生虫病	む し 菌			定期結核健康診断受検者のうち結核被患者の占める割合			ツベルクリン皮内反応成績 (計=100)			寄卵 生保 虫有
					計	処完了者 置者	未処置者	計	呼吸器系 結核	その他結核	陽性	疑陽性	陰性	
-	0.51	0.76	0.29	-	45.16	-	-	-	29.37	6.41	64.22	-
-	0.27	0.60	0.31	0.64	42.08	1.21	40.87	0.73	0.35	0.38	-	-	-	63.89
-	0.24	0.52	0.31	0.43	42.25	1.51	40.74	0.64	0.35	0.29	71.91	63.42
-	0.21	0.47	0.26	0.22	41.63	1.50	40.13	0.97	0.84	0.13	68.12	57.98
-	0.32	0.60	0.41	-	45.45	2.66	42.79	1.10	1.01	0.09	44.37	11.10	44.53	55.14
0.27	0.34	0.62	0.37	3.20	51.94	2.45	49.49	1.02	0.95	0.07	55.28	9.75	34.97	48.76
0.30	0.41	0.73	0.36	1.01	59.78	2.41	57.37	0.94	0.85	0.09	57.20	10.05	32.75	42.21
0.25	0.34	0.67	0.36	0.38	66.50	3.07	63.43	0.92	0.89	0.03	60.41	10.22	29.37	38.28
0.28	0.34	0.70	0.35	0.16	70.47	3.11	67.36	0.94	0.90	0.04	60.84	10.01	29.15	32.48
0.28	0.40	0.49	0.35	0.17	79.0	3.40	75.6	0.77	0.66	0.11	61.7	10.5	27.8	29.2
0.32	0.39	0.48	0.32	0.10	80.0	4.2	75.8	0.76	0.73	0.03	62.6	10.7	26.7	25.4
0.30	-	0.41	0.31	-	81.6	5.0	76.6	0.71	0.67	0.04	62.7	11.1	26.2	21.8
0.33	0.85	0.46	0.34	0.46	84.19	5.00	79.19	0.57	0.55	0.02	65.2	10.6	24.2	14.04
0.33	1.42	0.32	0.31	0.39	83.14	6.14	77.00	0.57	0.55	0.02	65.4	10.8	23.8	11.55
0.40	1.23	0.32	0.32	0.33	85.54	6.22	79.32	0.49	0.47	0.02	67.0	10.7	22.3	9.50
0.41	1.38	0.31	0.30	0.22	87.61	6.72	80.89	0.45	0.43	0.02	67.2	10.8	22.0	6.90
0.35	1.38	0.27	0.28	0.28	87.89	8.03	79.86	0.40	0.38	0.02	64.9	11.4	23.7	5.81
0.32	1.27	0.24	0.27	0.44	87.88	8.73	79.15	0.35	0.34	0.01	65.0	11.4	23.6	4.47
-	0.80	0.80	0.32	-	45.32	-	-	-	27.97	6.34	65.69	-
-	0.31	0.59	0.33	0.65	42.39	1.21	41.18	0.72	0.35	0.37	-	-	-	63.91
-	0.28	0.53	0.33	0.45	42.32	1.45	40.87	0.68	0.36	0.32	73.25	63.54
-	0.22	0.45	0.28	0.21	41.54	1.44	40.10	0.96	0.83	0.13	70.10	58.08
-	0.36	0.59	0.43	-	44.88	2.47	42.41	1.19	1.09	0.10	41.25	11.13	47.62	55.34
0.26	0.40	0.60	0.39	3.20	51.19	2.27	48.92	1.10	1.00	0.10	51.86	10.13	38.01	49.30
0.29	0.45	0.72	0.39	2.49	58.77	2.16	56.61	0.98	0.89	0.09	54.36	10.58	35.06	42.92
0.24	0.38	0.65	0.38	0.41	65.17	2.81	62.36	0.99	0.96	0.03	57.78	10.76	31.46	38.76
0.26	0.36	0.67	0.37	0.16	69.48	2.76	66.72	0.97	0.93	0.04	58.11	10.60	31.29	33.06
0.27	0.43	0.47	0.37	0.16	76.7	3.0	73.7	0.80	0.69	0.11	59.2	11.0	29.8	29.7
0.32	0.43	0.46	0.34	0.10	79.0	3.7	75.3	0.77	0.74	0.03	60.1	11.2	28.7	26.0
0.29	-	0.40	0.33	-	80.8	4.5	76.3	0.73	0.69	0.04	60.4	11.6	28.0	22.1
0.32	0.89	0.45	0.37	0.46	83.4	4.5	78.9	0.59	0.57	0.02	63.1	11.0	25.9	14.35
0.31	1.47	0.32	0.33	0.39	82.26	5.38	76.88	0.60	0.58	0.02	63.6	11.3	25.1	11.86
0.37	1.29	0.32	0.34	0.33	84.73	5.53	79.20	0.50	0.48	0.02	65.1	11.3	23.6	9.74
0.39	1.46	0.30	0.34	0.23	87.00	5.94	81.06	0.47	0.45	0.02	65.4	11.3	23.3	7.14
0.35	1.45	0.27	0.31	0.28	87.50	7.21	80.29	0.42	0.40	0.02	63.0	12.0	25.0	6.01
0.31	1.36	0.24	0.30	0.45	86.91	7.62	79.29	0.37	0.36	0.01	63.3	11.9	24.8	4.60
-	0.21	0.72	0.25	-	45.00	-	-	-	30.77	6.47	62.76	-
-	0.22	0.60	0.29	0.63	41.75	1.20	40.55	0.74	0.35	0.39	-	-	-	63.89
-	0.21	0.52	0.29	0.42	42.17	1.56	40.61	0.59	0.32	0.27	70.52	63.31
-	0.19	0.48	0.24	0.22	41.74	1.56	40.18	0.98	0.86	0.12	66.10	57.88
-	0.27	0.61	0.39	-	46.03	2.85	43.18	0.99	0.92	0.07	47.58	11.08	41.34	54.94
0.27	0.29	0.64	0.34	3.20	52.73	2.64	50.09	1.00	0.90	0.10	58.82	9.35	31.83	48.20
0.31	0.36	0.74	0.34	0.66	60.83	2.69	58.14	0.90	0.80	0.10	60.05	9.51	30.44	41.48
0.27	0.30	0.70	0.34	0.34	67.87	3.34	64.53	0.85	0.82	0.03	63.12	9.67	27.21	37.78
0.29	0.31	0.73	0.33	0.16	71.50	3.47	68.03	0.91	0.87	0.04	63.66	9.40	26.94	31.88
0.30	0.37	0.52	0.32	0.17	81.5	3.8	77.7	0.73	0.62	0.11	64.3	9.9	25.8	28.8
0.33	0.35	0.49	0.30	0.10	81.1	4.7	76.4	0.73	0.71	0.02	65.2	10.1	24.7	24.8
0.31	-	0.41	0.28	-	82.5	5.5	77.0	0.67	0.64	0.03	65.1	10.5	24.4	21.4
0.34	0.80	0.46	0.31	0.45	85.1	5.6	79.5	0.56	0.54	0.02	67.5	10.1	22.4	13.81
0.35	1.38	0.33	0.29	0.39	84.03	6.91	77.12	0.55	0.53	0.02	67.3	10.3	22.4	11.23
0.43	1.16	0.31	0.29	0.32	86.37	6.93	79.44	0.48	0.46	0.02	69.0	10.1	20.9	9.25
0.42	1.30	0.33	0.26	0.22	88.26	7.54	80.72	0.42	0.40	0.02	69.1	10.2	20.7	6.66
0.36	1.30	0.27	0.25	0.27	88.31	8.88	79.43	0.38	0.36	0.02	67.0	10.8	22.2	5.61
0.33	1.18	0.24	0.23	0.42	88.88	9.88	79.00	0.32	0.31	0.01	66.7	10.9	22.4	4.34

2 中学校

区 分	栄 養 要 注 意	せ き 柱 異 常	胸 郭 異 常	目						耳		鼻およびいん頭			伝皮 染 病 性 疾 患	
				近 視	遠 視	乱 視	弱 視 (両 眼)	色 神 異 常	ト ホ ム ラ ム	難 聴 (両 耳)	中 耳 炎	蓄 の う 症	アイ デ ノ	へん と う 大		
計	昭和23	1.12	-	-	8.22	-	-	1.10	0.88	4.50	0.67	-	-	-	-	-
	24	1.51	1.09	0.77	8.86	0.41	0.11	0.69	1.30	4.55	0.60	0.52	0.25	0.17	6.30	1.07
	25	1.38	1.00	0.69	8.85	0.40	0.11	0.68	1.43	4.91	0.60	0.57	0.30	0.21	6.67	1.11
	26	1.40	1.25	0.78	9.51	0.21	0.09	0.97	1.53	5.39	0.63	0.64	0.61	0.16	7.81	2.02
	27	1.11	0.89	0.58	10.49	0.57	0.18	1.27	1.62	6.33	0.70	0.80	-	0.26	7.56	1.57
	28	1.18	0.88	0.72	12.83	0.80	0.30	0.94	1.91	6.29	0.74	0.83	1.06	0.33	8.43	1.54
	29	0.99	0.83	0.54	13.97	0.76	0.27	0.89	1.97	5.58	0.74	0.79	1.05	0.37	7.91	2.11
	30	0.94	0.82	0.57	15.19	0.74	0.29	0.89	2.02	5.24	0.79	0.84	1.42	0.29	8.08	1.68
	31	0.75	0.79	0.48	14.96	0.41	0.27	0.80	1.95	4.54	0.62	0.76	1.50	0.38	8.07	1.54
	32	0.68	0.71	0.51	17.03	0.47	0.29	0.92	2.15	4.53	0.65	0.86	1.68	0.17	8.10	1.72
	33	0.67	0.65	0.47	16.94	0.56	0.34	0.89	2.19	4.25	0.65	0.76	1.80	0.18	8.02	1.74
	34	0.67	0.66	0.52	16.81	0.41	0.45	0.57	2.17	3.91	0.76	0.81	2.04	0.15	8.38	2.06
	35	0.60	0.62	0.57	16.71	0.32	0.42	0.42	2.12	3.53	0.70	0.65	1.85	0.12	8.06	2.10
	36	0.45	0.48	0.51	18.85	0.42	0.54	0.44	2.05	2.92	0.60	0.58	1.80	0.15	6.87	2.10
	37	0.43	0.44	0.41	20.03	0.32	0.49	0.47	2.14	2.65	0.56	0.48	1.88	0.12	6.72	1.56
	38	0.41	0.49	0.47	20.59	0.37	0.45	0.50	2.07	2.29	0.49	0.44	1.84	0.15	6.17	1.40
	39	0.34	0.40	0.45	22.21	0.25	0.64	0.35	2.07	2.01	0.44	0.43	1.95	0.18	6.34	1.58
	40	0.33	0.36	0.43	21.96	0.26	0.65	0.37	2.15	2.01	0.42	0.39	1.91	0.10	6.05	1.49
男	昭和23	1.16	-	-	6.79	-	-	1.04	1.47	4.23	0.75	-	-	-	-	-
	24	1.58	1.25	0.85	7.89	0.47	0.11	0.66	2.23	4.24	0.71	0.61	0.25	0.19	5.76	1.24
	25	1.44	1.16	0.76	7.88	0.45	0.10	0.64	2.40	4.56	0.71	0.66	0.33	0.22	6.21	1.31
	26	1.35	1.36	0.90	8.47	0.22	0.09	0.87	2.58	5.01	0.75	0.75	0.62	0.13	7.28	2.44
	27	1.14	1.01	0.66	9.31	0.66	0.18	1.19	2.81	5.80	0.82	0.97	-	0.28	7.06	1.89
	28	1.18	0.98	0.83	11.34	0.94	0.30	0.86	3.29	5.82	0.86	0.97	1.20	0.32	7.88	1.88
	29	1.02	0.92	0.61	12.70	0.83	0.26	0.76	3.44	5.25	0.86	0.93	1.11	0.38	7.45	2.62
	30	0.98	0.91	0.66	13.56	0.84	0.26	0.81	3.53	4.92	0.92	0.98	1.51	0.29	7.73	2.02
	31	0.78	0.88	0.57	13.04	0.46	0.25	0.74	3.48	4.21	0.71	0.88	1.62	0.40	7.72	1.99
	32	0.72	0.75	0.61	15.41	0.52	0.27	0.87	3.77	4.22	0.75	0.98	1.80	0.18	7.72	2.19
	33	0.71	0.72	0.56	15.10	0.64	0.31	0.79	3.87	3.96	0.73	0.88	1.86	0.20	7.72	2.25
	34	0.73	0.73	0.64	15.09	0.44	0.42	0.53	3.89	3.65	0.82	0.92	2.24	0.15	8.14	2.61
	35	0.66	0.69	0.71	14.94	0.36	0.41	0.39	3.82	3.35	0.77	0.75	1.94	0.12	7.75	2.75
	36	0.50	0.53	0.63	17.40	0.43	0.52	0.39	3.74	2.83	0.66	0.68	1.94	0.15	6.93	2.86
	37	0.48	0.49	0.52	18.02	0.36	0.45	0.43	3.86	2.53	0.65	0.55	2.04	0.13	6.73	2.05
	38	0.43	0.52	0.56	18.38	0.43	0.41	0.42	3.79	2.20	0.53	0.49	1.97	0.16	6.10	1.93
	39	0.39	0.45	0.55	20.17	0.29	0.58	0.35	3.82	1.96	0.51	0.48	2.11	0.20	6.24	2.13
	40	0.36	0.40	0.59	19.81	0.28	0.58	0.34	3.95	1.96	0.47	0.46	2.00	0.08	6.10	2.06
女	昭和23	1.09	-	-	9.65	-	-	1.16	0.31	4.77	0.59	-	-	-	-	-
	24	1.43	0.92	0.69	9.86	0.34	0.11	0.72	0.43	4.86	0.49	0.43	0.25	0.15	6.86	0.89
	25	1.32	0.84	0.61	9.85	0.34	0.11	0.72	0.43	5.28	0.49	0.46	0.28	0.21	7.15	0.90
	26	1.46	1.13	0.65	10.57	0.20	0.10	1.06	0.45	5.79	0.50	0.53	0.60	0.18	8.35	1.60
	27	1.07	0.76	0.50	11.70	0.48	0.18	1.35	0.39	6.88	0.57	0.62	-	0.24	8.07	1.24
	28	1.17	0.76	0.60	14.38	0.67	0.30	1.03	0.47	6.77	0.61	0.68	0.93	0.34	9.01	1.20
	29	0.95	0.74	0.47	15.25	0.69	0.29	1.03	0.49	5.91	0.62	0.65	0.98	0.37	8.36	1.59
	30	0.89	0.72	0.48	16.86	0.63	0.32	0.97	0.46	5.57	0.65	0.70	1.32	0.29	8.44	1.33
	31	0.72	0.70	0.38	16.91	0.35	0.28	0.88	0.40	4.87	0.52	0.63	1.38	0.35	8.43	1.08
	32	0.63	0.66	0.40	18.68	0.42	0.33	0.97	0.48	4.85	0.54	0.73	1.57	0.17	8.49	1.23
	33	0.62	0.58	0.37	18.87	0.47	0.37	1.00	0.41	4.54	0.56	0.63	1.75	0.17	8.33	1.22
	34	0.60	0.59	0.39	18.58	0.38	0.48	0.61	0.37	4.18	0.69	0.68	1.84	0.15	8.63	1.49
	35	0.53	0.54	0.41	18.58	0.27	0.43	0.45	0.34	3.71	0.64	0.55	1.75	0.12	8.40	1.41
	36	0.40	0.43	0.38	20.36	0.41	0.56	0.49	0.29	3.00	0.52	0.49	1.66	0.14	6.81	1.31
	37	0.39	0.34	0.30	22.12	0.29	0.53	0.51	0.35	2.77	0.47	0.41	1.71	0.12	6.71	1.06
	38	0.39	0.45	0.37	22.91	0.30	0.48	0.58	0.28	2.40	0.46	0.38	1.70	0.14	6.24	0.84
	39	0.32	0.34	0.34	24.24	0.21	0.71	0.36	0.28	2.05	0.38	0.37	1.78	0.16	6.44	1.03
	40	0.30	0.32	0.27	24.23	0.25	0.73	0.45	0.28	2.07	0.37	0.33	1.81	0.11	5.99	0.89

の推移 (昭和23年度～昭和40年度)

(%)

心臓の疾患	精神薄弱	身体虚弱	運動障害	寄生虫病	むし			定期結核健康診断受検者のうち結核被患者の占める割合			ツベルクリン皮内反応成績(計=100)			寄卵生保虫有
					計	処完了者	未処ある者	計	呼吸器系核	その他核	陽性	疑陽性	陰性	
-	0.11	0.56	0.23	-	34.49	-	-	-	49.66	8.90	41.44	-
-	0.15	0.44	0.25	0.69	39.37	4.53	34.84	0.57	0.29	0.28	-	-	-	58.50
-	0.14	0.42	0.26	0.48	42.04	4.89	37.15	0.50	0.28	0.22	48.64	59.26
-	0.19	0.29	0.26	0.11	39.35	4.66	34.69	0.91	0.85	0.06	44.92	54.29
-	0.26	0.47	0.40	-	38.38	5.01	33.37	0.86	0.80	0.06	59.43	13.41	27.16	52.77
0.33	0.31	0.54	0.33	3.10	38.34	4.51	33.83	0.76	0.72	0.04	69.72	11.36	18.92	46.92
0.32	0.41	0.87	0.37	0.89	42.87	4.98	37.89	0.61	0.59	0.02	73.68	10.69	15.63	41.14
0.37	0.34	0.43	0.35	0.47	47.31	6.69	40.62	0.71	0.68	0.03	76.53	9.93	13.54	35.71
0.35	0.38	0.40	0.33	0.17	50.00	7.59	42.41	0.60	0.57	0.03	75.87	10.04	14.09	31.02
0.40	0.43	0.44	0.33	0.13	58.8	8.8	50.0	0.56	0.48	0.08	77.0	10.3	12.7	27.4
0.37	0.46	0.39	0.35	0.15	63.8	10.3	53.5	0.58	0.57	0.01	77.9	9.9	12.2	22.1
0.40	-	0.36	0.32	-	70.4	11.1	59.3	0.51	0.49	0.02	77.0	10.8	12.2	20.3
0.39	0.83	0.31	0.35	0.41	73.97	11.84	62.13	0.45	0.43	0.02	78.5	10.1	11.4	12.83
0.36	1.45	0.30	0.30	0.36	75.50	13.24	62.26	0.36	0.35	0.01	80.2	9.8	10.0	9.40
0.38	1.35	0.27	0.28	0.33	80.01	14.25	65.76	0.38	0.37	0.01	82.3	8.9	8.8	7.81
0.42	1.64	0.24	0.28	0.34	81.74	15.18	66.56	0.33	0.32	0.01	83.9	7.9	8.2	6.08
0.42	1.75	0.26	0.29	0.30	84.15	16.18	67.97	0.26	0.25	0.01	82.8	8.8	8.4	5.03
0.40	1.70	0.20	0.27	0.44	85.65	17.28	68.37	0.22	0.21	0.01	83.1	8.4	8.5	3.78
-	0.12	0.55	0.26	-	33.10	-	-	-	48.97	8.63	42.40	-
-	0.19	0.44	0.28	0.69	37.71	4.17	33.54	0.52	0.26	0.26	-	-	-	58.37
-	0.16	0.43	0.28	0.48	40.22	4.48	35.74	0.53	0.30	0.23	49.55	59.36
-	0.25	0.28	0.31	0.12	37.95	4.26	33.69	0.93	0.86	0.07	46.48	53.32
-	0.31	0.44	0.42	-	36.40	4.61	31.79	0.92	0.86	0.06	57.81	13.33	28.86	52.47
0.31	0.35	0.53	0.36	3.00	36.49	4.03	32.46	0.84	0.80	0.04	68.02	11.55	20.43	46.60
0.31	0.45	1.20	0.39	2.18	40.55	4.38	36.17	0.62	0.60	0.02	72.38	10.99	16.63	40.98
0.35	0.39	0.41	0.38	0.45	44.76	5.98	38.78	0.72	0.69	0.03	76.02	10.05	13.93	35.36
0.36	0.42	0.39	0.34	0.16	47.02	6.87	40.15	0.62	0.59	0.03	75.37	10.20	14.43	30.91
0.36	0.47	0.41	0.38	0.13	57.2	7.8	49.4	0.57	0.49	0.08	76.9	10.3	12.8	27.1
0.35	0.50	0.36	0.37	0.14	60.2	9.2	51.0	0.59	0.58	0.01	78.0	10.0	12.0	21.8
0.37	-	0.35	0.33	-	67.3	9.9	57.4	0.52	0.50	0.02	77.2	10.8	12.0	19.6
0.37	0.88	0.29	0.38	0.37	71.3	10.8	60.5	0.45	0.43	0.02	78.8	10.1	11.1	12.67
0.35	1.53	0.30	0.33	0.35	74.72	12.28	62.44	0.38	0.35	0.03	80.4	9.9	9.7	9.39
0.36	1.41	0.26	0.30	0.34	78.07	13.11	64.96	0.41	0.40	0.01	82.4	9.0	8.6	7.76
0.39	1.71	0.23	0.30	0.34	78.95	13.96	64.99	0.34	0.33	0.01	84.1	8.0	7.9	6.03
0.36	1.88	0.24	0.30	0.31	83.19	14.82	68.37	0.26	0.25	0.01	82.9	9.0	8.1	5.07
0.38	1.81	0.18	0.28	0.45	83.44	15.89	67.55	0.24	0.23	0.01	83.5	8.5	8.0	3.74
-	0.09	0.57	0.21	-	35.88	-	-	-	50.36	9.17	40.47	-
-	0.12	0.45	0.22	0.69	41.05	4.87	36.18	0.62	0.32	0.30	-	-	-	58.62
-	0.11	0.42	0.24	0.48	43.91	5.31	38.60	0.47	0.26	0.21	47.71	59.15
-	0.13	0.30	0.20	0.09	40.76	5.05	35.71	0.88	0.82	0.06	43.32	55.27
-	0.22	0.49	0.37	-	40.43	5.43	35.00	0.80	0.74	0.06	61.10	13.48	25.42	53.08
0.35	0.27	0.54	0.31	3.30	40.26	5.01	35.25	0.73	0.70	0.03	71.48	11.15	17.37	47.20
0.33	0.36	0.55	0.34	0.85	45.21	5.59	36.62	0.60	0.58	0.02	74.96	10.40	14.64	41.30
0.40	0.28	0.45	0.32	0.48	49.94	7.43	42.51	0.70	0.67	0.03	77.06	9.80	13.14	36.07
0.34	0.34	0.42	0.31	0.18	53.04	8.32	44.72	0.57	0.54	0.03	76.38	9.87	13.75	31.12
0.43	0.39	0.48	0.37	0.13	63.0	9.9	53.1	0.56	0.48	0.08	77.1	10.3	12.6	27.6
0.39	0.43	0.41	0.33	0.15	67.6	11.5	56.1	0.57	0.56	0.01	77.9	9.8	12.3	22.3
0.43	-	0.37	0.30	-	73.6	12.3	61.3	0.50	0.49	0.01	76.8	10.7	12.5	21.1
0.42	0.78	0.31	0.33	0.45	76.9	13.0	63.9	0.45	0.44	0.01	78.2	10.2	11.6	12.98
0.37	1.37	0.29	0.27	0.37	76.30	14.24	62.06	0.34	0.33	0.01	79.9	9.8	10.3	9.41
0.41	1.28	0.29	0.27	0.33	82.28	15.48	66.80	0.36	0.35	0.01	82.2	8.8	9.0	7.87
0.46	1.56	0.25	0.26	0.33	84.69	16.47	68.22	0.31	0.30	0.01	83.7	7.8	8.5	6.12
0.49	1.62	0.28	0.28	0.30	85.13	17.56	67.57	0.25	0.24	0.01	82.7	8.7	8.6	5.00
0.42	1.60	0.23	0.25	0.43	87.96	18.74	69.22	0.21	0.20	0.01	82.8	8.3	8.9	3.83

36 疾病異常被患率

3 高等学校

区分	栄養 要注意	せき 柱異常	胸郭 異常	目						耳		鼻およびいん頭			伝染 性疾患
				近 視	遠 視	乱 視	弱 視 (両眼)	色 神異常	ト ホ ム	難 聴 (両耳)	中 耳 炎	蓄 の 症	アイ デ ノ ド	へん と う 肥 大	
計	昭和23	0.61	-	-	12.09	-	-	1.29	0.78	1.48	0.39	-	-	-	-
	24	0.95	0.70	0.59	11.80	0.44	0.25	0.83	1.46	1.27	0.36	0.31	0.45	0.06	0.25
	25	0.82	0.57	0.50	11.48	0.44	0.26	0.78	1.52	1.93	0.35	0.32	0.50	0.09	0.21
	26	0.56	0.54	0.59	12.51	0.48	0.31	0.70	1.78	2.12	0.42	0.44	0.87	0.11	0.27
	27	0.58	0.55	0.46	14.40	0.53	0.32	1.30	1.74	3.25	0.36	0.56	-	0.13	0.28
	28	0.75	0.53	0.52	18.46	0.76	0.55	1.14	2.56	2.82	0.40	0.51	1.56	0.20	0.23
	29	0.59	0.52	0.43	20.87	0.64	0.63	1.27	2.02	2.84	0.44	0.58	2.00	0.14	0.27
	30	0.56	0.47	0.43	22.98	0.62	0.72	1.03	2.05	2.92	0.44	0.59	1.81	0.06	0.24
	31	0.44	0.47	0.39	24.68	0.46	0.68	1.14	2.13	2.73	0.42	0.64	1.90	0.07	0.30
	32	0.37	0.43	0.33	26.49	0.57	0.74	1.21	2.28	2.51	0.40	0.69	1.87	0.06	0.21
	33	0.30	0.36	0.32	27.85	0.48	0.87	0.99	2.19	2.31	0.39	0.64	1.81	0.08	0.19
	34	0.29	0.32	0.31	29.20	0.34	1.02	0.67	2.17	2.04	0.53	0.69	1.85	0.04	0.27
	35	0.28	0.32	0.29	30.24	0.36	1.19	0.52	2.19	2.08	0.46	0.72	2.30	0.09	0.22
	36	0.25	0.31	0.30	33.43	0.36	1.61	0.58	2.23	1.67	0.50	0.60	1.89	0.07	0.25
	37	0.26	0.25	0.27	33.44	0.59	2.14	0.46	2.22	1.50	0.44	0.61	1.81	0.11	0.19
男	38	0.19	0.33	0.27	34.01	0.34	1.77	0.45	2.11	1.26	0.38	0.43	1.54	0.05	0.21
	39	0.20	0.29	0.27	35.75	0.35	1.47	0.43	2.10	1.10	0.29	0.40	1.52	0.06	0.19
	40	0.14	0.19	0.28	36.46	0.42	1.91	0.51	2.07	0.75	0.31	0.36	1.58	0.07	0.19
	昭和23	0.69	-	-	10.94	-	-	1.23	1.47	1.45	0.49	-	-	-	-
	24	1.04	0.82	0.73	10.81	0.36	0.27	0.82	2.17	1.76	0.42	0.33	0.50	0.06	0.28
	25	0.90	0.68	0.61	10.71	0.39	0.24	0.79	2.34	1.92	0.42	0.37	0.55	0.08	0.27
	26	0.63	0.61	0.62	11.53	0.32	0.28	0.74	2.87	2.20	0.50	0.52	1.03	0.15	0.38
	27	0.68	0.62	0.58	13.76	0.56	0.34	1.27	2.73	3.18	0.42	0.61	-	0.14	0.36
	28	0.85	0.69	0.66	17.87	0.82	0.56	1.15	3.19	2.92	0.46	0.55	1.65	0.20	0.32
	29	0.65	0.66	0.58	20.23	0.54	0.60	1.18	3.27	2.97	0.51	0.65	2.22	0.12	0.31
	30	0.67	0.57	0.58	22.00	0.68	0.75	0.96	3.43	3.26	0.48	0.66	1.92	0.06	0.35
	31	0.48	0.59	0.51	23.70	0.45	0.63	1.15	3.57	2.86	0.48	0.72	2.08	0.09	0.39
	32	0.40	0.56	0.45	25.78	0.46	0.73	1.14	3.75	2.73	0.44	0.79	2.02	0.07	0.29
	33	0.32	0.45	0.42	26.94	0.42	0.89	0.88	3.83	2.53	0.43	0.73	2.03	0.10	0.28
	34	0.31	0.38	0.45	28.03	0.35	1.00	0.55	3.81	2.28	0.55	0.79	2.10	0.05	0.38
	35	0.33	0.43	0.41	29.34	0.41	1.13	0.49	3.84	2.34	0.50	0.83	2.55	0.11	0.31
	36	0.27	0.39	0.41	32.73	0.34	1.54	0.46	3.90	1.89	0.58	0.69	2.14	0.05	0.37
	37	0.28	0.32	0.41	32.85	0.46	2.11	0.48	3.96	1.69	0.51	0.64	2.03	0.07	0.26
女	38	0.22	0.41	0.42	32.53	0.25	1.63	0.46	3.87	1.50	0.46	0.51	1.80	0.05	0.33
	39	0.20	0.32	0.35	33.88	0.36	1.44	0.37	3.87	1.38	0.32	0.46	1.73	0.06	0.30
	40	0.16	0.25	0.44	34.57	0.42	1.88	0.35	3.81	0.85	0.37	0.42	1.67	0.10	0.26
	昭和23	0.53	-	-	13.24	-	-	1.36	0.09	1.51	0.28	-	-	-	-
	24	0.81	0.49	0.34	13.51	0.58	0.23	0.84	0.22	1.79	0.27	0.26	0.37	0.07	0.19
	25	0.68	0.40	0.33	12.70	0.52	0.28	0.75	0.22	1.93	0.26	0.26	0.42	0.09	0.12
	26	0.48	0.43	0.54	13.86	0.70	0.37	0.65	0.25	2.00	0.31	0.34	0.65	0.06	0.12
	27	0.43	0.44	0.28	15.36	0.48	0.30	1.34	0.24	3.36	0.27	0.49	-	0.13	0.15
	28	0.62	0.31	0.31	19.31	0.66	0.54	1.13	0.29	2.69	0.32	0.44	1.43	0.19	0.11
	29	0.50	0.31	0.23	21.73	0.77	0.66	1.40	0.28	2.67	0.35	0.49	1.70	0.16	0.21
	30	0.43	0.34	0.24	24.20	0.55	0.69	1.12	0.28	2.50	0.40	0.50	1.68	0.07	0.11
	31	0.39	0.31	0.22	25.92	0.46	0.74	1.12	0.28	2.56	0.35	0.55	1.72	0.06	0.18
	32	0.33	0.26	0.17	27.43	0.71	0.75	1.38	0.31	2.22	0.35	0.57	1.66	0.05	0.11
	33	0.28	0.24	0.20	28.88	0.56	0.85	1.11	0.29	2.05	0.35	0.55	1.55	0.06	0.10
	34	0.28	0.25	0.16	30.55	0.33	1.05	0.80	0.24	1.77	0.50	0.58	1.56	0.02	0.15
	35	0.23	0.19	0.15	31.29	0.29	1.25	0.56	0.25	1.78	0.42	0.58	2.02	0.08	0.11
	36	0.22	0.23	0.17	34.29	0.37	1.69	0.72	0.24	1.40	0.40	0.50	1.59	0.10	0.11
	37	0.23	0.16	0.12	34.11	0.73	2.18	0.45	0.20	1.28	0.36	0.57	1.55	0.17	0.11
計	38	0.15	0.25	0.12	35.63	0.45	1.93	0.44	0.20	0.99	0.29	0.35	1.25	0.05	0.07
	39	0.20	0.26	0.19	37.75	0.34	1.49	0.49	0.20	0.80	0.27	0.34	1.29	0.06	0.07
	40	0.13	0.12	0.11	38.50	0.42	1.94	0.67	0.19	0.65	0.24	0.29	1.49	0.05	0.10

の推移 (昭和23年度～昭和40年度)

(%)

心臓の疾患	精神薄弱	身体虚弱	運動障害	寄生虫病	むし歯			定期結核健康診断受検者のうち結核被患者の占める割合			ツベルクリン皮内反応成績 (計=100)			寄卵 生保 虫有
					計	処完了者 置者	未歯ある 処る置者	計	呼の吸器系核	その他の結核	陽性	疑陽性	陰性	
-	0.01	0.25	0.09	-	39.13	-	-	-	65.81	7.98	26.21	-
-	0.01	0.23	0.12	0.59	58.79	15.58	43.21	0.95	0.60	0.35	-	-	-	50.19
-	0.01	0.21	0.11	0.34	62.25	16.42	45.83	0.79	0.49	0.30	32.47	49.94
-	0.02	0.10	0.12	0.08	55.34	11.79	43.55	0.71	0.68	0.03	31.47	47.67
-	0.01	0.17	0.17	-	55.62	13.17	42.45	0.75	0.70	0.05	70.96	11.12	17.92	47.21
0.32	0.01	0.18	0.17	2.90	53.47	11.18	42.29	0.80	0.75	0.05	79.98	8.49	11.53	39.06
0.37	0.00	0.20	0.18	0.43	52.64	11.12	41.52	0.66	0.63	0.03	83.18	7.63	9.18	33.59
0.36	0.00	0.19	0.17	0.44	52.54	11.13	41.41	0.68	0.66	0.02	86.21	6.43	7.36	27.62
0.37	0.00	0.12	0.18	0.14	55.80	11.84	43.96	0.57	0.55	0.02	86.68	6.26	7.06	23.21
0.38	0.00	0.11	0.16	0.08	59.1	13.6	45.5	0.51	0.45	0.06	86.9	6.4	6.7	20.8
0.35	0.01	0.09	0.16	0.14	63.0	15.5	47.5	0.54	0.53	0.01	87.3	6.4	6.3	17.2
0.35	-	0.10	0.15	-	67.9	16.3	51.6	0.52	0.50	0.02	87.2	6.4	6.4	14.3
0.35	0.00	0.07	0.16	0.31	71.77	17.71	54.06	0.48	0.46	0.02	88.7	6.0	5.3	8.85
0.34	0.00	0.08	0.16	0.12	75.96	19.26	56.70	0.42	0.41	0.01	89.5	5.7	4.8	6.72
0.35	0.00	0.07	0.14	0.11	80.96	19.96	61.00	0.36	0.35	0.01	90.5	5.2	4.3	5.09
0.35	0.00	0.05	0.13	0.16	83.52	20.98	62.54	0.25	0.24	0.01	90.2	5.3	4.5	4.20
0.34	0.01	0.06	0.12	0.10	85.23	21.80	63.43	0.24	0.23	0.01	90.0	5.5	4.5	3.02
0.28	0.01	0.06	0.12	0.17	86.52	22.76	63.76	0.20	0.19	0.01	91.5	4.6	3.9	2.36
-	0.01	0.25	0.11	-	36.42	-	-	-	65.57	8.06	26.37	-
-	0.01	0.23	0.13	0.53	55.80	14.79	41.01	0.99	0.61	0.38	-	-	-	49.03
-	0.01	0.21	0.13	0.35	59.68	15.70	43.98	0.85	0.51	0.34	32.87	50.93
-	0.00	0.10	0.15	0.10	52.77	10.35	42.42	0.69	0.67	0.02	31.89	48.70
-	0.01	0.17	0.19	-	52.45	12.47	39.98	0.79	0.75	0.04	69.33	11.97	18.70	47.97
0.32	0.00	0.20	0.20	2.80	51.49	10.76	40.70	0.84	0.80	0.04	78.66	9.21	12.13	38.90
0.34	0.00	0.20	0.21	1.06	49.75	10.33	39.42	0.68	0.65	0.03	81.91	8.52	9.57	33.65
0.35	0.00	0.19	0.20	0.50	49.82	10.09	39.73	0.74	0.72	0.02	85.22	7.12	7.66	27.53
0.35	-	0.11	0.20	0.12	52.52	10.34	42.18	0.60	0.58	0.02	85.67	6.97	7.36	22.98
0.38	0.00	0.12	0.18	0.08	55.7	12.3	43.4	0.54	0.48	0.06	86.3	6.9	6.8	20.5
0.32	0.02	0.09	0.19	0.11	59.9	13.9	46.0	0.55	0.54	0.01	86.6	7.0	6.4	17.1
0.34	-	0.10	0.17	-	63.9	14.7	49.2	0.57	0.55	0.02	86.9	7.0	6.1	13.8
0.34	0.00	0.06	0.19	0.30	68.5	15.9	52.6	0.51	0.49	0.02	87.9	6.7	5.4	8.78
0.34	0.00	0.08	0.26	0.15	72.36	18.00	54.36	0.43	0.42	0.01	89.3	6.2	4.5	6.60
0.35	0.00	0.05	0.15	0.12	77.91	18.66	59.25	0.34	0.33	0.01	90.3	5.4	4.3	5.09
0.34	0.00	0.05	0.16	0.16	79.93	19.33	60.60	0.27	0.26	0.01	89.5	5.9	4.6	4.18
0.32	0.00	0.06	0.15	0.11	82.45	19.55	62.90	0.25	0.24	0.01	89.5	6.0	4.5	3.12
0.26	0.00	0.05	0.15	0.17	83.57	20.90	63.67	0.20	0.20	0.00	90.8	5.2	4.0	2.53
-	0.01	0.25	0.07	-	41.84	-	-	-	66.05	7.90	26.05	-
-	0.02	0.23	0.10	0.71	63.94	16.94	47.00	0.90	0.59	0.31	-	-	-	52.03
-	0.01	0.21	0.09	0.32	66.34	17.55	48.79	0.69	0.46	0.23	31.86	48.57
-	0.04	0.09	0.09	0.05	58.85	13.75	45.10	0.77	0.72	0.05	30.92	46.41
-	0.00	0.17	0.12	-	60.39	14.23	46.16	0.68	0.62	0.06	73.34	9.88	16.78	46.54
0.33	0.01	0.15	0.12	2.90	56.31	11.77	44.54	0.74	0.70	0.04	81.85	7.47	10.68	39.30
0.40	0.03	0.19	0.15	0.93	56.57	12.19	44.38	0.63	0.60	0.03	84.92	6.42	8.66	33.51
0.38	0.00	0.18	0.14	0.38	55.96	12.43	43.53	0.61	0.59	0.02	87.47	5.55	6.98	27.74
0.40	0.01	0.13	0.15	0.16	59.97	13.75	46.22	0.52	0.50	0.02	87.97	5.35	6.68	23.46
0.38	0.00	0.11	0.13	0.08	63.5	15.2	48.3	0.47	0.42	0.05	87.8	5.6	6.6	21.1
0.38	0.00	0.09	0.13	0.18	66.5	17.3	49.2	0.53	0.51	0.02	88.1	5.6	6.3	17.2
0.37	-	0.10	0.12	-	72.6	18.2	54.4	0.45	0.44	0.01	87.5	5.6	6.9	14.7
0.36	0.00	0.07	0.13	0.33	75.6	19.8	55.8	0.44	0.42	0.02	89.8	5.0	5.2	8.93
0.35	0.00	0.08	0.13	0.08	80.23	20.75	59.48	0.38	0.37	0.01	89.8	5.2	5.0	6.85
0.36	-	0.09	0.12	0.10	84.43	21.44	62.99	0.37	0.37	0.00	90.8	5.0	4.2	4.94
0.35	0.00	0.05	0.10	0.16	87.40	22.77	64.63	0.24	0.23	0.01	90.8	4.6	4.6	4.21
0.37	0.02	0.07	0.09	0.09	88.34	24.29	64.05	0.22	0.21	0.01	90.7	4.9	4.4	2.92
0.31	0.02	0.06	0.09	0.16	89.66	24.74	64.92	0.20	0.19	0.01	92.3	3.9	3.8	2.19

4 大学・短期大学

区分	栄養 注意	せき 柱異常	胸郭 異常	目					耳		
				近 視	遠 視	乱 視	色異 神常	トホ ー ラム	難 (両 耳 聴)	中 耳 炎	
男	昭和 23	0.74	-	-	19.31	-	-	1.19	0.50	0.26	-
	24	1.08	0.45	0.87	24.07	0.60	0.62	2.49	0.80	0.35	0.91
	25	0.96	0.71	0.60	21.53	0.35	0.48	2.13	0.68	0.30	0.54
	26	0.76	0.41	0.40	22.78	0.16	0.53	2.38	0.88	0.26	0.48
	27	0.71	0.61	0.51	25.31	0.66	0.65	2.52	1.17	0.26	0.61
	28	0.61	-	-	26.79	1.10	0.52	2.48	1.06	0.32	-
	29	0.47	-	-	28.50	1.56	0.78	2.71	0.93	0.29	-
	30	0.28	-	-	30.92	0.75	0.75	3.31	0.81	0.24	-
	31	0.22	-	-	35.00	0.60	0.82	3.15	0.70	0.16	-
	32	0.16	-	-	36.58	0.44	1.09	3.36	0.71	0.19	-
	33	0.29	-	-	38.09	0.41	0.99	3.36	0.62	0.13	-
	34	0.13	-	-	41.26	0.52	1.14	3.64	0.63	0.09	-
	35	0.14	-	-	43.48	0.30	0.92	3.82	0.41	0.09	-
	36	0.15	-	-	38.31	0.90	1.07	3.88	0.45	0.13	-
	37	0.06	-	-	47.19	0.64	1.24	3.83	0.31	0.09	-
	38	0.05	-	-	39.85	0.83	0.70	3.65	0.24	0.07	-
	39	0.05	-	-	37.25	0.64	0.87	3.72	0.18	0.07	-
	40	0.08	-	-	49.01	1.14	1.56	3.92	0.18	0.08	-
女	昭和 23	0.58	-	-	17.21	-	-	0.17	0.45	0.15	-
	24	1.12	0.48	0.81	20.53	0.99	0.45	0.20	0.58	0.16	0.37
	25	0.82	0.52	0.41	21.58	0.75	0.54	0.13	0.60	0.19	0.33
	26	1.02	0.48	0.96	21.31	0.63	0.38	0.11	0.52	0.11	0.26
	27	0.55	0.51	1.38	22.76	0.66	0.66	0.12	0.85	0.17	0.31
	28	0.55	-	-	24.08	0.99	0.17	0.14	0.62	0.13	-
	29	0.52	-	-	27.63	0.62	1.09	0.13	0.69	0.10	-
	30	0.57	-	-	28.33	0.81	0.81	0.09	0.65	0.10	-
	31	0.36	-	-	30.46	1.10	0.95	0.12	0.56	0.10	-
	32	0.26	-	-	32.73	0.83	1.16	0.10	0.41	0.10	-
	33	0.33	-	-	35.85	0.80	1.10	0.08	0.36	0.06	-
	34	0.14	-	-	37.87	0.55	1.14	0.16	0.34	0.06	-
	35	0.15	-	-	40.11	0.68	1.01	0.12	0.27	0.06	-
	36	0.17	-	-	41.96	0.95	0.81	0.09	0.25	0.08	-
	37	0.18	-	-	44.18	0.92	1.04	0.11	0.26	0.08	-
	38	0.13	-	-	39.05	0.54	0.58	0.11	0.17	0.03	-
	39	0.10	-	-	37.25	0.64	0.87	3.72	0.18	0.07	-
	40	0.10	-	-	45.13	1.02	0.71	0.09	0.18	0.06	-

「せき柱異常」「胸郭異常」「中耳炎」「アデノイド」「へんとうせん肥大」「伝染性の皮膚疾患」は、昭和 28 年度以降調査してい

(%)

鼻およびいん頭		伝皮 染膚 性疾 患の 患	む し 歯			定期結核健康診断受検者のうち 結核被患者の占める割合			ツベルクリン皮内反応成績 (計=100)		
アイ デノ ド	へん肥 んと 大		計	処完了 置者	未歯者 処あ 置る	計	呼吸系 枝の 器結	その結 核他	陽 性	疑 陽 性	陰 性
-	-	-	33.13	-	-	-	75.77	5.82	18.41
0.34	3.12	0.18	67.78	24.60	43.18	2.17	1.47	0.70	-	-	-
0.12	2.05	0.13	69.05	28.14	40.91	2.07	1.76	0.31	17.43
0.11	1.78	0.11	71.30	27.20	44.10	2.13	2.02	0.11	16.95
0.05	1.92	0.08	71.07	25.49	45.58	1.77	1.62	0.15	82.18	9.06	8.76
-	-	-	74.61	30.10	44.51	1.66	1.53	0.13	86.20	5.57	8.23
-	-	-	71.33	29.30	42.03	1.85	1.73	0.12	87.54	5.55	6.91
-	-	-	68.57	24.88	43.69	1.67	1.62	0.05	90.34	4.26	5.40
-	-	-	70.27	26.48	43.79	1.39	1.35	0.04	91.13	3.91	4.96
-	-	-	69.14	26.10	43.04	1.35	1.15	0.20	91.46	3.83	4.71
-	-	-	66.41	24.19	42.22	1.23	1.19	0.04	92.44	3.51	4.05
-	-	-	66.17	25.87	40.30	1.15	1.13	0.02	92.70	3.56	3.74
-	-	-	67.64	25.33	42.31	0.97	0.95	0.02	93.37	3.36	3.27
-	-	-	68.07	26.86	41.21	0.86	0.85	0.01	94.10	3.17	2.73
-	-	-	73.60	29.01	44.59	0.73	0.72	0.01	94.55	3.04	2.41
-	-	-	76.16	31.91	44.25	0.54	0.53	0.01	94.58	3.09	2.33
-	-	-	73.90	33.73	40.17	0.49	0.48	0.01	95.31	2.75	1.94
-	-	-	81.16	36.30	44.86	0.45	0.44	0.01	95.54	2.75	1.71
-	-	-	24.50	-	-	-	74.32	5.53	20.15
0.38	3.21	0.14	64.91	23.25	41.66	1.25	0.82	0.43	-	-	-
0.14	3.31	0.04	73.22	28.60	44.62	1.24	0.91	0.33	21.59
0.05	2.76	0.04	72.58	27.19	45.39	1.08	0.96	0.12	17.50
0.12	3.31	0.02	73.06	28.20	44.86	0.77	0.71	0.06	83.36	7.44	9.20
-	-	-	75.07	30.25	44.82	1.30	1.16	0.14	86.80	5.10	8.10
-	-	-	73.72	20.26	43.46	1.04	0.99	0.05	88.86	4.66	6.48
-	-	-	71.66	29.55	42.11	1.14	1.12	0.02	91.24	3.67	5.09
-	-	-	69.28	26.77	42.51	0.84	0.81	0.03	91.47	3.71	4.82
-	-	-	69.68	28.13	41.55	0.79	0.68	0.11	92.34	3.50	4.16
-	-	-	70.84	29.34	41.50	0.74	0.67	0.07	93.02	3.21	3.77
-	-	-	73.51	28.84	43.67	0.75	0.73	0.02	93.19	3.58	3.23
-	-	-	76.51	31.35	45.16	0.63	0.61	0.02	92.99	3.77	3.24
-	-	-	79.03	34.31	44.72	0.45	0.45	0.00	93.44	3.44	3.12
-	-	-	82.53	35.15	47.38	0.42	0.41	0.01	93.74	3.63	2.63
-	-	-	84.95	36.81	48.14	0.31	0.30	0.01	94.53	2.80	2.67
-	-	-	85.73	37.62	48.11	0.28	0.27	0.01	94.00	3.15	2.85
-	-	-	88.77	37.17	51.60	0.23	0.21	0.02	94.60	3.10	2.30

ない。