

## 10 都道府県別 疾 病

## 1 幼稚園 (1) 男

区 分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 視 (両眼)	色 視 異常	ト ホ ー ム	結 膜 炎	その 他 疾	難 聴 (両耳)	中 耳 炎
全 国	0.6	0.4	1.4	2.2	0.1	0.0	0.1	0.5	0.5	2.9	0.6	0.1	0.4
北海道	0.1	0.0	0.7	0.1	0.3	0.1	-	0.1	0.3	2.1	0.1	-	0.1
青森	0.2	0.1	0.9	-	-	-	-	-	0.6	2.3	0.2	0.0	0.2
岩手	0.1	0.1	1.6	3.9	-	-	-	-	3.0	3.6	0.8	2.5	0.5
宮城	0.3	0.0	1.8	0.3	-	-	0.1	0.7	0.9	3.3	0.5	0.2	0.5
秋田	0.4	0.6	1.2	2.3	-	-	-	0.1	1.1	2.7	0.5	0.1	0.2
山形	1.6	1.1	3.4	3.9	-	-	-	3.3	0.6	2.0	0.8	0.7	0.6
福島	0.4	0.2	1.0	0.8	-	-	-	0.2	2.2	2.1	0.8	0.2	0.2
茨城	0.2	0.0	0.9	1.3	0.1	0.0	0.1	0.7	0.5	1.0	0.3	0.1	0.3
栃木	1.1	0.9	3.0	0.1	-	-	0.1	0.5	1.2	2.2	0.2	-	0.4
群馬	0.7	0.4	1.8	0.5	-	-	-	0.4	0.2	1.5	0.3	0.0	0.2
埼玉県	0.2	0.2	1.0	0.3	-	0.1	0.0	0.4	0.3	3.0	1.7	0.1	0.3
千葉県	0.9	0.2	0.9	-	-	-	2.2	0.3	0.3	3.3	0.3	0.0	0.1
東京都	0.5	0.1	0.8	-	-	-	-	0.4	0.0	2.5	0.3	-	0.5
神奈川県	0.9	0.3	1.1	-	-	-	-	4.0	0.3	2.8	0.5	0.9	0.1
新潟	1.0	0.1	2.3	2.7	-	-	-	0.1	0.1	1.6	0.2	0.1	0.1
富山	0.4	0.3	1.3	3.4	-	-	0.1	0.1	0.3	3.2	0.4	0.0	0.1
石川	0.6	0.3	2.5	0.7	-	-	-	-	0.1	1.0	0.2	0.0	0.0
福山	0.6	1.6	2.4	4.5	-	-	0.0	1.1	0.3	3.9	0.2	0.5	0.4
山梨	0.4	0.2	0.7	-	-	-	-	-	0.0	2.2	0.4	-	0.0
長野	0.8	0.3	1.2	0.9	0.1	-	0.0	0.1	0.1	3.5	1.0	0.3	0.2
岐阜	0.3	0.4	0.4	0.1	0.0	-	0.0	0.1	0.2	3.4	1.3	0.0	0.2
静岡県	0.9	0.2	0.7	2.8	-	-	0.3	0.7	0.5	3.9	0.6	0.1	0.1
愛知県	0.3	0.2	1.4	-	-	-	-	0.7	0.2	4.5	0.8	0.2	0.7
三重	0.4	0.1	1.4	-	-	-	-	0.7	1.9	2.3	0.4	0.5	0.1
滋賀	0.7	2.3	2.6	0.3	0.1	-	-	0.7	0.1	1.7	0.7	-	0.3
京都府	0.9	1.8	0.7	0.8	-	-	0.7	0.0	0.1	3.9	0.4	0.3	0.4
大阪府	0.3	0.5	1.7	6.2	0.1	-	-	0.3	0.3	2.0	1.0	0.2	0.4
兵庫県	0.8	0.6	2.2	1.1	0.1	-	-	0.3	0.6	4.5	0.3	0.1	0.3
奈良	0.5	1.1	1.6	-	-	0.1	-	0.5	0.5	4.3	0.4	0.1	0.3
和歌山	0.4	0.1	0.9	3.8	0.5	-	-	-	3.9	3.9	0.8	0.8	0.1
鳥取	1.1	0.3	8.9	-	-	-	-	-	0.1	0.6	-	-	-
島根	0.4	0.3	2.5	-	-	-	0.3	0.4	1.7	2.6	0.8	0.1	0.6
岡山	0.8	0.3	1.2	4.9	-	-	0.6	2.6	0.5	3.7	1.4	0.9	0.6
広島	1.0	0.4	1.0	3.2	0.3	-	0.6	0.9	0.2	2.8	0.4	0.1	0.3
山口	0.7	0.3	3.2	0.8	0.1	-	0.1	1.3	0.2	2.0	0.2	-	0.3
徳島	0.8	0.1	1.0	0.5	-	-	0.1	0.4	0.5	3.0	1.2	0.2	0.5
香川県	0.7	0.6	1.4	1.2	0.1	0.1	-	0.5	0.6	1.8	0.7	0.1	0.2
愛媛	1.3	0.0	0.9	0.7	-	0.0	-	0.4	0.2	2.0	0.7	0.1	0.1
高松	0.2	0.1	1.8	-	-	-	-	0.1	0.1	2.3	-	-	0.4
福岡	0.4	0.2	1.6	-	-	-	-	0.1	1.1	1.6	0.4	0.1	1.6
佐賀	0.3	0.5	0.9	-	-	-	-	-	0.4	1.5	-	1.2	0.3
長門	0.7	0.3	1.3	1.4	-	-	-	0.1	0.3	2.0	0.2	-	0.2
熊本	0.7	0.5	1.2	-	-	-	-	-	0.4	4.5	0.5	0.2	0.3
大分	0.4	0.1	1.1	0.7	-	-	-	0.3	0.6	2.0	0.3	-	0.3
宮崎	0.3	0.1	1.1	-	-	-	-	1.0	1.1	2.2	0.4	0.9	0.2
鹿児島	0.2	0.4	1.0	2.1	-	-	-	0.1	0.5	2.8	1.3	-	0.4

## 異常被患率 (一般検診)

(%)

その耳 他疾	鼻およびいん頭				伝皮 染膚 性疾 患の患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ 疾 の 病 他異 の常	歯				その 歯 疾 他疾
	蓄 の う 症	アイ デ ノ	へう ん せ と ん	肥 の い ん 頭								鼻 の 他 の 頭	むし菌			
													計	処 完 了 置 者	未 菌 者 処 あ 置 る	
0.8	0.4	0.8	12.3	3.8	0.8	0.3	0.0	0.1	0.1	0.4	0.8	92.0	6.0	86.0	0.4	
0.5	-	0.0	9.9	0.8	2.6	0.2	-	0.1	0.2	-	0.9	93.0	3.5	89.5	0.5	
0.3	0.2	0.3	13.4	0.1	0.4	0.1	0.0	0.0	0.0	0.4	0.5	79.9	2.2	77.7	1.2	
1.0	0.7	0.6	13.9	6.7	0.8	0.1	-	0.1	0.1	0.2	1.4	83.2	7.3	75.9	1.0	
0.9	0.1	0.4	11.8	1.9	0.7	0.4	0.0	-	0.1	0.9	0.6	87.9	6.3	81.6	0.8	
0.1	0.1	0.1	13.7	1.3	1.7	0.2	-	0.1	-	0.2	0.5	93.3	2.4	90.9	0.7	
1.6	0.4	0.3	11.1	3.5	0.9	0.1	0.0	0.3	0.1	0.0	0.4	88.1	4.6	83.5	0.6	
0.5	1.2	2.1	11.4	2.8	0.7	0.2	-	0.0	0.1	0.3	0.2	80.5	3.8	76.7	0.2	
0.1	0.2	0.6	10.0	1.2	0.4	0.1	-	0.1	0.0	0.2	0.6	91.2	2.5	88.7	0.0	
0.1	-	0.2	10.8	1.1	1.3	0.5	0.0	0.1	0.1	0.3	0.1	96.5	2.3	94.2	0.1	
0.6	0.0	0.5	15.9	2.9	1.5	0.2	0.1	0.1	0.1	2.3	0.5	92.5	4.9	87.6	0.9	
1.0	-	0.6	10.0	5.0	1.3	0.1	-	0.0	0.1	0.2	0.2	75.1	7.0	68.1	-	
0.8	0.1	0.4	10.4	2.8	0.7	0.2	0.1	0.0	0.1	0.4	0.3	89.6	7.1	82.5	0.7	
1.1	0.8	1.0	11.9	4.5	0.8	0.2	-	0.0	0.1	-	0.6	88.3	12.2	76.1	0.3	
1.1	0.3	0.5	18.1	2.5	0.3	0.4	-	-	0.1	-	0.9	91.3	7.1	84.2	0.4	
0.1	0.2	0.1	8.3	3.9	1.2	0.0	-	0.1	-	-	0.5	76.3	7.8	68.5	0.5	
0.2	0.5	1.0	9.6	3.1	0.5	0.2	0.0	0.1	0.2	0.8	0.6	75.3	4.7	70.6	0.3	
-	-	0.0	13.1	0.8	0.5	0.6	0.1	0.2	0.1	-	0.9	88.9	3.7	85.2	0.1	
0.2	-	0.6	7.7	1.3	1.9	0.5	0.7	0.2	0.2	0.5	1.7	88.2	1.1	87.1	0.1	
0.6	0.2	1.3	10.5	2.3	0.6	0.0	0.0	0.0	0.2	0.7	0.2	86.5	6.2	80.3	0.6	
0.8	1.0	1.3	9.7	5.1	0.9	0.5	0.0	0.0	0.1	0.1	0.5	87.9	3.8	84.1	0.2	
0.4	0.9	3.1	7.9	5.3	0.4	0.1	-	0.1	-	-	0.0	62.3	3.4	58.9	0.1	
0.1	0.2	0.9	11.7	0.3	1.6	0.2	0.2	0.2	0.2	0.0	1.1	89.2	5.5	83.7	0.2	
0.6	0.1	0.4	12.2	1.4	0.7	0.1	0.1	0.1	0.1	0.1	0.7	90.2	4.6	85.6	0.1	
0.3	-	0.7	15.5	2.6	0.1	0.1	0.0	0.0	0.1	0.3	0.5	96.6	1.7	94.9	0.2	
0.8	0.2	0.3	18.1	6.7	1.3	0.3	0.1	0.1	0.1	-	1.8	89.8	3.7	86.1	0.2	
1.9	0.2	1.1	16.3	5.5	1.2	0.2	-	-	0.1	0.3	2.0	83.8	6.5	77.3	1.3	
1.5	0.1	0.9	13.2	7.2	0.2	0.3	0.0	0.1	0.0	1.5	1.3	81.5	4.9	76.6	0.1	
1.0	0.3	0.8	11.3	5.4	0.2	0.3	-	0.1	0.1	0.5	0.7	93.3	4.2	89.1	0.5	
0.6	0.6	0.9	12.2	2.8	1.2	0.3	-	-	0.0	-	0.9	90.0	6.3	83.7	0.5	
0.1	-	0.6	14.8	2.5	0.2	0.5	0.1	0.0	0.1	0.1	0.5	87.7	2.8	84.9	0.0	
0.2	1.9	3.9	11.5	2.7	0.7	0.2	-	0.3	0.1	0.1	1.0	94.5	3.6	90.9	0.1	
1.6	0.5	1.0	10.2	6.1	2.9	0.4	0.0	0.0	0.1	0.4	0.7	94.0	2.6	91.4	0.1	
1.3	0.9	0.7	11.6	4.5	0.2	0.3	0.1	0.1	0.2	0.1	0.3	94.4	2.7	91.7	0.1	
0.3	0.9	0.9	8.8	4.8	0.7	0.3	0.1	0.0	0.2	0.1	0.4	90.0	6.4	83.6	0.1	
0.3	1.1	1.1	14.3	4.7	1.2	0.2	-	0.0	0.0	1.2	0.8	86.9	3.8	83.1	0.3	
0.7	0.0	0.4	9.2	7.6	0.6	0.5	0.1	0.1	0.2	0.4	0.6	93.8	0.4	93.4	-	
0.5	0.5	0.1	9.6	3.9	0.4	0.5	0.0	0.1	0.2	0.3	1.2	93.0	2.9	90.1	0.1	
-	0.2	1.0	7.7	1.1	0.0	0.1	0.2	0.0	0.3	1.4	0.8	90.8	5.5	85.3	0.2	
0.1	-	0.4	9.8	1.2	1.9	-	-	-	-	0.1	0.9	84.5	2.6	81.9	-	
0.7	0.3	1.1	9.0	2.3	1.1	0.2	0.1	0.2	0.2	0.7	0.7	83.4	10.3	73.1	1.2	
0.3	0.5	0.4	9.6	3.7	0.9	0.4	0.1	0.1	0.0	0.1	0.6	83.5	3.0	80.5	-	
0.1	1.5	0.1	8.8	1.0	0.9	0.3	0.0	0.1	0.0	-	0.3	95.0	2.0	93.0	0.2	
0.2	0.0	0.7	10.0	1.7	1.0	0.3	-	-	0.2	0.6	0.4	89.9	2.7	87.2	-	
0.1	-	0.2	8.6	1.4	0.3	0.2	0.2	0.1	0.2	0.8	0.1	91.5	3.3	88.2	0.1	
0.2	0.2	0.1	9.7	0.8	0.1	0.2	0.0	0.1	0.1	0.2	0.8	88.2	1.8	86.4	0.1	
0.5	0.8	0.1	7.0	4.0	0.3	0.4	0.1	0.1	0.1	0.1	0.8	94.9	2.6	92.3	0.4	

(%)

## 1 幼稚園 (2) 女

区 分	栄養 要注 意	せき 柱異 常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異常	ト ホ ー ム ラ ム	結 膜 炎	その 他 疾	難 聴 (両耳)	中 耳 炎
全 国	0.5	0.2	0.7	2.2	0.1	0.0	0.0	0.1	0.6	3.0	0.6	0.1	0.2
北海道 北青岩宮秋	0.1	0.0	0.3	0.3	-	-	-	-	0.2	1.8	0.1	-	0.1
	0.1	-	0.3	0.1	-	-	-	-	0.6	2.3	0.2	-	0.2
	0.1	0.2	0.6	-	-	-	-	-	3.1	4.2	0.7	3.5	0.4
	0.2	-	0.9	0.5	-	-	-	0.1	0.7	3.1	0.8	0.1	0.1
	0.2	0.3	0.8	2.0	-	-	-	0.1	1.3	3.2	0.5	-	0.1
山福茨 福茨粉群	1.5	0.6	1.8	6.0	-	-	-	-	0.8	2.6	1.1	0.8	0.2
	0.2	0.2	0.4	1.4	-	-	-	-	2.4	1.9	1.1	0.2	0.1
	0.2	0.1	0.4	1.3	-	-	0.0	0.0	0.3	1.4	0.2	0.0	0.4
	0.8	0.4	1.4	0.1	-	-	0.1	-	1.5	2.7	0.3	0.0	0.4
	0.8	0.5	0.7	0.5	-	-	0.1	-	0.4	4.8	0.5	0.1	0.3
埼千東 奈神新	0.2	0.3	0.3	0.5	0.0	0.0	-	-	0.3	3.2	2.2	0.1	0.4
	0.7	0.1	0.6	-	-	-	0.7	-	0.3	3.6	0.4	0.1	0.1
	0.5	0.0	0.4	-	-	-	-	0.1	0.0	3.4	0.4	-	0.2
	0.4	0.3	0.4	-	-	-	-	-	0.6	2.5	0.3	-	0.2
	0.9	0.1	1.1	1.0	-	-	-	-	0.1	2.0	0.2	0.1	0.0
富石福 山山長	0.3	0.0	0.6	1.6	-	-	0.1	0.1	0.2	2.9	0.6	0.1	0.2
	0.4	0.1	0.8	1.3	-	-	-	-	0.1	0.9	0.2	-	0.0
	0.7	0.6	0.9	4.8	-	-	0.0	0.1	0.4	3.5	0.5	0.4	0.2
	0.5	0.2	0.3	-	-	-	-	-	0.4	2.5	0.7	-	0.3
	1.1	0.2	0.6	-	-	-	-	-	0.7	3.7	0.7	0.0	0.0
岐静愛 三滋	0.3	0.1	0.1	0.0	0.0	-	-	-	0.6	3.8	1.4	0.0	0.0
	1.0	0.1	0.5	3.4	-	-	-	0.1	0.4	3.5	0.4	0.1	0.1
	0.5	0.1	1.2	-	-	-	-	0.3	0.4	4.4	1.1	0.2	0.6
	0.2	0.2	0.3	6.5	-	-	-	-	2.3	2.0	0.3	0.4	0.0
	0.9	1.9	1.0	0.4	-	0.1	-	0.1	0.1	1.8	0.7	0.0	0.2
京大兵 奈和歌	0.5	1.2	0.5	-	0.9	-	-	0.2	0.2	2.8	0.5	0.2	0.1
	0.1	0.1	0.8	7.8	0.1	-	-	-	0.3	2.4	0.5	0.0	0.2
	1.3	0.3	1.1	1.5	-	-	-	-	0.9	4.7	0.5	0.1	0.2
	0.2	0.7	0.3	-	-	0.1	0.1	0.2	1.0	4.0	0.6	0.2	0.1
	0.1	0.1	0.4	8.5	1.1	-	-	0.3	3.4	3.8	0.6	0.8	0.3
鳥島岡 山山口	1.2	0.3	6.1	-	-	-	-	-	-	0.6	0.1	-	0.1
	0.3	0.2	1.1	-	-	-	-	-	1.6	2.9	0.9	0.1	0.5
	0.3	0.1	0.5	4.1	0.7	-	-	0.1	0.5	3.9	1.3	0.4	0.3
	0.5	0.2	0.7	3.5	0.3	-	0.8	0.0	0.1	2.2	0.3	0.3	0.1
	0.3	0.2	1.5	1.0	0.3	-	-	-	0.3	1.9	0.0	0.1	0.3
徳香愛 高福	0.7	0.1	0.7	0.8	-	-	-	-	0.7	3.6	1.1	0.1	0.4
	0.7	0.2	0.7	1.3	0.1	-	-	-	0.9	2.0	0.3	0.1	0.2
	0.8	-	0.2	0.6	-	-	-	-	0.0	1.7	0.5	-	0.1
	0.1	0.1	0.9	-	-	-	-	-	-	1.5	0.1	-	0.3
	0.2	0.1	0.8	-	-	-	-	0.0	1.1	1.4	0.4	0.1	0.8
佐長熊 大宮鹿	0.3	0.2	0.4	-	-	-	-	-	0.6	1.3	0.1	0.8	0.4
	0.6	0.1	0.6	0.8	-	-	-	-	0.3	2.8	0.2	-	0.3
	0.7	0.1	0.8	-	-	-	-	-	0.1	5.1	0.3	0.1	0.2
	0.3	0.1	0.4	0.6	-	-	0.1	-	1.2	2.4	0.4	-	0.2
	0.1	0.1	0.8	-	-	-	-	-	1.2	2.2	0.4	-	0.1
児	0.1	0.3	0.6	2.4	-	-	-	-	0.7	2.8	1.8	0.1	0.1

その耳 他疾	鼻およびいん頭				伝皮 染膚 性疾 患の患	心 臓の 疾患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ疾 の病 他異 の常	歯			その 他疾
	蓄 のう 症	アイ デノ	へん と 大	肥 の 他 人 の 頭								む		歯 者 未 処 置 者	
												計	処 置 者		
0.7	0.3	0.7	9.6	3.0	0.6	0.3	0.0	0.0	0.1	0.4	0.6	89.0	6.3	82.7	0.4
0.2	-	0.0	7.2	0.5	1.7	0.2	0.0	0.0	-	-	0.8	92.5	3.9	88.6	0.4
0.3	0.2	1.5	9.3	0.7	0.2	0.0	-	-	-	0.4	0.1	84.6	2.8	81.8	1.1
0.8	0.7	0.7	11.9	6.1	0.7	0.3	-	0.1	0.1	0.2	1.1	86.3	8.8	77.5	0.1
0.7	0.0	-	9.4	0.9	0.6	0.2	-	-	0.1	1.0	0.3	90.2	7.7	82.5	0.9
0.1	0.1	0.1	12.4	1.0	1.5	0.1	0.0	-	-	0.3	0.5	94.5	3.1	91.4	0.7
1.5	0.5	0.4	9.6	2.4	0.5	0.1	-	0.1	0.0	0.1	0.3	88.2	5.2	83.0	0.4
0.4	0.9	1.5	9.7	2.6	1.0	0.3	-	-	-	0.1	0.3	82.5	2.9	79.6	0.1
0.1	0.1	0.5	7.4	0.7	0.2	0.1	-	0.1	0.0	0.1	0.3	90.4	2.9	87.5	0.2
0.1	-	0.3	9.5	1.1	1.1	0.3	0.0	0.0	0.0	0.6	0.2	94.9	2.9	92.0	-
0.3	0.0	0.5	14.7	2.3	1.2	0.2	-	-	0.1	1.9	0.4	92.5	4.5	88.0	0.8
1.0	-	0.7	8.3	3.8	1.0	0.2	-	-	0.1	0.2	0.1	76.7	7.6	69.1	-
0.6	0.1	0.6	8.5	1.8	0.7	0.1	0.1	-	-	0.5	0.1	90.4	6.9	83.5	0.6
1.0	0.5	0.9	8.8	3.8	0.8	0.2	0.0	-	0.0	-	0.5	88.6	12.3	76.3	0.4
0.9	0.1	0.4	14.9	2.0	0.3	0.3	-	0.0	0.1	-	0.8	93.0	8.6	84.4	0.4
0.1	0.1	0.1	6.1	3.2	1.0	0.2	-	-	0.1	0.1	0.4	77.4	8.3	69.1	0.5
0.0	0.3	0.4	6.2	2.0	0.3	0.2	-	0.1	0.3	0.3	0.3	60.2	3.7	56.5	0.0
0.1	-	0.1	10.8	0.7	0.4	0.5	-	0.1	0.1	-	0.7	89.2	3.0	86.2	0.1
0.4	0.1	0.7	6.6	0.9	1.0	0.6	0.5	0.1	0.2	0.2	1.6	86.0	0.6	85.4	0.5
0.5	0.1	0.7	11.1	1.2	0.5	0.0	0.0	-	0.2	0.5	0.2	86.8	6.5	80.3	0.9
0.4	0.6	1.1	8.0	2.6	0.9	0.4	-	0.1	0.1	0.2	0.4	89.7	5.3	84.4	0.2
0.3	0.7	2.1	7.1	3.4	0.5	0.1	-	0.0	0.0	-	0.0	63.5	4.9	58.6	-
0.2	0.0	0.6	10.0	0.8	1.0	0.2	0.1	0.1	0.2	0.0	0.8	92.8	6.4	86.4	0.3
0.4	0.1	0.3	9.6	1.4	0.6	0.2	0.1	-	0.0	0.0	0.8	90.4	5.3	85.1	0.0
0.3	-	0.4	12.9	1.9	0.1	0.3	0.1	0.1	0.1	0.2	0.6	97.3	1.4	95.9	0.4
0.7	0.1	0.2	15.9	4.3	0.6	0.3	0.1	0.1	0.1	-	1.0	88.1	4.2	83.9	0.5
1.4	0.3	0.7	11.7	3.2	0.9	0.4	0.0	0.2	0.2	0.1	1.4	87.3	10.0	77.3	1.4
1.3	0.1	1.2	11.1	5.6	0.2	0.3	-	0.0	0.0	1.6	0.7	82.5	5.1	77.4	0.1
0.9	0.2	0.9	9.8	5.6	0.4	0.3	0.1	0.0	0.2	0.5	0.5	93.9	4.5	89.4	0.3
0.3	0.5	0.5	11.0	2.2	1.0	0.2	-	0.0	0.1	-	0.4	90.3	7.2	83.1	0.3
-	-	0.5	11.0	2.5	0.3	0.4	-	-	0.2	-	0.6	87.4	3.2	84.2	0.1
-	1.9	2.8	9.2	2.9	0.6	0.2	-	-	0.1	0.3	0.8	95.0	3.2	91.8	0.1
1.8	0.5	0.6	8.6	5.1	2.1	0.5	-	-	0.1	0.3	0.4	94.8	2.7	92.1	0.1
1.3	1.0	0.5	10.2	3.9	0.2	0.6	0.0	0.1	0.2	0.2	0.2	94.6	2.7	91.9	0.2
0.7	1.1	0.9	6.9	3.7	0.8	0.2	0.1	0.1	0.0	0.2	0.3	89.5	5.8	83.7	0.3
0.4	0.5	0.4	11.4	3.5	0.6	0.3	-	0.0	0.0	1.5	1.0	86.5	5.1	81.4	0.2
0.6	0.0	0.1	5.9	6.5	0.6	0.2	0.0	-	0.1	0.7	0.4	94.6	0.4	94.2	0.0
0.4	0.3	0.1	6.5	2.7	0.4	0.6	0.0	0.2	0.1	0.1	0.6	91.2	3.9	87.3	0.1
0.0	0.0	0.6	7.1	0.6	0.1	0.2	0.1	0.0	0.1	1.1	0.5	90.1	5.8	84.3	0.6
0.1	0.1	0.5	9.1	1.0	1.9	-	0.1	-	-	0.1	1.4	85.9	3.2	82.7	-
0.5	0.2	0.9	7.1	1.6	1.1	0.2	0.1	0.1	0.1	0.7	0.3	86.0	12.6	73.4	1.3
0.2	0.7	0.6	8.0	2.6	0.4	0.5	0.0	0.0	0.1	0.1	0.5	83.8	3.3	80.5	0.0
0.1	0.9	0.1	7.3	1.1	0.7	0.3	0.0	0.2	0.1	-	0.5	94.5	2.3	92.2	0.3
0.3	0.0	0.3	7.8	1.1	0.4	0.3	0.0	-	0.0	0.3	0.4	88.7	0.9	87.8	0.1
0.0	0.0	0.4	8.4	1.7	0.4	0.3	0.1	0.2	0.3	0.5	0.1	69.5	3.5	66.0	0.2
0.1	0.1	0.0	9.7	0.8	0.1	0.2	0.1	0.1	0.0	0.2	0.6	88.4	2.3	86.1	0.1
0.4	1.2	0.1	5.7	2.8	0.4	0.1	0.1	-	-	0.1	0.9	94.6	2.8	91.8	0.3

## 2 小学校 (1) 男

区 分	栄養要注意	せき柱異常	胸部異常	目								耳	
				近視	遠視	乱視	弱(両眼)視	色神異常	トホーラム	結膜炎	その他眼疾	難(両耳)聴	中耳炎
全 国	0.5	0.6	1.0	10.7	0.3	0.2	0.2	3.0	2.0	4.2	1.1	0.5	0.5
北海道 北 青 森 岩 手 宮 城 秋 田	0.4	0.3	0.6	14.2	0.4	0.1	0.4	3.0	0.8	3.1	0.5	0.5	0.5
	0.7	0.1	0.5	11.1	0.7	0.0	0.4	3.0	6.4	4.3	0.8	0.4	0.4
	0.3	0.2	0.8	9.9	0.1	0.1	0.3	3.1	6.2	3.5	1.2	0.3	0.4
	0.5	0.3	0.7	9.6	0.5	0.6	0.1	2.5	4.6	2.8	2.7	0.5	0.5
	0.2	0.2	0.4	12.7	-	0.0	0.1	2.8	4.5	2.3	0.5	0.2	0.2
山形 福島 茨 城 栃 木 群 馬	2.9	3.3	2.8	7.6	0.1	0.2	0.2	3.2	3.3	5.0	1.2	0.4	0.5
	0.3	0.3	0.8	8.8	0.1	-	0.1	3.2	6.1	2.2	0.7	0.2	0.3
	0.2	0.2	0.9	6.3	0.1	0.3	0.3	2.6	2.0	1.2	0.5	0.3	0.3
	0.3	0.4	1.4	6.9	0.3	0.1	0.3	2.2	2.5	5.8	1.6	0.3	0.4
	0.7	1.4	2.4	7.3	0.2	0.2	0.2	2.5	0.4	2.2	1.7	0.4	0.4
埼玉 埼 千 東 千 葉 神 奈 川 新 潟	0.2	0.5	0.8	8.1	0.6	0.2	0.1	2.9	0.5	3.8	0.6	0.4	0.3
	0.2	0.2	1.5	7.3	0.1	0.1	0.3	2.5	1.4	6.6	1.2	0.3	0.3
	0.6	0.4	0.9	14.4	0.3	0.6	0.2	3.3	0.3	7.1	1.7	0.6	0.4
	0.3	1.1	0.9	9.0	0.3	0.4	0.1	2.7	1.3	3.8	1.5	0.1	0.4
	0.3	0.3	1.6	9.8	0.1	1.2	0.2	2.7	0.4	4.4	1.5	0.3	0.5
富山 石 川 福 井 山 梨 長 野	1.3	0.9	1.2	13.3	0.0	0.1	0.2	3.2	0.4	3.1	1.1	0.5	0.2
	0.8	0.8	2.0	12.8	0.3	0.1	0.1	3.6	1.0	2.9	0.5	0.5	0.1
	0.6	0.8	0.8	11.9	0.0	0.0	0.1	3.2	1.2	3.0	0.5	0.6	0.3
	0.6	0.9	2.2	7.6	0.0	0.2	0.2	3.4	1.2	5.8	1.1	0.8	0.3
	1.2	1.9	1.1	9.4	0.0	0.2	0.2	3.2	0.2	5.1	1.6	0.4	0.4
岐阜 静 岡 愛 知 三 重 滋 賀	0.8	0.9	0.5	10.2	0.1	0.1	0.2	2.9	1.2	3.9	1.3	0.5	0.3
	0.4	0.5	1.2	12.5	0.1	0.1	0.2	3.0	0.7	3.4	0.5	0.4	0.2
	0.6	0.7	0.7	12.2	0.1	0.5	0.1	3.5	1.7	4.7	0.6	0.3	0.4
	0.5	0.5	0.9	13.0	-	-	0.3	3.8	3.4	2.7	0.6	0.3	0.2
	0.6	0.9	1.0	9.1	0.2	0.2	0.3	3.5	0.1	1.2	0.5	0.6	0.3
京都 大 阪 兵 庫 奈 良 和 歌 山	1.3	1.4	1.0	10.3	0.2	0.5	0.1	3.0	0.7	5.6	1.0	0.4	0.7
	0.9	0.4	1.1	18.7	0.3	0.2	0.2	3.6	2.2	3.8	1.7	0.6	0.8
	0.2	0.3	0.7	10.1	0.1	0.6	0.1	2.9	2.6	5.1	0.6	0.3	0.3
	0.5	0.4	0.6	9.0	0.2	0.1	0.2	3.5	1.4	2.9	0.8	0.4	0.5
	0.8	1.3	1.1	10.3	0.9	0.2	0.3	3.2	5.4	5.3	0.7	0.6	0.2
鳥取 島 根 岡 山 広 島	0.6	1.7	2.0	10.5	0.0	0.3	0.1	2.6	0.9	2.4	0.6	0.4	0.5
	0.7	1.1	2.2	7.6	0.1	0.5	0.1	2.6	1.6	2.0	0.4	0.5	0.2
	0.6	0.9	0.8	10.5	0.1	0.2	0.3	3.4	1.8	4.9	1.8	1.1	0.9
	0.6	0.5	1.0	9.6	0.1	0.2	0.1	2.9	0.3	3.5	0.8	0.7	0.6
	0.7	0.4	0.8	11.1	0.1	0.3	0.1	3.1	1.4	2.9	0.9	0.7	0.5
徳島 香 川 愛 媛 高 知 福 岡	0.6	0.4	0.8	8.0	0.2	0.6	0.1	2.7	0.6	2.3	0.8	0.8	0.7
	0.5	0.6	0.8	13.7	0.1	0.1	0.2	3.3	1.3	2.0	1.9	0.6	0.7
	0.6	0.2	1.0	9.6	0.4	-	0.4	3.0	1.8	2.9	0.6	0.7	0.6
	0.2	0.4	1.2	5.2	0.1	0.1	0.1	2.2	0.5	1.6	0.3	0.3	0.4
	0.3	0.6	0.8	11.7	1.1	0.2	0.6	2.8	3.4	5.7	0.6	0.6	0.8
佐賀 長 門 熊 野 大 分 宮 崎 鹿 児 島	0.7	0.6	0.6	12.1	0.2	0.1	0.2	2.7	2.5	3.8	1.7	0.3	0.9
	0.3	0.6	0.9	9.4	0.1	0.2	0.3	2.7	1.5	2.4	0.5	0.5	0.4
	0.2	0.3	0.9	7.3	0.0	0.0	0.3	2.2	0.9	2.9	0.7	0.3	0.4
	0.2	0.2	0.9	9.4	0.2	0.0	0.3	5.4	2.2	2.4	1.3	0.4	0.5
	0.4	1.0	1.6	6.2	0.1	0.3	0.3	2.7	3.3	6.3	1.0	0.6	0.7
	0.5	0.8	1.1	5.8	0.2	0.2	0.3	2.4	3.2	2.9	1.0	0.6	0.5

その耳 他疾	鼻およびいん頭					伝皮 染膚 性疾 患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ疾 の病 他異 の常	歯				その 歯 疾
	蓄 のう 症	アイ デ ノ	へ う せ ん と ん	肥 の い ん 頭	鼻 の 他 の 疾 患								むし歯				
													計	処 置 者	未 処 置 者		
1.3	1.5	0.7	9.8	6.2	2.3	0.4	1.5	0.3	0.3	0.3	0.9	87.5	7.2	80.3	1.7		
0.5	0.3	0.2	6.8	3.7	2.8	0.4	1.3	0.1	0.3	0.1	0.8	87.4	3.2	84.2	0.7		
3.1	0.7	0.1	8.3	2.8	5.4	0.3	3.0	0.2	0.4	0.1	3.2	95.6	1.5	94.1	6.2		
2.1	4.8	1.2	15.2	9.1	3.5	0.3	1.7	0.2	0.3	0.1	2.4	85.0	2.6	82.4	1.3		
0.9	1.3	0.4	9.8	5.0	4.4	0.2	1.8	0.3	0.4	0.5	1.2	80.2	3.4	76.8	0.2		
0.4	0.4	3.5	8.6	2.5	5.7	0.3	0.5	0.2	0.3	0.0	0.7	96.3	1.3	95.0	1.4		
0.6	2.1	0.3	14.8	5.8	4.9	0.5	1.6	0.5	0.3	0.1	1.6	85.4	10.9	74.5	2.3		
0.1	1.3	0.1	10.0	1.0	2.7	0.2	1.4	0.3	0.4	0.7	1.0	89.4	3.0	86.4	0.8		
0.2	0.2	0.1	7.2	1.3	1.8	0.2	1.2	0.1	0.3	0.1	1.1	83.2	3.5	79.7	1.9		
1.4	0.7	1.0	12.8	5.8	4.9	0.2	2.0	0.1	0.3	1.4	0.6	88.5	4.2	84.3	2.2		
1.0	0.5	2.0	14.5	4.4	4.7	0.4	1.6	0.3	0.4	0.2	1.3	92.0	7.1	84.9	9.0		
2.1	0.5	0.3	8.4	9.4	1.1	0.2	0.8	0.2	0.4	0.5	0.4	83.2	16.4	66.8	1.1		
1.2	1.0	0.3	13.0	4.2	2.7	0.2	2.3	0.4	0.3	0.3	0.8	77.5	5.6	71.9	1.3		
1.1	1.5	1.0	9.3	13.4	2.6	0.2	1.3	0.1	0.2	-	0.3	93.6	9.6	84.0	0.5		
3.0	1.6	1.0	10.9	7.8	0.5	0.5	0.3	0.1	0.1	0.0	0.3	93.9	10.1	83.8	1.9		
2.1	1.9	0.4	8.1	7.5	5.2	0.2	1.6	0.1	0.3	0.3	0.7	86.0	6.3	79.7	0.7		
1.0	1.7	0.2	9.2	8.7	2.6	0.4	1.3	0.4	0.3	1.1	0.7	90.7	19.4	71.3	0.4		
0.8	0.5	0.2	8.8	2.7	1.0	0.3	0.7	0.3	0.3	-	0.6	92.7	7.1	85.6	1.0		
0.4	0.6	0.3	9.6	2.0	2.2	0.4	0.8	0.3	0.3	0.4	1.4	85.5	6.8	78.7	1.5		
1.4	2.2	1.2	13.3	4.8	1.7	0.3	0.8	0.1	0.2	0.2	0.6	89.7	5.5	84.2	2.0		
1.7	6.3	0.8	10.4	12.6	3.0	0.4	0.8	0.4	0.2	0.1	0.9	95.2	7.4	87.8	2.3		
0.5	0.7	0.6	9.9	4.2	1.2	0.7	1.4	0.2	0.3	0.0	0.4	81.1	11.0	70.1	1.4		
2.6	0.6	0.2	7.2	3.5	0.4	0.2	1.9	0.5	0.3	0.0	0.4	80.6	9.5	71.1	1.0		
0.5	1.1	1.5	11.8	5.5	0.7	0.2	0.4	0.2	0.2	-	0.5	88.8	5.4	83.4	1.8		
0.3	0.2	0.4	15.3	3.4	0.6	0.5	1.4	0.1	0.2	0.1	0.3	93.3	4.8	88.5	1.7		
1.1	1.1	0.1	16.9	2.4	1.2	0.5	2.1	0.5	0.3	0.0	1.4	90.2	7.3	82.9	3.3		
1.5	2.8	0.8	14.0	13.6	0.9	0.4	1.2	0.5	0.2	0.4	0.8	92.7	8.4	84.3	0.7		
2.4	0.6	1.0	10.7	5.1	0.5	0.6	1.8	0.9	0.4	0.7	1.9	89.1	9.9	79.2	2.8		
0.6	1.1	0.4	8.8	4.5	0.4	0.4	0.9	0.1	0.3	0.3	0.9	93.4	6.3	87.1	1.2		
0.4	1.1	0.9	12.0	3.7	0.7	0.2	1.3	0.3	0.3	0.2	0.7	77.0	11.9	65.1	1.2		
0.3	0.2	1.0	10.8	2.1	0.2	0.4	1.5	0.2	0.3	0.5	0.3	84.8	6.6	78.2	1.1		
0.6	1.1	0.5	10.6	4.0	1.8	0.5	1.8	0.1	0.3	0.5	1.3	87.2	5.7	81.5	1.0		
0.6	0.7	0.5	11.2	3.4	2.6	0.6	1.3	0.1	0.3	0.4	1.0	88.9	5.0	83.9	3.7		
1.4	2.4	0.2	10.2	6.0	1.2	0.6	1.0	0.2	0.4	0.2	0.9	88.2	8.5	79.7	2.0		
1.3	2.5	0.4	10.1	5.2	5.6	0.4	1.1	0.4	0.3	0.0	0.3	85.9	7.1	78.8	1.7		
2.9	4.7	0.8	5.7	6.8	3.1	0.3	2.0	0.3	0.5	0.4	0.7	73.8	5.6	68.2	2.0		
1.3	1.0	1.2	6.4	5.3	0.7	0.6	0.5	0.2	0.1	0.1	1.1	87.2	4.5	82.7	0.9		
1.6	2.5	0.2	9.1	5.0	0.6	0.5	1.3	0.1	0.2	0.4	0.5	86.8	17.6	69.2	1.2		
0.9	1.2	3.3	7.7	3.7	0.8	0.4	3.2	0.3	0.4	0.5	0.6	84.4	6.5	77.9	1.1		
0.3	1.1	0.5	10.4	2.0	1.3	0.3	1.4	0.1	0.1	0.4	0.5	72.8	7.8	65.0	0.8		
2.3	3.9	1.2	6.7	14.1	3.7	0.3	2.8	0.3	0.6	0.7	0.4	81.3	9.1	72.2	4.5		
1.7	2.9	3.1	13.5	11.6	2.9	0.4	2.4	0.3	0.4	0.1	1.3	82.2	4.5	77.7	1.5		
1.1	1.9	0.1	8.2	3.6	2.9	0.3	1.3	0.2	0.4	0.0	1.1	82.2	5.4	76.8	0.5		
0.4	0.7	0.3	8.2	3.7	2.3	0.3	1.1	0.4	0.4	0.4	0.7	77.9	8.2	69.7	0.8		
1.2	3.5	1.6	11.5	2.2	0.3	0.3	0.6	0.3	0.4	0.3	0.3	83.0	7.3	75.7	0.9		
0.6	0.1	-	6.9	2.1	0.9	0.5	1.6	0.3	0.5	0.3	2.4	83.3	3.0	80.3	1.9		
0.5	1.8	0.4	5.6	3.4	0.7	0.5	2.0	0.2	0.4	0.4	0.5	84.0	3.2	80.8	1.3		

## 10 都道府県別疾病

## 2 小学校 (2) 女

区 分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 視 (両 眼)	色 神 異常	ト ホ ム ラム	結 膜 炎	その 他 疾	難 聴 (両 耳)	中 耳 炎
全 国	0.5	0.5	0.7	13.4	0.2	0.3	0.3	0.2	2.4	4.8	1.0	0.4	0.3
北海道 北 青 森 道 根 手 城 田	0.3	0.2	0.4	18.3	0.3	0.1	0.5	0.3	1.4	3.8	0.5	0.3	0.2
	0.5	0.1	0.4	14.9	0.5	0.0	0.4	0.4	7.7	5.2	0.9	0.4	0.2
	0.2	0.2	0.4	13.6	0.1	0.1	0.3	0.2	8.2	4.2	1.5	0.2	0.2
	0.2	0.4	0.4	12.4	0.4	0.6	0.1	0.2	5.5	3.3	2.5	0.2	0.3
	0.1	0.2	0.3	16.4	-	0.0	0.2	0.2	5.3	2.6	0.5	0.2	0.1
山福茨 福 島 城 木 馬 茨 城 郡 群	2.9	2.9	1.8	9.5	0.1	0.2	0.2	0.2	4.6	6.0	0.9	0.4	0.3
	0.3	0.4	0.5	11.9	0.1	0.0	0.2	0.1	7.6	2.5	0.8	0.2	0.2
	0.1	0.2	0.5	8.1	0.1	0.3	0.2	0.2	2.6	1.1	0.4	0.3	0.3
	0.4	0.2	0.8	9.0	0.3	0.1	0.3	0.2	3.2	8.2	1.7	0.2	0.2
	0.9	1.0	1.5	10.0	0.2	0.3	0.2	0.2	0.7	2.5	1.8	0.4	0.3
埼千東 千 東 神 奈 新 川 潟	0.2	0.2	0.5	9.1	0.4	0.3	0.2	0.1	0.6	4.7	0.7	0.3	0.3
	0.1	0.1	0.9	8.9	0.1	0.1	0.2	0.4	1.6	8.2	0.8	0.2	0.2
	0.6	0.4	0.7	18.3	0.3	0.9	0.1	0.2	0.3	8.4	1.6	0.6	0.3
	0.2	0.7	0.4	10.7	0.2	0.6	0.1	0.1	1.4	5.1	1.4	0.1	0.2
	0.3	0.3	0.9	12.7	0.1	0.2	0.2	0.3	0.6	5.2	1.4	0.3	0.2
富石福 石 山 川 井 梨 野 福 山 長	0.8	0.8	0.8	16.6	0.0	0.1	0.2	0.1	0.5	3.8	1.5	0.3	0.1
	0.8	0.8	1.4	15.4	0.2	0.1	0.1	0.2	1.1	3.3	0.4	0.4	0.1
	0.7	0.6	0.6	14.6	0.0	0.0	0.2	0.4	1.3	3.8	0.5	0.3	0.2
	0.7	0.6	1.1	11.2	0.1	0.4	0.7	0.2	1.7	7.5	1.0	0.9	0.2
	1.0	1.7	0.9	11.7	0.2	0.3	0.1	0.2	0.3	5.7	1.7	0.4	0.3
岐静愛 岐 静 愛 三 滋 三 滋	0.7	0.8	0.4	12.0	0.1	0.1	0.2	0.3	1.8	3.6	1.0	0.4	0.2
	0.4	0.5	0.9	15.9	0.1	0.2	0.2	0.2	1.0	4.6	0.7	0.3	0.2
	0.7	0.4	0.4	15.8	0.1	0.6	0.1	0.3	1.9	5.3	0.6	0.3	0.3
	0.4	0.4	0.5	12.6	-	-	0.1	0.2	4.4	3.0	0.4	0.3	0.1
	0.4	0.8	0.7	10.6	0.2	0.4	0.2	0.5	0.1	1.6	0.5	0.5	0.2
京大兵 京 大 兵 都 阪 庫 良 山 奈 和 歌	1.3	1.0	0.6	12.5	0.3	0.3	0.1	0.2	0.7	7.4	0.9	0.4	0.3
	1.0	0.3	0.4	21.5	0.3	0.4	0.1	0.1	2.6	4.8	1.6	0.5	0.5
	0.3	0.1	0.5	13.1	0.1	0.6	0.1	0.1	3.0	5.9	0.4	0.2	0.2
	0.6	0.3	0.4	11.3	0.3	0.1	0.2	0.2	1.6	3.6	0.9	0.4	0.3
	0.7	0.8	1.0	13.4	0.2	0.2	0.3	0.4	6.7	6.8	0.4	0.5	0.1
鳥島岡 鳥 島 岡 取 根 山 島 口 広 山	0.5	1.3	1.4	12.0	0.1	0.3	0.1	0.1	1.1	2.3	0.5	0.3	0.3
	0.5	0.6	1.4	8.2	0.2	0.5	0.2	0.2	1.8	2.3	0.5	0.5	0.2
	0.6	0.8	0.5	13.1	0.2	0.3	0.3	0.2	2.2	5.9	1.9	1.2	0.8
	0.6	0.4	1.1	12.1	0.1	0.3	0.1	0.2	0.4	4.2	0.8	0.5	0.3
	0.7	0.4	0.7	14.2	0.1	0.3	0.1	0.2	1.6	3.6	0.7	0.7	0.3
徳香愛 徳 香 愛 高 福 高 福	0.5	0.3	0.6	10.1	0.2	0.7	0.1	0.2	0.8	2.6	0.8	0.7	0.3
	0.5	0.4	0.6	16.5	0.0	0.1	0.1	0.2	1.5	2.1	2.0	0.6	0.5
	0.5	0.0	0.4	12.4	0.3	0.0	0.3	0.1	2.0	3.2	0.6	0.4	0.5
	0.4	0.3	0.8	6.0	0.1	0.0	0.2	0.3	0.8	2.0	0.2	0.2	0.4
	0.4	0.6	0.8	14.9	0.6	0.2	0.7	0.2	3.9	6.3	0.6	0.6	0.8
佐長熊 佐 長 熊 大 宮 鹿 大 宮 鹿	0.9	0.4	0.5	13.4	0.3	0.2	0.2	0.2	3.1	4.8	1.7	0.3	0.7
	0.4	0.5	0.7	12.1	0.1	0.1	0.2	0.2	1.8	2.6	0.4	0.3	0.2
	0.2	0.3	0.6	9.8	0.0	0.0	0.4	0.1	1.2	4.0	0.6	0.3	0.4
	0.2	0.1	0.6	10.8	-	0.0	0.7	0.1	2.7	2.6	1.4	0.4	0.3
	0.3	0.8	1.1	7.7	0.1	0.2	0.3	0.4	3.9	6.9	1.1	0.4	0.4

112頁の(注)を参照のこと。

## 異常被患率(一般検診)

(%)

その 耳 他疾	鼻およびいん頭					伝皮 染膚 性疾 の患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運障 動機 能害	寄 生 虫 病	そ疾 の病 他異 の常	歯				その 歯 他疾
	蓄 のう 症	ア ノ イ ド	へう ん と ん	肥 せ ん 大	鼻の いん 頭の 疾 患								むし歯				
													計	処 了 置 者	未 処 あ 置 る		
1.1	1.3	0.6	9.2	4.5	1.4	0.4	1.3	0.3	0.3	0.3	0.6	88.3	8.9	79.4	1.6		
0.3	0.2	0.2	6.4	2.1	1.8	0.2	1.2	0.1	0.3	0.0	0.5	90.2	4.1	86.1	0.7		
3.2	0.8	0.1	7.9	2.6	3.3	0.3	2.8	0.2	0.3	0.1	1.8	96.6	1.7	94.9	6.4		
1.9	4.6	0.6	14.6	7.6	2.6	0.3	1.9	0.2	0.3	0.0	1.7	86.5	3.0	83.5	1.3		
0.6	1.1	0.3	10.0	3.6	3.3	0.2	1.6	0.4	0.3	0.6	0.7	82.0	5.0	77.0	0.2		
0.5	0.2	2.8	7.4	1.3	2.6	0.4	0.4	0.2	0.1	0.1	0.6	100.0	1.7	98.3	1.2		
0.3	1.7	0.1	15.0	4.0	2.6	0.5	1.7	0.5	0.3	0.1	1.0	89.5	13.7	75.8	2.1		
0.2	0.9	0.2	9.6	0.9	1.6	0.2	1.1	0.3	0.2	0.7	0.5	88.6	3.7	84.9	0.9		
0.2	0.1	0.1	6.9	0.9	1.2	0.2	1.0	0.1	0.2	0.1	0.8	86.0	4.9	81.1	2.0		
1.1	0.8	0.9	11.4	3.9	3.4	0.2	1.7	0.1	0.2	0.9	0.4	90.4	5.6	84.8	2.0		
0.9	0.3	1.5	14.3	2.7	3.4	0.3	1.4	0.2	0.4	0.2	1.1	92.5	9.2	83.3	8.4		
2.0	0.4	0.3	7.9	6.1	0.7	0.2	0.6	0.2	0.2	0.5	0.3	86.6	20.1	66.5	1.1		
1.0	0.8	0.4	12.0	3.2	2.1	0.2	2.1	0.4	0.3	0.2	0.5	80.1	7.0	73.1	1.2		
1.0	1.1	0.9	8.5	9.2	1.7	0.2	1.3	0.1	0.2	-	0.2	94.3	11.2	83.1	0.5		
2.7	1.4	1.0	10.9	5.4	0.3	0.3	0.2	0.1	0.1	0.0	0.2	95.3	11.8	83.5	2.3		
1.8	1.5	0.4	7.4	6.2	2.9	0.4	1.5	0.1	0.1	0.2	0.4	88.3	9.4	78.9	0.7		
1.0	1.2	0.2	8.1	7.0	1.4	0.5	1.2	0.4	0.2	1.0	0.7	88.8	21.5	67.3	0.3		
0.7	0.3	0.1	8.6	1.7	0.7	0.4	0.7	0.5	0.2	-	0.6	93.5	8.3	85.2	0.9		
0.5	0.4	0.2	9.6	1.5	1.2	0.4	0.6	0.3	0.2	0.4	1.1	87.6	9.2	78.4	1.2		
1.1	1.8	1.1	12.8	3.5	1.1	0.4	0.7	0.1	0.2	0.2	0.3	90.9	6.8	84.1	1.9		
1.3	5.0	0.8	10.0	9.7	1.9	0.3	0.8	0.5	0.2	0.0	0.6	95.6	9.9	85.7	2.0		
0.3	0.5	0.5	9.8	3.2	0.8	0.6	1.1	0.3	0.2	0.0	0.4	84.6	13.5	71.1	1.2		
2.5	0.3	0.2	7.2	2.4	0.2	0.3	1.8	0.4	0.5	0.0	0.3	83.7	11.6	72.1	1.0		
0.3	1.0	1.6	10.9	3.7	0.4	0.3	0.4	0.2	0.2	-	0.4	90.3	7.3	83.0	1.6		
0.2	0.1	0.3	13.9	2.9	0.3	0.3	1.2	0.0	0.2	0.1	0.4	94.7	6.0	88.7	1.5		
0.8	0.6	0.1	16.9	1.8	1.4	0.5	2.5	0.5	0.4	0.0	1.1	90.8	8.6	82.2	3.4		
1.1	2.0	0.6	12.2	10.3	0.6	0.6	1.0	0.7	0.3	0.2	0.6	94.0	10.6	83.4	0.8		
2.1	0.8	1.0	9.5	3.5	0.2	0.8	1.6	0.8	0.3	0.8	1.2	89.7	12.7	77.0	2.8		
0.5	0.8	0.6	7.8	3.3	0.2	0.5	0.7	0.8	0.2	0.4	0.9	91.2	8.1	83.1	0.9		
0.4	0.8	1.0	11.8	3.0	0.7	0.3	1.0	0.2	0.3	0.2	0.5	81.1	14.9	66.2	1.1		
0.3	0.1	1.0	11.0	1.5	0.2	0.3	1.4	0.2	0.2	0.5	0.3	89.7	8.3	81.4	0.8		
0.5	0.9	0.5	10.3	2.6	1.0	0.6	1.5	0.1	0.2	0.5	1.3	88.8	8.2	80.6	1.0		
0.4	0.5	0.3	10.5	2.3	1.6	0.7	1.0	0.1	0.2	0.3	0.7	89.4	6.3	83.1	3.3		
1.5	1.7	0.1	10.0	4.4	0.7	0.4	0.9	0.2	0.3	0.1	0.8	89.8	11.0	78.8	2.0		
1.1	1.7	0.2	9.8	2.5	2.9	0.4	1.1	0.5	0.3	0.0	0.3	87.4	8.9	78.5	1.6		
2.9	4.1	0.7	5.7	5.9	2.3	0.4	2.0	0.4	0.3	0.3	0.9	78.5	8.2	70.3	1.7		
1.0	0.9	0.9	6.4	3.8	0.5	0.6	0.5	0.3	0.1	0.1	0.9	85.3	5.4	79.9	0.7		
1.7	2.1	0.2	9.0	3.4	0.4	0.5	1.2	0.2	0.3	0.4	0.3	84.4	16.9	67.5	1.3		
0.8	0.8	0.3	7.2	2.8	0.4	0.3	2.4	0.2	0.3	0.5	0.4	80.0	7.2	72.8	1.1		
0.3	0.9	0.3	10.6	1.3	0.8	0.3	1.1	0.1	0.1	0.5	0.4	86.4	10.1	76.3	0.9		
1.9	3.3	1.1	6.9	10.9	1.7	0.4	2.4	0.4	0.4	0.7	0.3	82.2	10.8	71.4	4.1		
1.1	1.9	2.2	12.7	9.8	1.7	0.4	2.5	0.3	0.4	0.2	1.1	82.8	5.4	77.4	1.7		
0.9	1.3	0.1	7.3	2.5	1.7	0.3	1.0	0.3	0.3	0.1	0.7	83.7	6.4	77.3	0.4		
0.2	0.6	0.4	8.2	3.3	1.2	0.2	1.0	0.4	0.3	0.3	0.5	79.4	10.5	68.9	0.5		
1.0	3.0	1.0	11.3	2.1	0.2	0.2	0.7	0.3	0.2	0.3	0.1	84.2	8.7	75.5	0.7		
0.6	0.1	0.0	6.7	1.3	0.5	0.6	1.8	0.3	0.4	0.3	1.6	95.1	4.0	91.1	1.8		
0.5	1.6	0.4	5.5	2.7	0.4	0.5	1.7	0.2	0.4	0.5	0.5	86.7	4.1	82.6	1.3		

## 10 都道府県別疾病

## 3 中学校 (1) 男

区 分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異常	ト ホ ム ラム	結 膜 炎	その 他 疾	難 聴 (両耳)	中 耳 炎
全 国	0.4	0.5	0.6	20.2	0.3	0.6	0.4	3.8	2.0	3.7	1.0	0.5	0.5
北海道 青森 岩手 宮城 秋田	0.2	0.1	0.2	20.5	0.0	0.1	0.4	3.2	0.8	1.7	0.2	0.4	0.3
	0.2	0.1	0.3	16.1	0.7	0.8	0.6	2.3	4.9	3.2	0.7	0.3	0.3
	0.1	0.2	0.2	18.4	0.4	0.1	0.4	4.5	9.9	4.1	1.9	0.6	0.3
	0.2	0.3	0.5	15.9	0.6	0.5	0.1	3.6	3.6	3.2	0.6	0.4	0.6
	0.7	0.2	0.1	16.5	0.0	0.0	0.5	4.1	5.0	2.1	0.3	0.3	0.2
山形 福島 茨城 栃木 群馬	1.6	1.3	1.0	18.0	0.1	1.0	0.1	4.9	3.8	5.7	1.1	0.3	0.6
	0.2	0.3	0.5	17.0	0.1	0.1	0.2	3.5	4.2	2.1	0.8	0.4	0.2
	0.2	0.4	0.9	15.0	0.1	0.4	0.3	3.0	1.8	2.3	0.7	0.6	0.4
	0.2	0.4	0.7	12.7	0.3	0.6	0.7	3.8	2.1	3.0	1.6	0.4	0.3
	0.3	0.9	0.7	14.2	0.4	0.8	0.4	4.0	0.8	3.0	3.0	0.4	0.6
埼玉県 千葉県 東京都 神奈川県	0.2	0.1	0.4	17.5	0.2	1.1	0.5	3.4	0.9	3.6	1.4	0.5	0.3
	0.1	0.3	0.6	12.4	0.2	0.5	0.1	3.3	1.6	4.0	1.1	0.3	0.4
	0.3	0.4	0.6	30.3	1.6	2.7	0.0	3.5	0.3	7.5	1.1	0.2	0.8
	0.3	0.7	0.3	18.1	0.0	1.8	0.1	4.3	0.5	4.2	1.6	0.6	0.2
	0.7	0.4	0.8	18.7	0.7	0.2	0.4	3.7	0.6	3.4	1.1	0.5	0.5
富山 石川 福井 山梨 長野	1.0	0.4	0.6	24.7	0.0	0.0	0.5	4.1	0.1	3.6	0.6	0.6	0.4
	0.2	0.2	0.4	25.3	0.1	0.2	0.1	4.2	0.3	3.0	0.3	0.5	0.1
	0.5	0.2	0.8	23.9	0.2	0.5	0.6	5.0	0.6	1.6	0.3	0.5	0.6
	0.8	0.3	0.9	15.4	0.1	0.9	0.1	3.6	0.6	4.2	1.5	0.6	0.3
	1.0	1.6	0.6	19.5	0.1	0.8	0.3	4.1	0.1	3.9	1.7	0.4	0.3
岐阜 静岡県 愛知県 滋賀県	0.6	0.4	1.0	19.0	0.1	0.3	0.3	3.8	2.0	5.7	0.8	0.2	0.3
	0.1	1.0	0.6	18.8	-	0.4	0.0	3.4	0.7	3.3	0.7	0.6	0.3
	0.4	0.6	1.3	28.8	0.2	1.8	0.2	4.0	2.0	4.0	1.3	0.6	0.3
	0.5	0.8	0.4	17.1	0.3	2.2	0.1	7.2	3.8	2.9	0.2	0.7	0.3
	0.9	0.8	0.6	19.6	0.2	1.0	0.2	4.2	0.1	1.7	0.3	0.5	0.4
京都市 大阪府 兵庫県 奈良県 和歌山県	0.6	1.6	0.8	20.9	0.6	0.4	0.2	3.7	0.4	4.4	0.8	0.2	0.5
	0.5	0.3	0.2	28.6	0.7	0.4	0.1	4.4	1.7	5.2	1.3	0.4	0.6
	0.2	0.3	0.4	23.5	0.1	0.5	0.6	4.0	2.8	4.9	1.6	0.6	0.7
	0.9	0.1	0.3	17.5	0.2	0.3	0.4	4.4	1.0	3.0	0.5	0.6	0.8
	0.2	0.2	0.4	16.1	0.4	0.2	0.1	3.9	9.5	2.0	0.3	0.4	0.1
鳥取県 島根県 岡山県 広島県 山口県	0.4	0.4	1.0	21.5	0.0	0.5	0.0	4.3	0.5	1.2	0.3	0.4	0.3
	0.3	0.3	0.7	14.8	-	0.5	0.2	3.6	2.1	1.1	0.4	0.4	0.5
	0.8	0.3	0.5	21.7	0.0	0.9	0.5	3.7	1.5	3.5	1.8	0.8	0.6
	0.7	0.6	0.9	20.3	0.5	1.2	1.5	4.2	0.6	3.4	0.9	0.6	0.5
	0.2	0.1	0.3	18.6	0.0	0.6	0.2	4.0	1.7	2.5	0.7	0.4	0.5
徳島県 香川県 愛媛県 高知県 福岡県	0.8	0.6	0.5	16.1	0.7	1.1	1.3	3.9	0.8	3.5	0.5	0.8	0.6
	0.2	0.1	0.3	25.5	-	0.1	0.0	3.6	1.5	1.7	0.8	0.6	0.5
	0.5	0.2	0.3	15.7	0.1	0.2	0.4	3.7	1.5	3.3	0.6	0.4	0.1
	0.2	0.1	0.4	9.5	0.2	0.1	0.4	3.0	0.5	2.0	0.1	0.8	0.3
	0.4	0.2	0.6	21.2	0.2	0.6	0.6	4.3	2.9	3.6	0.6	0.8	0.8
佐賀県 長門県 熊本県 大分県 宮崎県	0.3	0.2	0.3	21.3	0.2	0.2	0.4	2.9	1.9	3.8	0.8	0.8	1.4
	0.3	0.4	0.6	18.4	0.1	0.7	0.2	3.7	2.0	2.7	1.3	0.8	1.0
	0.3	0.8	0.3	10.4	0.0	0.2	0.8	3.6	1.1	4.8	1.0	0.8	0.6
	0.4	0.2	0.4	14.6	2.6	0.4	0.7	3.7	2.2	3.0	0.5	0.6	0.4
	0.1	0.5	0.9	14.4	0.1	0.4	0.4	4.4	4.9	3.8	1.2	0.5	0.6
鹿児島県 鹿儿岛県	0.4	1.0	0.8	10.7	0.4	0.1	0.2	3.3	3.8	3.2	0.7	0.5	0.6

112頁の(注)を参照のこと。

## 異常被患率(一般検診)

(%)

その他疾	鼻およびいん頭				伝染皮膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動機能害	寄生虫病	その病 他異 の常	菌			その他疾	
	蓄のう症	アノイ デド	へん と	肥 せん 大								鼻の 他 の 疾 患	菌			
													計	処 置 者		未 処 置 者
1.0	2.1	0.2	6.2	3.2	2.1	0.4	1.9	0.2	0.3	0.3	0.5	83.2	14.8	68.4	2.8	
1.2	0.3	0.0	5.1	0.8	4.3	0.3	1.1	0.1	0.2	0.1	0.4	88.4	6.8	81.6	1.7	
0.8	1.8	0.1	6.6	4.3	5.9	0.3	5.1	0.3	0.3	0.1	1.2	87.1	5.8	81.3	2.8	
1.4	6.3	0.0	12.2	7.0	2.3	0.2	2.3	0.1	0.3	0.1	0.7	76.2	6.2	70.0	1.7	
0.7	2.3	0.0	6.1	4.0	3.6	0.3	1.9	0.2	0.6	1.2	1.0	67.6	7.7	59.9	1.5	
0.4	1.2	0.3	4.8	2.2	2.8	0.2	0.8	0.3	0.3	0.1	0.2	79.5	6.0	73.5	3.0	
0.8	5.9	0.0	9.3	3.6	5.5	0.3	1.7	1.0	0.4	0.0	0.6	80.5	16.1	64.4	1.3	
0.1	1.6	0.2	4.3	0.7	1.7	0.3	0.4	0.2	0.3	0.4	0.3	77.4	7.1	70.3	2.9	
0.1	0.7	0.0	5.1	0.4	1.9	0.2	1.0	0.1	0.2	0.1	0.7	72.7	8.1	64.6	3.5	
0.6	1.2	0.1	6.7	2.9	3.1	0.4	1.2	0.2	0.3	1.1	0.3	82.8	13.4	69.4	4.6	
1.2	2.6	0.4	10.0	2.7	3.7	0.3	2.9	0.1	0.3	0.3	0.4	88.8	11.5	77.3	7.2	
1.5	1.1	0.0	7.7	2.2	2.2	0.4	2.3	0.6	0.3	0.4	0.3	86.6	20.4	66.2	7.0	
0.7	0.8	0.1	9.4	3.4	1.4	0.3	3.6	0.2	0.3	0.7	0.2	57.8	9.9	47.9	1.8	
1.5	3.7	0.6	8.7	7.8	0.2	0.3	1.0	0.1	0.2	-	0.4	87.4	19.1	68.3	3.5	
0.5	0.8	0.2	4.5	2.5	0.2	0.2	0.3	0.1	0.1	-	0.2	88.3	20.7	67.6	2.6	
1.1	2.6	0.0	5.9	4.8	5.5	0.3	2.6	0.1	0.4	0.1	1.1	84.3	20.8	63.5	2.1	
0.3	2.8	-	5.8	2.1	2.7	0.3	2.3	0.5	0.5	1.1	0.6	84.3	24.0	60.3	0.6	
0.0	0.6	0.1	4.0	0.9	0.3	0.4	1.6	0.2	0.4	-	0.4	88.5	17.6	70.9	2.2	
0.2	0.4	0.1	6.0	1.6	2.4	0.5	1.3	0.1	0.4	0.3	0.7	78.5	12.5	66.0	2.3	
1.6	4.7	0.1	7.2	3.4	3.5	0.4	0.5	0.2	0.2	0.4	0.4	80.8	11.5	69.3	4.4	
1.1	3.7	0.1	6.3	7.1	0.9	0.4	1.1	0.6	0.3	-	0.5	86.7	19.7	67.0	2.9	
0.3	1.2	0.1	4.9	2.2	1.2	0.3	2.7	0.3	0.3	-	0.3	79.6	16.4	63.2	3.7	
0.6	0.7	0.0	3.9	1.1	1.3	0.3	2.7	0.5	0.4	1.0	0.4	81.7	17.7	64.0	1.7	
1.1	1.1	0.1	7.6	2.5	2.7	0.3	0.3	0.1	0.3	0.0	0.5	81.0	18.5	62.5	2.7	
0.3	0.7	0.1	6.9	3.2	1.5	0.5	1.5	0.1	0.3	0.1	0.4	90.2	10.7	79.5	3.3	
0.8	0.4	0.1	10.7	1.7	1.2	0.7	2.5	0.3	0.4	-	0.7	88.7	14.4	74.3	5.9	
1.2	3.2	0.1	7.5	4.6	2.7	0.5	1.5	0.5	0.2	1.7	0.6	82.0	21.8	60.2	0.7	
2.7	1.4	0.8	5.1	2.6	2.8	0.7	2.3	0.3	0.3	0.4	0.5	88.4	19.8	68.6	2.2	
1.3	2.2	0.1	4.0	2.7	0.3	0.4	1.7	0.1	0.2	-	0.4	82.8	14.4	68.4	3.8	
0.3	1.1	0.2	7.0	3.1	0.8	0.4	2.1	0.2	0.3	0.1	0.3	84.4	26.5	57.9	2.9	
0.2	0.6	0.0	6.5	0.2	0.4	0.2	1.8	0.1	0.2	0.4	0.3	82.5	18.2	64.3	2.9	
0.5	1.1	0.2	6.9	3.2	1.8	0.3	1.1	0.1	0.1	-	0.8	76.8	11.5	65.3	3.5	
0.6	1.3	0.1	7.4	1.5	4.9	0.4	2.2	0.1	0.3	0.3	1.0	79.0	14.0	65.0	5.8	
2.2	1.4	0.0	6.4	1.8	0.5	0.3	1.8	0.1	0.2	0.2	0.2	80.0	18.9	61.1	3.3	
0.2	1.1	0.1	6.3	2.1	3.5	0.5	2.6	0.2	0.2	0.0	0.7	76.4	15.0	61.4	1.8	
0.6	4.7	0.0	5.0	2.9	1.3	0.3	3.0	0.2	0.6	-	0.3	79.1	17.2	61.9	4.8	
0.3	1.5	0.0	5.1	4.2	0.3	0.5	0.5	0.1	0.2	0.1	0.7	74.1	8.1	66.0	1.8	
0.5	1.5	0.0	4.0	2.0	0.4	0.3	2.4	0.2	0.4	0.2	0.5	84.4	28.0	56.4	2.9	
-	0.2	-	4.5	0.2	0.2	0.4	3.6	0.1	0.3	0.0	0.3	79.3	9.9	69.4	4.0	
0.2	0.2	0.1	5.9	0.7	1.3	0.2	2.3	0.1	0.2	0.5	0.3	84.4	18.9	65.5	3.5	
0.5	5.9	0.1	4.3	5.1	1.9	0.4	3.5	0.4	0.5	0.3	0.3	66.6	17.7	48.9	1.0	
2.7	5.5	0.0	8.4	16.8	1.3	0.3	2.5	0.2	0.4	1.5	0.7	76.2	9.4	66.8	4.3	
1.0	3.5	0.9	6.5	5.1	2.4	0.4	1.5	0.5	0.4	0.1	0.7	74.4	9.7	64.7	1.1	
0.3	1.5	1.1	5.8	2.7	5.1	0.3	1.2	0.6	0.5	0.8	0.5	68.9	15.3	53.6	2.4	
1.0	1.9	0.2	8.7	1.7	1.7	0.3	1.7	0.2	0.4	1.1	0.4	77.4	16.1	61.3	1.8	
0.9	1.8	0.1	4.7	1.3	0.7	0.4	4.0	0.2	0.6	0.7	1.2	80.7	7.3	73.4	1.6	
0.6	1.5	0.1	4.7	0.8	1.3	0.4	1.8	0.3	0.4	0.6	0.4	78.1	8.0	70.1	1.2	



## 10 都道府県別疾病

## 異常被患率(一般検診)

## 3 中学校 (2) 女

区 分	栄養 注意	せき 柱異常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 (両眼) 視	色 神異常	ト ホ ラム	結 膜 炎	その 他疾	難 (両耳) 聴	中 耳 炎
全 国	0.3	0.3	0.3	24.2	0.2	0.7	0.4	0.3	2.1	3.9	0.9	0.4	0.4
北海道 北青森 秋田	0.2	0.2	0.3	26.0	0.0	0.1	0.4	0.2	0.9	1.9	0.1	0.3	0.2
	0.1	0.1	0.1	21.7	0.7	0.8	0.5	0.3	5.8	2.6	0.1	0.3	0.1
	0.1	0.1	0.1	24.3	0.2	0.2	0.4	0.7	10.4	4.5	1.7	0.4	0.3
	0.1	0.2	0.3	18.8	0.4	0.4	0.1	0.2	4.1	3.8	0.5	0.3	0.4
	0.5	0.2	0.1	21.1	0.0	0.0	0.5	0.3	5.5	2.0	0.4	0.2	0.1
山福茨 栃群	1.3	1.0	0.6	22.2	0.1	1.3	0.1	0.3	4.3	7.2	1.0	0.3	0.4
	0.2	0.2	0.2	19.9	-	0.1	0.1	0.2	4.8	2.5	0.8	0.1	0.1
	0.1	0.2	0.8	20.1	0.1	0.6	0.3	0.1	1.8	2.9	0.6	0.4	0.2
	0.1	0.3	0.2	16.8	0.1	0.9	0.9	0.2	2.4	3.2	1.3	0.3	0.2
	0.2	0.6	0.3	18.6	0.3	0.8	0.6	0.1	1.0	3.0	3.0	0.3	0.4
埼千東 神奈 新	0.2	0.2	0.2	23.1	0.2	1.2	0.3	0.2	0.7	4.0	1.4	0.3	0.2
	0.0	0.0	0.2	21.9	0.3	1.1	0.3	0.2	1.2	4.3	1.0	0.3	0.2
	0.1	0.2	0.3	34.8	0.9	2.0	0.0	0.1	0.2	6.7	0.9	0.1	0.6
	0.2	0.1	0.1	22.7	0.2	2.2	0.2	0.2	0.5	4.2	1.2	0.4	0.3
	0.4	0.2	0.3	22.7	0.5	0.2	0.6	0.2	0.7	3.7	1.1	0.2	0.4
富石福 山長	0.6	0.4	0.7	27.9	0.8	0.1	0.5	0.2	0.2	4.0	1.2	0.5	0.2
	0.2	0.1	0.2	29.8	0.1	0.2	0.1	0.3	0.4	2.7	0.2	0.4	0.1
	0.3	0.3	0.8	28.2	0.1	0.5	0.6	0.7	0.6	1.8	0.3	0.4	0.3
	0.8	0.3	0.4	17.9	0.2	0.8	0.1	0.3	0.8	5.4	1.5	0.3	0.2
	0.9	1.8	0.3	23.2	0.1	0.7	0.3	0.2	0.2	4.1	1.4	0.4	0.4
岐静愛 三滋	0.8	0.1	1.1	22.5	0.1	0.4	0.3	0.2	2.1	5.5	0.8	0.3	0.1
	0.1	0.7	0.2	26.3	0.0	0.4	0.0	0.2	0.4	2.8	0.6	0.3	0.2
	0.5	0.5	0.8	32.0	0.2	2.0	0.2	0.3	1.9	3.8	1.0	0.7	0.3
	0.4	0.7	0.6	25.7	-	2.2	-	0.7	3.4	3.1	0.2	0.5	0.2
	0.8	0.7	0.3	21.5	0.1	1.3	0.2	0.3	0.1	1.2	0.3	0.3	0.2
京大兵 奈和 歌	0.7	1.6	0.4	23.6	0.2	0.7	0.3	0.2	0.4	4.7	0.9	0.2	0.2
	0.4	0.3	0.2	33.6	0.6	0.8	0.1	0.5	1.7	5.3	1.3	0.4	0.5
	0.2	0.1	0.1	27.3	0.0	0.5	0.8	0.3	3.3	4.7	1.5	0.3	0.5
	0.8	0.4	0.2	22.3	0.1	0.4	0.6	0.3	0.8	2.8	0.4	0.5	0.7
	0.2	0.2	0.1	19.7	0.2	0.3	0.3	0.3	8.7	2.1	0.4	0.3	0.1
鳥島岡 岡山	0.3	0.4	0.4	24.4	-	0.7	0.1	0.5	0.6	1.2	0.3	0.2	0.3
	0.5	0.3	0.6	15.9	0.0	0.2	0.2	0.3	2.4	1.0	0.4	0.4	0.4
	0.5	0.2	0.2	27.2	0.1	1.0	0.6	0.2	1.2	3.4	1.8	0.5	0.5
	0.6	0.2	0.8	25.6	0.4	1.9	0.4	0.4	0.6	3.4	1.1	0.4	0.4
	0.2	0.2	0.3	22.7	0.0	1.1	0.1	0.2	1.8	2.7	0.8	0.3	0.5
徳香愛 高福	0.6	0.2	0.1	19.6	0.7	1.3	1.3	0.3	1.0	3.6	0.5	0.4	0.4
	0.2	0.1	0.1	34.0	0.0	0.1	0.1	0.5	1.5	1.8	0.9	0.5	0.4
	0.2	0.2	0.2	21.0	0.1	0.1	0.3	0.5	4.0	3.5	0.7	0.3	0.1
	0.1	0.0	0.2	13.6	0.1	0.1	0.3	0.4	0.8	2.6	0.1	0.6	0.2
	0.5	0.1	0.5	24.7	0.1	0.7	0.7	0.3	3.4	4.0	0.6	0.4	0.5
佐長熊 大宮 鹿	0.2	0.2	0.8	26.6	0.1	0.2	0.5	0.4	2.0	4.6	1.0	0.7	1.2
	0.3	0.4	0.3	22.7	0.1	0.6	0.4	0.2	2.3	2.7	1.7	0.9	0.7
	0.3	0.9	0.3	14.9	0.0	0.3	0.7	0.3	1.5	5.1	1.0	0.5	0.4
	0.5	0.1	0.1	18.9	1.6	0.7	0.6	0.3	2.3	2.9	0.5	0.5	0.3
	0.1	0.1	0.3	19.1	0.0	0.4	0.5	0.3	5.4	4.9	1.1	0.5	0.3
児	0.3	0.8	0.5	13.0	0.1	0.1	0.2	0.2	4.2	3.7	0.4	0.6	0.4

その他疾	鼻およびいん頭				伝皮 染膚 性疾 の患	心臓 の疾 患	精神 薄弱	身体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ疾 の病 他異 の常	歯			
	蓄 のう 症	アノ イ ド	へん とん	肥 のい ん頭								むし歯			その他 疾
												計	処 了 置 者	未 処 置 者	
0.7	1.8	0.2	6.4	2.7	1.0	0.5	1.6	0.3	0.3	0.3	0.4	85.1	17.5	67.6	2.4
0.9	0.2	0.1	5.2	0.7	1.3	0.3	1.1	0.2	0.2	0.1	0.5	90.7	7.6	83.1	1.8
0.8	1.4	0.1	6.5	1.9	1.5	1.1	2.6	0.3	0.1	0.1	0.5	91.5	7.0	84.5	3.0
0.9	6.4	0.0	11.4	6.0	1.3	0.3	1.9	0.3	0.4	0.1	0.8	83.1	7.7	75.4	1.8
0.5	1.9	0.0	6.7	2.9	2.1	0.3	1.7	0.3	0.5	1.2	0.5	75.7	11.4	64.3	1.1
0.2	1.0	0.6	4.5	1.9	1.1	0.2	0.6	0.3	0.2	0.1	0.1	84.9	7.1	77.8	2.3
0.7	4.7	0.1	9.5	2.8	2.7	0.6	1.5	0.7	0.2	0.1	0.4	87.2	18.8	68.4	1.0
0.1	1.6	0.2	4.7	0.4	1.2	0.4	0.3	0.2	0.2	0.3	0.2	84.2	9.5	74.7	2.3
0.1	0.8	0.1	5.8	0.3	1.3	0.3	0.9	0.1	0.2	0.0	0.5	78.0	10.3	67.7	3.4
0.5	0.9	0.1	6.7	2.2	1.1	0.6	1.7	0.2	0.2	1.0	0.3	83.3	15.5	67.8	3.4
1.0	2.1	0.3	10.3	2.3	1.7	0.5	2.6	0.3	0.2	0.3	0.4	92.2	13.0	79.2	5.2
0.9	1.0	0.0	7.8	1.7	0.5	0.3	2.2	0.6	0.4	0.3	0.3	89.4	24.6	64.8	5.9
0.4	1.0	0.1	9.9	3.5	0.9	0.3	3.3	0.7	0.2	0.7	0.2	90.0	12.1	77.9	1.6
1.0	2.4	0.5	9.7	6.5	0.1	0.3	0.7	0.1	0.2	-	0.3	89.5	22.0	67.5	3.2
0.7	0.8	0.2	5.4	2.2	0.1	0.3	0.1	0.1	0.1	0.0	0.2	92.2	23.9	68.3	2.3
0.8	2.2	0.1	5.3	3.6	2.3	0.5	2.5	0.2	0.3	0.0	0.7	89.2	23.5	65.7	2.3
0.2	2.5	-	5.7	2.5	0.7	0.6	1.9	0.7	0.3	0.9	0.6	89.3	29.0	60.3	0.4
0.0	0.4	0.1	3.8	0.5	0.2	0.4	1.7	0.2	0.3	-	0.4	92.4	18.5	73.9	2.1
0.2	0.5	0.1	6.1	1.6	0.7	0.7	1.2	0.1	0.4	0.3	0.6	83.6	15.5	68.1	1.8
1.1	4.4	0.1	8.0	2.3	0.6	0.3	0.5	0.3	0.2	0.4	0.3	84.6	13.8	70.8	3.2
0.6	3.4	0.1	6.1	5.9	0.3	0.7	0.8	0.6	0.3	-	0.6	90.8	21.6	69.2	2.3
0.3	0.7	0.1	5.0	1.8	0.7	0.3	2.1	0.3	0.3	-	0.3	86.0	19.0	67.0	3.5
0.3	0.4	-	3.8	0.9	0.7	0.2	2.2	0.6	0.2	1.2	0.3	85.4	24.1	61.3	1.2
0.8	0.9	0.0	7.6	1.9	1.2	0.5	0.2	0.2	0.2	0.0	0.4	86.6	21.4	65.2	3.0
0.2	0.5	0.2	7.2	2.5	0.7	0.6	1.6	0.1	0.2	0.1	0.5	94.3	10.9	83.4	2.8
0.6	0.4	0.1	10.9	1.2	0.5	0.9	2.6	0.4	0.4	0.1	0.6	92.0	16.4	75.6	4.9
0.7	2.7	0.1	6.9	2.6	1.4	0.7	1.2	0.7	0.3	1.1	0.7	87.6	23.5	64.1	0.4
1.6	1.3	0.1	5.6	2.5	1.9	1.1	2.0	0.2	0.4	0.3	0.6	91.0	23.4	67.6	2.1
0.8	2.0	0.0	3.3	2.2	0.1	0.4	1.4	0.1	0.1	0.0	0.3	86.6	17.1	69.5	3.1
0.4	1.2	0.1	6.6	2.3	0.2	0.5	1.7	0.2	0.3	0.2	0.4	90.3	32.0	58.3	2.5
0.1	0.6	0.0	6.9	0.1	0.3	0.3	1.4	0.1	0.2	0.4	0.6	90.4	23.6	66.8	2.4
0.3	1.2	0.1	7.1	2.8	0.7	0.4	1.1	0.2	0.2	0.0	0.7	84.1	13.0	71.1	2.5
0.5	1.0	0.1	7.6	1.6	2.6	0.7	1.8	0.1	0.4	0.2	1.1	84.1	17.9	66.2	4.2
1.1	1.4	0.1	6.3	1.5	0.3	0.4	1.4	0.1	0.2	0.2	0.4	84.6	21.9	62.7	2.7
0.2	1.1	0.1	6.4	2.1	1.0	0.4	1.8	0.3	0.1	0.0	0.5	83.5	20.7	62.8	1.4
0.6	4.1	0.0	4.4	2.7	0.8	0.4	2.8	0.4	0.4	-	0.5	83.7	21.5	62.2	4.1
0.1	1.2	-	4.8	3.5	0.1	0.6	0.4	0.1	0.2	0.1	0.4	76.7	10.0	66.7	1.4
0.4	1.7	0.0	4.2	1.8	0.1	0.3	1.9	0.2	0.3	0.2	0.3	89.2	31.4	57.8	2.2
0.0	0.1	-	4.5	0.1	0.2	0.7	2.6	0.3	0.3	0.0	0.4	84.7	11.7	73.0	3.7
0.2	0.3	0.1	6.7	0.5	0.8	0.2	1.8	0.1	0.2	0.6	0.2	89.6	23.8	65.8	3.6
0.5	5.2	0.1	4.3	3.8	0.8	0.4	3.6	0.4	0.4	0.2	0.3	72.2	22.7	49.5	8.9
2.0	6.2	0.0	8.2	15.2	0.5	0.4	2.8	0.3	0.3	1.8	0.4	81.8	11.5	70.3	3.3
0.7	2.3	0.4	6.7	4.0	1.0	0.4	1.3	0.5	0.4	0.1	0.6	80.1	12.5	67.6	0.9
0.3	1.5	1.0	6.4	2.3	3.7	0.4	1.1	0.6	0.5	0.8	0.4	77.0	20.1	56.9	1.5
0.8	1.7	0.5	8.4	1.8	0.8	0.8	1.7	0.2	0.3	0.9	0.4	87.3	19.7	67.6	1.8
0.8	1.6	0.0	4.8	0.9	0.3	0.6	4.3	0.3	0.5	0.8	0.7	85.6	8.4	77.2	1.2
0.4	1.3	0.1	5.0	0.7	0.5	0.5	1.5	0.4	0.4	0.6	0.3	84.2	9.7	74.5	1.0

## 4 高等学校 (1) 男

区 分	栄養 要注意	せき 柱異常	胸 郭 異 常	目									耳	
				近 視	遠 視	乱 視	弱 (両 眼) 視	色 神 異 常	ト ホ ー ム ラ ム	結 膜 炎	その 他 疾	難 (両 耳) 聴	中 耳 炎	
全 国	0.2	0.3	0.4	33.9	0.4	1.4	0.4	3.9	1.4	3.5	0.8	0.3	0.5	
北海道 北青岩 森手城 秋田	0.1	0.1	0.3	37.4	0.0	0.5	0.5	3.8	0.3	1.4	0.2	0.1	0.2	
	0.5	0.1	0.2	23.3	0.0	1.9	0.5	4.7	5.8	2.7	0.7	0.1	0.2	
	0.1	0.1	0.2	30.6	0.2	0.1	3.0	2.6	6.9	2.6	1.1	0.3	0.4	
	0.5	0.0	0.1	30.4	0.1	0.3	-	2.9	1.7	3.2	0.2	0.2	0.1	
	0.1	0.2	0.3	27.1	-	0.1	0.5	2.9	5.5	3.0	2.0	0.1	0.6	
山形 福島 茨城 栃木 群馬	1.0	1.2	1.1	29.6	1.3	4.2	0.2	4.8	2.1	6.4	0.9	0.3	0.3	
	0.0	0.1	0.1	34.8	0.2	1.0	0.2	3.7	5.0	1.3	0.4	0.2	0.1	
	0.1	0.1	0.5	23.5	0.3	1.0	0.2	2.6	0.9	2.3	0.7	0.2	0.3	
	0.2	0.1	0.6	27.2	0.1	0.9	1.6	4.7	2.9	3.4	1.3	0.2	0.8	
	0.1	0.2	0.3	30.8	0.1	2.4	0.0	5.0	0.3	1.3	1.4	0.2	0.4	
埼玉 千葉 東京 神奈 新潟	0.1	0.2	0.2	32.5	0.2	2.3	0.4	4.4	0.3	3.7	1.6	0.7	0.5	
	0.1	0.2	0.4	24.2	1.5	0.4	0.6	3.5	0.6	3.6	0.5	0.3	0.3	
	0.1	0.2	0.3	44.2	0.3	2.8	0.1	4.1	0.3	4.2	0.5	0.5	0.5	
	0.1	0.3	0.3	33.9	1.1	3.2	0.0	4.1	0.1	1.7	0.3	0.1	0.2	
	0.5	0.1	0.5	30.9	0.1	0.2	0.8	4.2	0.1	4.0	1.0	0.2	0.3	
富山 石川 福井 山梨 長野	0.0	0.3	0.3	37.6	0.1	0.8	1.2	3.5	0.4	3.6	1.6	0.2	0.5	
	0.1	0.4	0.2	42.9	-	0.1	0.6	4.1	0.3	4.4	0.9	0.4	0.3	
	0.6	0.3	0.5	41.5	-	0.3	0.9	4.9	0.6	3.7	0.4	0.5	0.4	
	0.2	0.1	0.3	22.0	0.2	2.5	0.1	4.5	0.2	4.0	0.7	0.5	0.9	
	0.6	0.4	0.5	32.9	0.2	1.8	0.1	3.1	0.1	4.0	1.0	0.3	0.2	
岐阜 静岡 愛三 滋	0.0	0.3	0.3	33.4	0.2	1.0	0.1	2.9	1.5	8.3	3.0	0.1	0.2	
	0.2	0.1	0.4	45.3	0.2	1.0	0.0	4.1	0.9	6.4	0.8	0.5	0.4	
	0.3	1.1	0.5	47.1	0.4	4.4	0.1	3.6	2.7	4.2	0.4	0.3	0.6	
	0.2	0.2	0.7	31.7	0.2	1.3	0.1	4.2	4.2	2.1	0.6	0.4	0.3	
	0.1	0.2	0.2	26.7	0.1	0.8	0.1	3.5	0.0	0.4	0.1	0.5	0.4	
京都 大阪 兵庫 奈良 和歌	0.2	0.6	0.3	32.8	0.9	0.4	0.2	4.3	0.5	4.8	0.7	0.3	0.6	
	0.1	0.3	0.2	47.0	0.1	2.8	0.0	4.3	2.6	4.3	0.5	0.3	1.0	
	0.2	0.2	0.4	40.9	0.1	0.6	0.0	4.4	1.1	2.5	0.1	0.3	0.3	
	0.1	0.2	0.3	34.0	0.6	0.4	0.1	4.1	0.2	1.7	0.1	0.5	0.1	
	0.6	0.1	0.1	20.2	-	-	-	4.3	5.0	2.3	0.8	0.4	0.2	
鳥取 島根 岡山 広島 山口	0.1	1.2	0.7	33.1	0.2	1.9	0.0	3.1	0.1	0.3	0.2	0.4	0.1	
	0.1	0.2	0.5	30.4	0.4	3.5	0.1	4.6	1.6	1.5	0.8	0.4	0.5	
	0.1	0.1	0.5	33.0	0.1	1.2	0.1	4.0	0.4	3.0	2.9	0.2	0.4	
	0.1	0.3	0.3	27.7	-	0.5	0.1	3.1	0.7	5.0	1.0	0.5	0.6	
	0.1	0.1	0.0	32.3	-	0.4	0.2	2.8	0.5	2.3	0.3	0.3	1.1	
徳島 香愛 媛高 福	0.0	0.0	0.2	28.1	0.1	0.6	-	2.9	0.4	2.8	1.2	0.5	0.8	
	1.5	0.2	0.6	34.0	0.0	0.2	0.1	3.8	1.1	1.6	1.6	0.3	0.4	
	0.1	0.0	0.1	31.9	0.1	0.7	0.1	3.3	0.4	5.3	0.1	0.3	0.3	
	0.0	0.1	0.4	16.8	0.0	0.3	0.3	3.4	0.5	2.3	0.4	0.4	0.1	
	0.2	0.5	0.3	28.3	2.5	3.0	0.9	5.0	2.3	6.1	0.7	0.4	0.5	
佐賀 長熊 大宮 鹿	0.6	0.7	0.3	33.9	-	0.9	0.1	4.6	1.4	4.4	0.8	0.6	0.8	
	0.4	2.1	0.5	33.6	0.4	2.0	0.1	4.4	0.8	4.1	0.5	0.6	0.9	
	0.2	0.2	0.4	24.2	0.1	0.2	0.2	2.9	0.5	4.4	0.4	0.1	0.6	
	0.0	0.0	0.1	20.4	0.0	0.8	0.1	2.8	0.9	1.1	0.2	0.4	0.6	
	-	0.1	0.4	21.1	-	3.3	0.2	3.1	4.4	2.3	0.9	0.0	0.4	
児 島	0.3	1.2	0.4	20.9	0.2	1.1	0.9	3.3	3.3	3.7	1.3	0.3	0.6	

112頁の(注)を参照のこと。高等専門学校の学生は、この高等学校の中に含めた。

その耳 他疾	鼻およびいん頭				伝皮 染病 性疾 の患	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 障 動 機 能 害	寄 生 虫 病	そ疾 の病 他異 の常	歯				その 歯疾
	蓄 のう 症	アノ イ ド	へう ん せ ん	肥 大 の 他 の 頭								むし歯				
												計	処 置 者	未 処 置 者		
0.7	1.7	0.1	3.8	3.1	0.3	0.3	0.0	0.1	0.2	0.1	0.4	82.5	19.6	62.9	3.1	
0.3	1.6	0.1	2.7	1.1	0.3	0.4	-	0.1	0.1	0.2	0.8	86.9	10.6	76.3	2.3	
0.7	0.6	0.2	4.1	2.5	2.6	0.2	-	1.2	0.2	0.1	0.4	84.0	9.1	74.9	2.3	
3.2	7.4	0.3	8.2	14.4	0.1	0.2	-	0.0	0.1	-	0.5	82.6	11.0	71.6	1.1	
0.1	0.1	-	3.4	0.3	0.2	0.2	-	0.1	0.1	1.1	0.5	69.7	15.8	53.9	5.3	
0.7	2.2	0.0	5.4	5.0	0.5	0.1	-	0.0	0.2	-	0.7	83.2	8.1	75.1	4.1	
0.4	4.2	-	5.3	2.9	0.2	0.3	-	0.4	0.3	0.4	0.3	74.5	22.6	51.9	1.8	
0.3	1.7	0.0	5.3	4.2	0.5	0.4	-	-	0.1	-	1.4	85.9	12.0	73.9	2.6	
0.1	0.6	0.0	2.9	0.5	0.2	0.3	-	0.0	0.1	0.0	0.3	77.6	11.6	66.0	8.2	
1.8	2.1	0.2	7.5	7.9	1.3	0.3	-	0.1	0.1	0.2	0.3	84.7	19.5	65.2	3.8	
0.2	1.3	0.0	4.1	2.1	0.7	0.3	-	0.0	0.1	0.1	0.2	84.0	23.0	61.0	2.2	
1.4	2.2	0.1	3.1	5.2	0.1	0.4	-	0.0	0.3	0.1	0.1	91.7	28.1	63.6	6.3	
0.3	0.6	0.0	5.1	3.2	0.1	0.1	-	0.0	0.1	0.1	0.4	86.3	16.9	69.4	2.2	
0.9	0.8	0.0	4.2	3.2	0.1	0.2	-	0.0	0.1	-	0.3	87.5	20.6	66.9	3.7	
0.6	0.2	-	4.6	1.1	0.0	0.2	-	-	0.1	0.0	0.2	90.9	15.2	75.7	4.5	
0.1	1.4	-	3.5	2.4	0.8	0.6	-	0.0	0.1	-	0.7	78.1	14.4	63.7	3.2	
0.3	2.2	-	2.1	3.6	0.1	0.2	-	0.0	0.1	0.1	0.3	79.9	27.0	52.9	0.9	
0.2	1.5	-	3.7	3.1	0.1	0.4	-	0.0	0.1	-	0.4	85.5	23.5	62.0	0.7	
0.2	1.0	0.0	3.5	1.8	2.6	0.4	-	-	0.1	-	1.4	74.2	16.6	57.6	4.0	
5.3	5.1	-	5.4	6.4	-	0.3	-	0.0	0.1	-	0.1	86.3	19.0	67.3	2.7	
0.6	3.7	0.6	4.5	6.0	0.1	0.2	-	0.0	0.1	-	0.5	88.0	21.4	66.6	2.0	
0.2	0.9	-	2.9	0.8	0.1	0.3	-	0.0	0.2	-	0.2	79.5	17.0	62.5	6.0	
1.1	1.6	-	2.7	3.7	0.1	0.2	-	0.0	0.2	-	0.3	84.8	22.0	62.8	1.5	
0.7	0.8	0.1	3.1	1.4	0.1	0.2	-	0.0	0.2	-	0.6	81.9	21.6	60.3	3.8	
0.6	3.5	0.0	3.8	4.6	0.1	0.3	-	0.1	0.1	0.3	0.3	89.2	19.1	70.1	2.6	
0.2	1.0	0.1	5.6	0.9	0.0	0.7	-	-	0.1	-	0.7	84.1	19.7	64.4	4.7	
0.1	0.9	0.1	4.5	0.9	0.1	0.5	-	0.2	0.2	0.6	0.3	78.8	27.8	51.0	1.4	
0.8	3.4	-	3.7	4.9	0.8	0.7	-	0.0	0.1	0.1	0.7	86.9	23.7	63.2	2.3	
0.3	1.1	0.0	1.6	1.1	0.1	0.5	-	0.1	0.2	0.0	0.4	84.6	24.4	60.2	5.4	
0.1	0.3	-	2.7	0.4	0.4	0.4	0.0	0.0	0.1	-	0.3	85.4	22.5	62.9	1.4	
1.0	0.7	-	4.5	3.2	-	0.6	-	0.1	0.1	-	0.3	81.9	31.2	50.7	1.1	
0.1	-	-	3.0	0.6	0.2	0.5	-	-	0.1	0.0	0.4	81.6	15.6	66.0	2.0	
0.5	1.0	-	3.6	2.6	0.6	0.8	-	0.1	0.2	-	0.7	83.7	15.6	68.1	7.9	
1.5	1.8	-	3.5	2.3	0.0	0.4	-	0.0	0.2	-	0.2	81.4	24.9	56.5	0.8	
0.8	3.0	-	2.9	2.1	0.6	0.3	0.0	0.0	0.1	-	0.1	75.9	21.5	54.4	2.9	
0.6	3.5	-	2.1	3.4	0.2	0.1	-	-	0.2	-	0.1	73.2	21.6	51.6	2.9	
0.6	3.6	-	3.8	4.3	0.0	0.5	-	0.0	0.1	0.0	0.2	73.8	19.3	54.5	0.7	
0.3	1.4	-	3.1	0.7	0.1	0.5	-	0.0	0.2	0.1	0.6	80.7	28.4	52.3	4.5	
0.0	0.4	-	2.2	0.2	0.0	0.2	-	0.1	0.2	0.1	0.8	80.3	18.4	61.9	2.7	
0.1	1.1	-	2.6	0.2	0.2	0.3	-	-	0.1	-	0.3	84.2	19.2	65.0	3.4	
0.9	2.1	0.4	6.4	5.7	0.2	0.3	-	0.0	0.1	0.3	0.4	64.6	20.0	44.6	1.1	
2.8	6.2	0.0	8.1	13.9	0.4	0.1	-	-	0.3	-	0.7	79.6	11.6	68.0	6.6	
0.4	1.7	0.0	3.1	2.4	1.2	0.3	-	0.3	0.2	-	0.3	68.4	16.0	52.4	1.8	
0.2	1.4	0.1	2.5	2.6	0.4	0.2	-	0.0	0.3	-	0.4	72.1	20.6	51.5	2.9	
1.9	2.0	-	3.4	3.8	0.1	0.2	-	0.0	0.5	1.1	0.5	77.0	20.6	56.4	2.1	
0.3	1.2	-	2.5	1.3	0.2	0.3	-	0.0	0.2	-	0.5	84.1	15.1	69.0	1.7	
0.3	0.7	0.0	3.0	2.1	0.1	0.2	0.1	0.1	0.3	0.6	0.3	85.7	14.9	70.8	1.2	

## 4 高等学校 (2) 女

区	分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳	
					近 視	遠 視	乱 視	弱 視 (両 眼)	色 神 異常	ト ホ ー ム ラ ム	結 膜 炎	その 他 疾	難 聴 (両 耳)	中 耳 炎
全	国	0.2	0.3	0.2	37.8	0.3	1.5	0.5	0.2	0.8	2.6	0.6	0.3	0.3
北海道 北青 岩宮 秋	道 森手 城田	0.1	0.8	0.1	42.1	0.7	2.0	0.9	0.2	0.2	1.2	0.1	0.3	0.1
		0.0	0.0	0.1	32.4	0.2	1.9	0.1	0.4	3.3	2.3	1.3	0.1	1.0
		0.0	0.0	0.1	32.7	0.2	2.5	1.6	0.3	5.3	3.9	0.8	0.1	0.4
		0.1	0.0	0.1	39.8	0.1	0.7	0.1	0.1	1.2	1.9	0.5	0.2	0.4
		0.7	1.1	0.6	35.7	-	-	0.1	0.2	1.3	0.6	0.1	-	0.1
山福 茨栃 群	形島 城木 馬	0.9	0.5	0.3	42.3	0.3	1.7	0.0	0.1	1.1	4.3	1.2	0.2	0.3
		0.2	-	0.0	32.3	0.2	0.9	0.5	0.2	1.9	1.1	0.4	0.2	0.2
		0.1	-	-	32.4	0.2	1.4	0.5	0.1	0.5	1.7	0.3	0.1	0.1
		0.2	0.0	0.2	30.8	0.1	1.9	4.0	0.2	1.7	2.4	1.0	0.2	0.4
		0.1	0.0	0.0	30.2	0.2	1.2	0.0	0.1	0.3	5.0	0.5	0.2	0.2
埼千 東神 新	玉薬 京川 潟	0.1	0.1	0.1	33.3	0.1	1.6	0.7	0.2	0.8	3.9	0.9	0.3	0.2
		0.0	0.0	0.1	30.3	0.4	1.7	0.5	0.1	1.2	3.2	0.5	0.4	0.2
		0.1	0.1	0.1	48.3	0.3	2.2	-	0.2	0.1	3.6	0.8	0.4	0.4
		0.1	0.3	0.3	36.0	0.3	1.7	0.0	0.1	0.3	2.4	0.4	1.0	0.2
		0.1	0.1	0.3	40.3	0.1	0.5	1.0	0.2	0.1	2.8	0.6	0.1	0.7
富石 福山 長	山川 井梨 野	0.2	0.1	0.1	41.8	0.4	0.2	0.0	0.2	0.1	2.8	1.0	0.2	0.8
		0.1	0.1	0.0	43.3	-	0.0	1.0	0.2	0.3	2.5	0.7	0.2	0.4
		0.3	0.1	0.2	42.6	-	0.1	0.1	0.2	0.1	1.6	0.2	0.1	0.2
		0.1	0.1	0.1	32.1	0.0	2.2	0.1	0.3	0.3	2.2	0.4	0.2	0.5
		0.5	0.2	0.1	35.2	0.0	0.9	0.1	0.2	0.1	2.3	1.0	0.0	0.1
岐静 愛三 滋	阜岡 知重 賀	-	0.3	0.1	33.1	0.2	1.0	0.1	0.2	0.1	2.4	0.3	0.1	0.0
		0.0	0.0	0.0	43.0	0.4	1.2	0.1	0.1	0.4	2.3	0.5	0.1	0.3
		0.5	0.3	1.5	50.2	0.2	4.6	0.0	0.2	0.8	3.2	0.4	0.2	0.2
		0.1	0.1	0.2	44.0	0.1	2.6	0.2	0.5	4.9	2.0	0.1	0.8	0.6
		0.4	0.1	0.3	25.7	0.8	0.9	0.1	0.2	0.0	0.3	0.1	0.3	0.2
京大 兵奈 和	都阪 庫良 山	0.1	0.2	0.2	34.5	0.3	0.6	0.0	0.1	0.4	3.7	0.5	0.2	0.3
		0.8	0.3	0.2	52.6	0.9	2.2	0.2	0.2	0.5	2.0	0.6	0.1	0.4
		0.2	0.3	0.1	43.4	0.0	0.8	0.0	0.1	1.2	2.8	0.2	0.2	0.2
		-	0.0	0.0	34.3	0.5	0.6	0.2	0.2	0.1	0.9	0.2	0.3	0.3
		0.1	0.1	-	24.6	-	0.0	-	0.2	4.1	1.1	0.8	0.3	0.2
鳥島 岡広 山	取根 山島 口	-	0.0	0.1	35.6	0.3	1.7	-	0.1	0.0	0.3	-	0.2	0.0
		0.2	0.0	0.1	32.3	0.3	2.1	0.3	0.3	0.9	0.6	0.4	0.4	0.4
		0.0	0.2	0.1	36.2	0.2	2.1	0.1	0.3	0.4	3.1	1.8	0.2	0.3
		0.0	0.3	0.1	36.6	0.2	1.9	-	0.3	0.2	1.9	0.8	0.2	0.4
		0.1	0.3	0.0	33.6	-	0.6	-	0.2	0.3	1.5	0.3	0.5	0.2
徳香 愛高 福	島川 媛知 岡	0.0	-	0.0	31.6	0.1	0.7	-	0.1	0.5	3.2	1.3	0.3	0.8
		0.2	0.1	0.0	43.7	-	0.2	0.1	0.4	0.2	0.9	1.1	0.6	0.1
		0.0	0.0	0.1	35.2	0.0	0.9	0.1	0.2	0.2	2.3	0.0	0.2	0.3
		0.0	0.1	0.1	26.4	0.0	0.8	1.6	0.3	0.1	1.5	0.3	0.6	0.2
		0.2	0.1	0.1	28.8	0.8	1.2	2.1	0.2	0.6	4.2	0.6	0.5	0.5
佐長 熊大 宮鹿	賀崎 本分 崎島	0.1	0.3	0.0	39.4	-	0.4	0.0	0.2	1.1	4.4	0.8	0.7	0.8
		0.6	4.4	0.7	32.8	0.3	2.9	0.1	0.4	0.6	2.5	0.3	0.5	0.4
		0.1	0.3	0.5	25.2	0.1	0.8	0.2	0.1	0.3	2.7	0.2	0.1	0.5
		-	0.0	0.0	26.7	0.0	1.0	0.0	0.1	0.9	0.6	0.0	0.5	0.2
		0.0	0.1	0.3	15.6	0.0	2.9	0.7	0.2	2.6	1.6	0.4	0.0	0.2
0.1	0.1	0.3	21.0	0.3	1.5	1.1	0.1	2.9	4.8	3.0	0.3	0.7	0.7	

その他疾	鼻およびいん頭				伝染性皮膚疾患の患	心臓の疾患	精神薄弱	身体虚弱	運動機能害	寄生虫病	そ疾の病他異の常	歯				その他疾
	蓄のう症	アノイデド	へんとう	肥せんと								鼻の疾患	むし歯			
													計	処完了者	未処置者	
0.5	1.3	0.1	3.9	2.4	0.1	0.4	0.0	0.1	0.1	0.1	0.5	88.3	24.3	64.0	3.0	
0.2	0.7	0.0	3.4	0.6	0.1	0.9	-	0.5	0.1	0.2	1.0	89.8	12.2	77.6	1.8	
2.0	1.4	0.0	5.6	4.4	0.2	0.2	-	0.1	0.2	0.0	0.4	83.6	16.6	67.0	0.4	
1.3	4.7	0.1	6.9	8.2	0.0	0.2	-	0.1	0.2	0.0	0.3	89.3	13.9	75.4	1.8	
0.2	1.4	-	5.4	1.6	0.0	0.3	-	0.0	0.1	-	0.4	84.5	12.3	72.2	1.1	
0.2	1.0	0.1	3.1	1.8	0.1	-	-	0.0	0.1	-	0.3	86.6	12.5	74.1	4.0	
0.5	5.1	-	4.5	2.5	0.0	0.3	-	0.2	0.2	0.1	0.3	90.3	27.3	63.0	2.3	
0.2	1.5	0.0	4.7	4.0	0.1	0.2	-	0.1	0.0	-	0.9	88.8	14.8	74.0	1.1	
0.1	0.2	-	2.4	1.6	0.1	0.5	-	-	0.1	-	0.0	82.0	18.5	63.5	6.2	
2.1	3.4	0.2	5.8	3.4	0.5	0.4	-	0.1	0.1	0.3	0.3	91.4	16.7	74.7	2.8	
0.4	2.0	0.1	4.5	3.6	0.3	0.4	-	-	0.1	1.0	0.9	91.6	25.1	66.5	6.0	
0.5	1.2	0.0	4.3	3.5	0.1	0.4	-	0.1	0.2	-	0.4	95.5	32.3	63.2	4.7	
0.7	1.5	-	6.2	2.5	0.0	0.2	-	0.0	0.1	0.1	0.3	88.7	22.8	65.9	1.5	
0.4	0.7	0.3	4.1	2.9	0.0	0.2	-	0.0	0.1	-	0.3	92.6	27.7	64.9	4.7	
0.4	0.3	-	4.0	1.9	-	0.2	-	-	0.1	0.0	0.2	95.8	23.2	72.6	4.6	
0.0	2.1	0.1	3.3	4.3	0.1	0.3	-	0.0	0.1	-	0.4	84.7	20.2	64.5	4.2	
0.2	1.3	-	1.4	3.2	0.0	0.5	-	0.0	0.2	-	1.3	88.0	30.1	57.9	1.2	
0.1	1.7	-	4.7	2.7	0.0	0.3	-	-	0.1	-	0.6	92.0	25.3	66.7	0.8	
0.1	0.4	0.0	3.1	1.6	0.1	0.4	-	0.0	0.1	-	1.0	83.7	24.9	58.8	3.0	
1.2	4.2	-	3.7	3.2	-	0.2	-	0.0	0.1	-	0.1	89.7	30.0	59.7	2.3	
0.3	3.9	0.2	2.5	5.5	0.1	0.2	-	0.0	0.1	-	0.5	90.0	25.8	64.2	5.2	
0.0	0.2	-	2.8	0.5	0.0	0.5	-	0.0	0.0	-	0.3	84.8	16.7	68.1	8.4	
0.8	1.0	-	2.0	1.8	0.0	0.2	-	0.0	0.1	-	0.2	83.4	27.6	55.8	2.1	
0.5	0.4	0.0	4.9	2.0	0.1	0.3	-	0.0	0.1	-	1.0	90.2	24.0	66.2	3.8	
0.8	3.6	-	5.4	4.4	0.1	0.2	-	0.1	0.2	-	0.6	93.1	22.2	70.9	3.0	
0.2	0.8	0.0	5.1	1.2	0.0	0.4	-	-	0.1	-	0.7	91.9	21.6	70.3	4.8	
0.1	0.4	0.1	3.2	0.8	0.1	0.2	-	0.1	0.1	0.5	0.4	83.8	36.3	47.5	1.1	
0.6	0.9	-	4.7	2.5	0.1	0.5	-	-	0.0	0.2	1.0	89.3	30.4	58.9	2.3	
0.2	1.5	0.0	3.5	1.0	0.0	0.5	-	0.1	0.1	0.1	0.5	86.4	23.3	63.1	3.1	
1.0	0.9	0.0	3.9	0.7	0.1	0.5	0.0	-	0.1	-	0.5	90.1	34.0	56.1	1.5	
1.1	1.4	-	4.0	3.2	-	0.2	-	-	0.1	-	0.4	88.0	35.9	52.1	2.0	
0.0	-	-	4.1	0.4	0.0	0.4	-	-	0.0	0.1	0.7	87.2	20.6	66.6	0.7	
1.0	0.7	-	3.4	1.7	0.1	1.1	-	0.2	0.1	-	0.9	88.3	21.9	66.4	6.0	
0.7	2.9	0.0	4.0	1.3	-	0.5	-	0.0	0.1	-	0.4	85.9	31.0	54.9	1.3	
1.6	1.4	0.0	2.1	2.8	0.2	0.4	-	0.0	0.1	0.0	0.3	86.0	28.6	57.4	1.8	
1.0	0.7	-	2.1	2.7	0.1	0.1	-	-	0.1	-	0.4	74.5	23.7	50.8	2.3	
0.8	4.0	-	3.9	3.4	-	0.5	-	0.0	0.1	0.0	0.1	79.3	22.9	56.4	0.5	
0.1	0.9	-	1.7	0.9	0.0	0.7	-	0.1	0.1	0.1	0.3	92.1	33.4	58.7	0.6	
-	0.5	-	2.3	0.1	0.0	0.3	-	0.1	0.1	0.1	0.3	84.0	15.2	68.8	10.0	
0.1	0.4	-	2.5	0.3	0.1	0.3	-	0.1	0.1	-	0.2	86.2	24.2	62.0	2.1	
0.5	0.5	0.1	3.7	3.1	0.2	0.4	0.3	-	0.0	0.2	0.4	86.1	34.6	51.5	2.1	
1.3	4.8	-	5.8	10.3	0.1	0.2	-	-	0.1	-	0.8	84.5	15.5	69.0	5.1	
0.3	1.0	0.0	6.4	0.7	0.3	0.6	-	0.3	0.3	0.0	0.4	80.4	18.5	61.9	1.2	
0.4	1.1	0.1	4.2	1.8	0.1	0.3	0.0	0.1	0.2	0.2	1.3	76.3	21.5	54.8	1.6	
0.9	1.6	0.0	3.1	0.6	0.0	0.3	-	0.1	0.0	0.4	0.3	86.3	22.5	63.8	2.7	
0.1	0.4	-	2.8	0.6	0.0	0.3	-	0.0	0.2	-	0.5	93.4	30.3	63.1	2.3	
0.4	1.5	-	2.8	1.3	0.1	0.3	0.1	0.1	0.2	0.4	0.4	89.7	14.0	75.7	3.0	