

第12表 都道府県別疾病異

(1) 幼稚園一男

区 分	栄養 要注 意	せき 柱異 常	胸郭 異常	目								耳			
				近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異常	ト ラム ホ	結 膜 炎	その 他疾	難 聴 (両耳)	中 耳 炎	その 他疾	
全 国	0.8	0.4	1.6	6.5	0.2	0.1	0.1	0.4	1.0	2.9	0.6	0.3	0.4	0.8	
北海道 北青森 岩手秋田	1.0	0.2	2.1	27.9	—	—	—	—	0.6	2.5	0.4	0.2	0.5	1.2	
	0.3	0.0	0.2	1.8	—	—	0.2	0.6	1.6	2.1	0.1	0.0	0.2	8.8	
	0.3	0.0	1.4	25.0	—	—	—	10.3	2.7	4.0	0.5	—	0.5	0.7	
	0.2	0.1	1.9	1.8	—	—	—	0.2	2.3	2.8	0.6	0.4	0.2	0.2	
山形 福島 茨城栃 群馬	0.7	0.2	1.2	20.5	0.4	—	0.2	0.1	1.9	3.0	0.2	0.7	0.2	0.4	
	0.7	0.6	1.3	0.4	—	—	—	0.8	1.2	2.3	0.6	0.3	0.3	1.2	
	0.2	—	1.1	9.4	8.8	—	—	0.4	1.7	2.9	1.0	—	0.2	0.3	
	0.3	0.7	2.1	3.5	0.2	—	—	0.7	0.5	1.6	0.2	0.1	0.3	0.2	
埼玉 千葉 東京 神奈川 新潟	0.7	0.5	3.3	3.0	—	—	0.0	0.2	2.7	2.5	0.3	—	0.2	0.2	
	0.5	0.5	2.1	3.2	—	—	—	0.9	0.8	2.6	0.6	0.1	0.3	0.4	
	1.0	0.1	1.1	4.6	0.3	0.3	0.3	0.3	0.2	2.5	0.6	0.1	0.6	0.9	
	0.3	0.1	1.6	7.0	—	—	0.1	0.6	1.1	3.3	0.7	0.1	0.3	0.4	
富山 石川 福井 山梨 長野	0.8	0.3	1.2	12.9	—	—	0.1	0.2	0.1	3.5	0.7	0.1	0.3	0.6	
	1.0	0.3	2.2	3.1	—	—	—	0.3	0.5	3.2	0.5	0.2	0.3	0.3	
	1.1	0.4	3.2	1.6	—	—	—	0.1	0.1	1.1	0.2	0.1	0.1	0.2	
	0.7	0.9	3.1	4.1	—	0.1	0.1	0.2	0.4	3.7	0.9	—	0.5	0.7	
岐阜 静岡 愛知 三重 滋賀	1.5	0.3	2.8	3.7	—	0.4	—	0.4	0.5	1.6	0.1	—	0.1	0.1	
	0.9	0.8	1.4	15.6	—	—	—	0.9	1.3	2.0	0.8	0.2	0.3	0.5	
	0.7	2.2	3.4	2.0	—	—	—	0.1	0.4	2.5	0.3	—	0.1	0.2	
	0.8	0.2	1.3	3.4	—	—	—	0.1	0.1	2.9	0.6	0.1	0.1	0.6	
京都 大阪 兵庫 奈良 和歌山	0.3	0.7	0.6	4.8	—	—	—	0.1	0.3	5.3	1.4	0.2	0.3	0.6	
	1.1	0.6	1.3	1.4	—	0.6	—	0.3	0.9	3.2	0.3	0.0	0.4	0.7	
	1.1	0.2	1.8	0.1	—	0.0	—	0.4	0.8	2.2	0.1	—	0.5	0.4	
	0.3	0.5	1.2	—	—	—	—	1.1	4.1	2.5	0.1	1.3	0.2	0.1	
徳島 香川 愛媛 高松 福岡	0.6	1.7	2.1	2.6	—	—	0.1	0.2	0.4	2.8	1.1	0.1	0.5	0.9	
	1.5	1.4	1.2	3.7	—	—	—	—	0.4	3.4	0.4	0.2	0.4	0.7	
	0.2	0.1	1.3	18.8	0.1	0.1	0.1	1.2	0.6	2.9	0.6	1.3	0.5	2.6	
	0.8	0.3	1.2	1.0	—	—	—	0.3	1.6	3.4	0.4	0.2	0.2	0.9	
鳥取 島根 岡山 広島 山口	0.7	0.7	1.1	3.4	1.5	—	0.1	0.2	1.2	3.2	0.3	0.3	0.7	0.1	
	0.6	0.2	2.1	4.1	—	—	—	4.1	6.0	3.5	0.6	2.0	0.0	0.7	
	0.6	1.5	4.9	5.3	—	—	—	—	0.1	1.3	0.1	—	0.2	0.6	
	1.3	1.0	3.6	—	1.2	—	0.0	0.6	1.7	1.8	0.6	0.1	0.6	1.3	
徳島 香川 愛媛 高松 福岡	0.6	0.5	1.5	2.6	0.1	—	0.2	0.6	1.6	3.2	0.8	0.5	0.7	0.3	
	1.1	0.3	1.5	5.1	—	—	0.1	0.5	0.5	2.8	1.0	0.2	1.6	1.1	
	0.3	0.3	5.0	3.9	2.9	2.0	0.6	0.2	0.9	2.1	0.7	0.5	0.3	1.4	
	0.7	0.3	1.1	3.3	0.7	1.1	—	0.9	1.4	4.0	1.2	0.3	0.8	1.4	
徳島 香川 愛媛 高松 福岡	0.6	0.8	2.1	1.3	0.3	0.3	0.3	3.3	1.5	2.4	1.1	0.3	0.7	1.1	
	0.7	0.2	1.1	4.1	0.5	—	—	0.2	0.8	1.7	0.3	1.5	0.1	0.1	
	1.0	0.1	2.6	0.8	—	—	—	—	0.1	1.4	0.2	—	—	0.1	
	0.8	0.3	1.2	0.6	—	—	0.1	0.6	1.1	2.9	0.4	0.1	0.2	0.5	
佐賀 長門 熊本 大宮 鹿島	0.3	0.7	1.0	—	—	—	—	—	1.4	2.1	0.4	—	0.6	0.2	
	0.9	0.4	1.5	11.0	—	—	—	0.2	0.7	3.4	0.6	0.0	0.2	0.2	
	0.4	0.1	1.3	1.1	—	—	—	—	0.4	4.6	0.6	0.0	0.1	0.2	
	0.4	0.1	1.6	1.9	—	—	—	0.1	1.0	0.8	0.4	0.3	0.4	0.2	
佐賀 長門 熊本 大宮 鹿島	0.4	0.1	1.9	3.0	—	—	—	0.0	1.2	3.2	0.8	1.1	0.4	0.1	
	0.1	0.2	1.0	7.5	0.1	—	0.0	0.1	2.4	2.9	0.7	0.1	0.4	0.2	

常 被 患 率 (一 般 検 診)

一般検診・幼

(%)

鼻 お よ び い ん 頭				伝 染 性 疾 患 の 患 者	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 害	寄 生 虫 病	そ の 他 の 異 常 疾 病	歯				
蓄 の う 症	アイ デ ノ	へ せ ん と う 大	鼻 の 他 の 頭 患								む し 歯				そ の 他 の 歯 疾
											計	処 置	完 了 者	未 処 置 者	
0.5	0.8	12.1	3.3	1.9	0.3	0.1	0.1	0.1	0.4	0.8	88.2	3.9	84.3	0.7	
0.1	0.2	11.3	2.3	2.1	0.3	—	0.0	0.1	0.5	1.4	93.8	2.4	91.4	0.6	
0.1	0.1	11.6	0.9	0.2	0.0	—	—	—	—	0.6	81.9	1.9	80.0	0.4	
0.7	0.7	12.0	6.1	1.4	0.3	—	0.1	—	0.2	0.9	91.7	1.7	90.0	0.1	
0.1	0.6	12.6	1.8	1.0	0.1	0.1	0.1	0.1	0.1	0.5	89.7	4.2	85.5	0.2	
0.1	0.7	12.7	1.4	1.9	0.3	0.0	0.0	0.1	—	0.6	91.2	4.3	86.9	1.1	
0.9	0.4	11.2	3.0	0.9	0.3	—	0.5	0.1	0.1	0.8	90.1	3.1	87.0	0.7	
0.7	0.5	6.6	0.3	0.8	0.0	—	0.0	—	0.5	1.1	85.3	2.2	83.1	2.1	
0.1	0.6	9.2	2.9	1.1	0.2	0.1	0.2	0.1	0.5	0.2	87.9	2.1	85.8	0.1	
—	0.2	14.9	1.4	1.8	0.3	—	0.1	0.1	0.7	0.4	91.5	2.7	88.8	0.1	
0.2	0.6	14.8	2.8	1.9	0.2	0.1	0.0	0.1	0.7	1.0	88.5	3.2	85.3	0.5	
0.2	2.3	15.2	3.4	1.6	0.4	0.1	0.2	—	0.0	0.3	84.7	4.2	80.5	0.6	
0.1	1.5	11.0	2.2	0.9	0.2	0.0	0.0	0.0	0.4	0.3	87.7	2.8	84.9	0.4	
0.6	1.0	15.8	2.6	0.7	0.3	0.0	0.1	0.1	0.0	0.7	88.5	9.3	79.2	1.2	
0.9	0.9	14.2	4.1	0.8	0.1	0.0	0.2	0.1	—	0.5	91.1	4.4	86.7	0.1	
0.1	0.3	12.2	3.0	1.3	0.4	—	—	0.1	0.2	0.6	90.6	3.5	87.1	0.7	
0.2	0.1	12.9	3.0	0.8	0.4	0.1	0.1	0.1	0.8	0.9	81.5	4.5	77.0	0.5	
0.2	0.5	12.3	1.2	0.5	0.7	—	0.1	—	—	1.3	88.7	2.6	86.1	—	
0.2	0.1	8.1	1.4	2.3	0.4	0.1	0.1	0.1	0.2	1.7	84.4	2.6	81.8	0.3	
0.5	1.4	11.5	1.9	2.3	0.1	—	—	0.1	—	0.1	93.3	4.5	88.8	0.1	
0.4	0.6	12.3	3.7	1.4	1.1	0.1	0.1	—	—	1.0	92.4	6.8	85.6	0.1	
0.2	1.9	9.6	4.7	1.0	0.1	0.1	0.0	0.2	1.5	0.7	62.9	5.4	57.5	—	
0.3	0.3	9.4	1.3	0.5	0.3	0.0	0.2	0.1	0.5	0.7	84.2	4.8	79.4	0.1	
0.7	0.6	10.3	1.1	0.7	0.2	—	—	0.1	—	0.8	90.3	3.5	86.8	3.5	
0.1	0.8	15.1	1.9	0.8	0.1	—	0.1	0.2	0.2	0.1	96.8	0.7	96.1	0.6	
0.3	1.9	19.5	6.5	1.3	0.5	0.0	0.2	0.1	0.2	1.2	86.9	5.0	81.9	0.6	
0.6	0.6	19.6	9.8	0.8	0.4	0.1	0.1	0.2	—	0.4	86.4	3.6	82.8	0.2	
0.2	0.9	12.3	4.7	0.7	0.4	0.1	0.2	0.1	0.1	0.1	85.0	2.5	82.5	0.1	
0.2	1.4	10.0	4.5	0.3	0.3	0.1	0.3	0.2	0.9	1.2	87.9	2.6	85.3	0.2	
—	0.6	11.7	1.8	12.2	0.2	0.1	0.2	0.1	2.1	0.8	89.4	1.5	87.9	—	
0.5	1.2	14.3	3.8	0.2	0.3	0.1	0.2	0.3	0.2	0.8	92.1	2.9	89.2	—	
0.1	2.6	8.9	5.1	0.6	0.2	—	0.1	0.1	0.1	2.7	92.5	3.2	89.3	0.2	
0.1	1.6	12.2	5.1	3.5	0.5	0.0	0.3	0.2	0.2	0.7	93.9	1.6	92.3	1.2	
1.4	0.8	12.2	3.7	1.2	0.5	0.1	0.1	0.2	0.2	1.2	94.5	0.9	93.6	0.3	
1.9	1.0	11.4	4.6	1.7	0.3	0.1	0.1	0.1	0.1	0.4	88.6	3.7	84.9	0.1	
1.4	0.9	13.3	5.2	0.8	0.2	0.0	0.1	0.4	0.6	0.9	77.6	3.8	73.8	0.0	
0.3	1.4	7.0	8.7	0.6	0.4	0.1	0.1	0.1	0.5	0.5	98.2	0.4	94.2	0.3	
0.2	0.5	8.7	4.9	1.7	0.3	0.2	0.0	0.1	1.3	1.0	87.3	2.1	85.2	1.7	
0.0	0.4	10.5	0.9	0.8	0.2	0.1	0.1	0.2	0.0	0.5	87.3	2.4	84.9	0.5	
0.5	—	8.3	3.9	2.3	0.3	—	—	—	—	1.2	78.0	0.8	77.2	0.7	
0.3	0.7	3.5	1.6	1.4	0.3	0.1	0.1	0.2	1.5	0.3	78.4	6.6	71.8	1.0	
0.8	0.6	9.5	3.3	2.3	0.3	—	0.2	0.2	0.1	0.6	85.1	2.2	82.9	0.1	
1.6	0.2	14.5	2.5	1.0	0.5	0.1	0.2	0.1	0.1	1.0	94.1	3.2	90.9	0.1	
0.1	0.2	7.7	1.5	1.0	0.3	—	0.1	0.1	—	0.8	88.8	2.5	86.3	0.1	
0.0	0.4	10.0	1.6	1.8	0.6	0.1	0.4	0.1	0.0	1.1	87.4	1.0	86.4	0.1	
0.2	0.2	12.1	1.2	0.6	0.2	—	—	0.2	0.7	1.5	75.4	2.7	72.7	—	
0.1	0.2	6.8	3.3	0.4	0.3	0.1	0.1	0.0	0.3	0.8	93.1	1.9	91.2	0.3	

第12表 都道府県別疾病異

(2) 幼稚園一女

区 分	栄養 注意	せき 柱異常	胸郭 異常	目								耳		
				近 視	遠 視	乱 視	弱 視 (両眼)	色 視 異常	ト ラム ホ	結 膜 炎	その 眼 疾	難 聴 (両耳)	中 耳 炎	その 耳 疾
全 国	0.7	0.3	0.8	7.9	0.2	0.0	0.0	0.1	1.1	3.2	0.6	0.0	0.4	0.7
北海道 青森 岩手 宮城	0.8	0.3	0.8	27.4	-	-	-	-	0.6	2.8	0.4	0.0	0.6	1.2
	0.4	0.1	0.3	1.0	-	-	-	-	1.8	2.5	0.2	0.3	-	0.5
	0.2	0.0	0.8	33.3	-	-	-	-	3.0	3.7	1.0	-	0.4	0.9
	0.3	0.1	0.8	0.9	-	-	-	-	2.4	3.5	0.7	-	0.2	0.0
	0.6	0.0	0.2	22.1	-	-	-	0.1	2.2	2.7	0.5	-	0.3	0.4
山形 福島 茨城 栃木	0.5	0.3	1.0	0.4	-	-	-	-	1.4	3.0	1.2	0.1	0.2	1.2
	0.0	0.1	0.4	5.8	6.0	-	-	0.4	3.0	3.4	1.0	-	0.3	0.2
	0.4	0.4	0.6	3.5	0.3	-	-	0.1	0.7	1.5	0.3	0.1	0.2	0.2
	0.5	0.3	2.4	3.3	-	-	0.0	-	3.0	3.4	0.5	-	0.3	0.0
	0.2	0.4	1.2	4.2	-	-	0.0	0.0	0.7	2.8	0.7	0.0	0.2	0.3
埼玉 千葉 東京 神奈川	0.9	0.2	0.6	5.5	-	-	0.6	0.0	0.4	2.8	0.7	0.1	0.6	0.5
	0.2	0.0	0.9	7.9	-	-	-	-	1.6	2.7	0.4	0.1	0.3	-
	0.8	0.2	0.6	17.2	-	-	-	0.0	0.1	4.2	0.4	0.0	0.1	0.7
	0.8	0.2	1.1	8.8	-	-	-	0.0	0.7	3.3	0.4	-	0.3	0.3
	0.7	0.1	1.4	2.2	-	-	0.1	-	0.1	1.2	0.1	-	0.1	0.1
富山 石川 福井 山梨	0.8	0.5	1.9	6.3	-	-	0.1	-	0.5	4.0	0.2	0.3	0.2	0.9
	1.1	0.1	1.5	4.6	-	-	-	-	0.6	1.4	0.2	-	0.2	0.0
	1.3	0.6	0.6	17.9	-	-	-	0.3	1.1	2.2	0.4	0.3	0.1	0.1
	0.8	1.0	0.9	2.2	-	-	-	-	0.5	2.2	0.1	-	0.1	0.3
	1.5	0.1	0.6	3.7	-	-	-	0.1	0.1	3.9	0.5	0.1	0.1	0.6
岐阜 静岡 愛知 三重	0.1	0.3	0.5	5.0	-	-	0.1	-	0.7	5.0	1.4	0.1	0.4	0.5
	1.0	0.3	0.9	2.0	-	-	-	0.1	0.9	3.8	0.3	0.1	0.3	0.5
	1.2	0.2	0.8	0.8	-	-	-	0.1	0.8	2.2	0.1	0.1	0.2	0.2
	0.4	0.1	0.5	-	-	-	-	-	3.5	2.1	0.2	1.5	0.1	0.1
	0.9	1.2	1.2	4.3	-	-	0.2	-	0.5	3.1	0.9	0.2	0.5	1.0
大阪 兵庫 奈良 和歌山	1.0	1.2	0.7	2.6	-	-	-	-	0.5	3.3	0.4	1.0	0.3	0.7
	0.7	0.5	1.4	25.7	0.1	0.1	0.1	0.1	1.0	3.2	1.0	1.3	0.2	2.1
	0.9	0.1	0.4	1.6	0.0	-	-	0.1	1.5	3.7	0.5	0.2	0.3	1.0
	0.6	0.2	1.0	5.0	1.1	0.1	-	-	0.8	3.7	0.5	0.1	0.5	0.1
	0.2	0.1	0.4	7.3	-	-	-	0.8	7.1	4.5	0.5	0.3	0.4	0.9
鳥取 岡山 広島	0.4	0.5	2.2	5.4	-	-	-	-	-	1.3	0.1	-	0.5	0.1
	0.6	0.5	2.0	-	-	-	-	-	1.1	2.0	0.7	0.1	0.2	1.6
	0.5	0.4	0.8	2.7	-	0.2	0.1	0.1	1.4	3.6	0.8	0.4	0.3	0.2
	1.0	0.3	0.5	5.9	-	-	-	0.0	0.6	3.1	1.1	0.1	1.3	0.8
	0.1	0.2	2.2	4.4	2.2	-	-	-	1.1	2.0	0.6	0.3	0.3	0.8
徳島 香川 愛媛 高松	0.9	0.3	0.8	5.6	0.5	0.6	-	0.1	1.5	4.4	1.0	0.6	0.5	0.8
	0.6	0.6	0.6	3.2	-	-	-	0.3	1.7	3.2	0.8	0.1	0.4	0.8
	0.6	0.1	0.4	3.4	0.3	-	-	0.0	0.8	1.5	0.2	1.5	0.1	0.3
	1.6	-	0.6	0.9	-	-	-	-	-	0.8	0.1	-	-	-
	0.8	0.3	0.5	0.5	-	-	0.0	0.9	1.0	3.5	0.4	-	0.3	0.6
佐賀 熊本 大分 宮崎 鹿児島	0.6	0.1	0.5	-	-	-	-	-	0.4	1.0	0.4	0.5	0.4	2.1
	0.6	-	0.9	13.1	0.0	-	-	-	1.1	2.7	0.7	0.1	0.3	0.0
	0.4	0.1	0.6	1.0	-	-	-	-	0.7	5.1	0.4	-	0.1	0.1
	0.4	0.2	0.9	2.6	-	-	-	-	1.0	1.7	0.4	-	0.4	0.1
	0.7	0.0	0.8	6.7	-	-	-	-	1.2	4.0	1.1	0.1	0.1	0.0

常 被 患 率 (一 般 検 診)

一般検診・幼

(%)

鼻 お よ び い ん 頭				伝 染 性 疾 患 の 患	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 能 動 障 機 害	寄 生 虫 病	そ の 他 の 疾 病 異 常	歯				そ の 他 の 歯 疾
蓄 の う 症	ア イ ド ノ	へ せ ん と う 大	鼻 の い ん 頭 患								む し 歯				
											計	処 置	完 了 者	未 完 了 者	
0.4	0.7	10.6	2.5	0.7	0.3	0.0	0.1	0.1	0.4	0.7	88.3	4.0	84.3	0.6	
0.1	0.2	9.3	2.0	1.7	0.4	-	0.0	0.0	0.4	1.3	93.4	3.1	90.3	0.4	
0.1	0.7	9.1	0.7	0.3	0.1	-	-	0.1	-	0.1	86.4	1.9	84.5	0.3	
0.5	0.6	10.2	5.4	1.0	0.3	-	-	0.1	0.1	0.9	91.0	2.3	88.7	0.2	
0.0	0.9	10.2	1.5	0.9	0.2	0.0	-	0.1	0.1	0.6	89.8	4.4	85.4	0.3	
0.0	0.0	10.6	0.9	1.2	0.2	0.0	0.0	0.1	-	0.7	93.5	3.0	90.5	0.3	
0.9	0.4	10.7	1.8	0.8	0.2	-	0.4	0.0	0.0	0.3	91.1	2.5	88.6	0.9	
1.1	0.4	5.6	0.1	0.4	0.1	-	0.1	-	0.6	0.3	82.5	1.5	81.0	2.5	
0.3	0.5	8.7	2.5	0.7	0.2	0.0	0.2	0.0	0.4	0.2	87.1	1.6	85.5	0.1	
-	0.1	13.5	1.3	0.8	0.3	0.0	0.1	0.1	0.5	0.5	89.8	1.9	87.9	0.2	
0.1	0.4	11.6	2.6	1.3	0.2	-	0.0	0.1	0.6	0.9	88.4	3.7	84.7	0.4	
0.1	1.9	1.3	2.8	1.8	0.3	0.0	0.2	0.1	0.0	0.4	84.8	4.3	80.5	0.5	
0.2	0.7	6.9	2.3	1.0	0.2	0.0	0.0	0.0	0.3	0.1	84.2	3.4	80.8	0.2	
0.4	0.7	14.0	2.1	0.5	0.2	0.0	0.1	0.1	0.0	0.6	88.2	9.0	79.2	1.1	
0.8	0.8	14.1	3.8	0.7	0.2	-	0.1	0.1	-	0.6	92.3	4.5	87.8	0.1	
0.1	0.5	10.5	1.7	0.9	0.3	-	-	-	0.1	0.4	91.4	3.7	87.7	0.6	
0.2	0.4	9.6	2.7	0.9	0.2	-	0.1	0.1	0.6	0.6	82.1	4.2	77.9	0.4	
0.1	0.2	11.1	0.8	0.4	0.8	-	0.0	0.1	-	1.1	87.7	2.5	85.2	-	
0.1	0.2	4.9	0.8	1.8	0.4	0.1	0.1	0.1	0.2	0.6	85.6	2.9	82.7	0.1	
0.5	1.4	10.4	1.8	1.4	0.2	0.1	0.1	0.3	-	0.4	93.3	5.7	87.6	0.3	
0.1	0.8	11.4	4.1	0.6	0.5	0.1	0.3	0.1	0.1	0.8	94.6	8.5	86.1	0.1	
0.1	1.5	8.1	3.7	1.6	0.1	-	0.1	0.1	1.7	0.6	67.0	6.2	60.8	-	
0.3	0.3	9.0	0.9	0.5	0.2	-	0.1	0.1	0.4	0.6	89.7	5.4	84.3	0.1	
0.6	0.4	8.6	0.7	0.7	0.2	-	0.1	0.1	-	1.0	91.9	3.5	88.4	3.5	
0.1	0.5	12.1	0.7	0.4	0.2	0.1	0.2	0.1	0.3	0.1	97.1	1.2	95.9	0.5	
0.2	1.8	19.4	4.3	0.9	0.6	-	0.1	0.1	0.2	1.1	90.9	4.8	86.1	0.2	
0.3	0.7	17.0	6.8	0.4	0.3	0.0	0.2	0.2	0.0	0.3	85.9	3.6	82.3	0.1	
0.3	0.9	11.0	3.4	0.6	0.5	0.1	0.0	0.0	0.9	1.0	86.9	3.0	83.9	0.4	
0.2	1.4	8.5	3.5	0.1	0.3	0.1	0.4	0.1	0.7	0.7	88.4	3.1	85.3	0.4	
0.1	0.2	9.7	1.0	0.3	0.1	0.1	0.2	0.1	1.8	0.2	88.5	1.7	86.8	-	
0.5	0.5	12.9	2.4	0.2	0.5	0.1	0.1	0.1	0.1	0.4	91.4	2.9	88.5	-	
-	1.9	9.6	3.3	0.8	-	-	-	0.1	0.1	1.1	92.5	3.9	88.6	0.1	
0.1	0.7	9.4	4.1	1.8	0.3	0.1	0.2	0.0	0.3	0.4	93.8	1.6	92.2	1.0	
1.4	0.6	10.5	3.2	0.8	0.4	0.1	0.1	0.1	0.2	1.4	93.8	0.7	93.1	0.4	
1.6	0.8	9.7	3.8	1.3	0.2	0.1	0.1	0.1	0.1	0.5	87.1	3.4	83.7	0.0	
1.0	0.9	11.8	3.7	0.4	0.3	-	0.2	0.2	0.5	0.7	78.8	3.6	75.2	0.1	
0.3	0.8	6.5	4.7	0.2	0.2	-	0.1	-	0.2	0.4	93.1	0.4	92.7	0.3	
0.2	0.3	8.0	3.3	1.6	0.2	0.1	0.1	0.1	1.3	1.3	87.7	2.3	85.4	1.2	
0.0	0.3	9.8	0.7	0.6	0.2	0.1	0.0	0.1	-	0.7	87.2	2.0	85.2	0.5	
-	-	8.0	2.4	0.8	0.3	-	-	-	-	1.4	68.0	0.8	67.2	-	
0.1	0.7	7.7	0.9	1.1	0.2	-	0.0	0.2	1.6	0.3	76.7	7.5	69.2	0.7	
1.3	0.4	2.3	0.7	0.5	0.1	0.6	-	0.0	0.0	0.1	85.7	2.8	82.9	0.0	
0.8	0.3	13.2	1.3	0.7	0.2	0.0	0.2	0.2	0.2	0.8	96.0	2.7	93.3	0.2	
0.0	0.1	5.7	1.1	0.6	0.3	-	-	0.3	-	0.6	88.2	3.1	85.1	0.1	
-	0.3	8.0	0.7	1.1	0.7	-	0.6	0.1	0.1	1.2	88.6	0.9	87.7	-	
-	0.1	10.3	1.3	0.5	0.3	-	-	0.1	0.4	2.2	91.0	2.7	88.3	-	
0.0	0.1	5.1	2.4	0.4	0.2	0.0	0.0	0.0	0.7	0.6	94.3	2.2	92.1	0.4	

(3) 小学校一男

第12表 都道府県別疾病異

区 分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳		
				近 視	遠 視	乱 視	弱 視	色 弱異常	ト ラ ホ	結 膜 炎	その 眼 疾	難 聴	中 耳 炎	その 耳 疾
全 国	0.7	0.7	1.1	11.1	0.3	0.2	0.2	2.8	2.8	3.9	1.0	0.6	0.6	1.1
北海道 北見 道南 釧路 十勝 根室	0.6	0.4	0.5	17.1	0.1	0.2	0.2	2.5	2.1	1.7	0.7	0.5	0.4	0.4
	0.5	0.3	0.5	13.2	0.8	0.0	0.6	2.9	10.2	3.0	0.6	0.4	0.7	1.3
	0.5	0.3	1.1	11.3	0.0	0.1	0.1	2.8	9.8	3.3	0.8	0.4	0.5	1.2
	0.2	0.2	0.5	10.1	0.1	0.1	0.3	2.5	4.7	3.1	0.7	1.1	0.3	0.6
	0.3	0.2	0.5	14.0	0.0	0.2	0.1	2.7	5.4	2.0	0.6	0.6	0.3	1.1
山形県 山形 酒田 鶴岡 米沢 上郷	0.7	1.1	0.8	9.6	0.2	0.1	0.2	2.8	4.9	3.9	1.6	0.4	0.4	0.6
	0.4	0.2	1.0	11.2	0.1	0.1	0.1	2.4	6.4	2.4	1.4	0.2	0.7	0.4
	0.5	0.9	1.6	9.1	0.1	0.2	0.2	2.7	4.3	2.9	0.4	1.0	0.7	0.2
	0.6	0.3	1.4	6.7	0.2	0.1	0.2	3.2	4.7	2.5	0.9	0.4	0.5	0.3
	1.1	0.5	1.6	6.6	0.1	0.3	0.2	2.8	1.4	2.6	1.7	0.5	0.4	0.4
静岡県 静岡 浜松 豊田 裾野 沼津	0.4	0.4	0.9	7.2	0.3	0.3	0.2	2.5	2.0	3.9	0.9	0.5	0.8	1.6
	0.9	0.2	1.5	8.0	1.3	0.1	0.2	2.9	2.1	4.3	1.5	0.5	0.4	0.6
	0.4	0.2	0.6	13.3	0.3	0.4	0.1	2.3	0.7	8.7	1.0	0.7	0.6	3.7
	0.6	1.3	0.6	10.3	0.5	0.5	0.2	2.6	1.8	5.6	1.8	0.2	0.8	2.1
	0.7	1.0	2.4	7.7	0.1	0.1	0.2	3.3	1.1	3.9	1.8	0.4	0.7	0.9
富山県 富山 石川 加賀 能登 小浜	1.2	0.8	1.6	12.0	0.3	0.1	0.2	2.6	0.5	4.6	1.5	0.4	0.3	0.9
	0.6	0.8	1.3	14.1	0.1	0.1	0.2	2.9	1.2	2.2	0.2	0.3	0.2	0.3
	0.8	1.5	1.0	14.6	0.1	0.1	0.4	3.8	1.1	2.9	0.5	0.5	0.4	0.6
	1.0	1.2	1.2	9.8	0.1	0.1	0.3	3.5	1.6	5.8	1.4	0.5	0.3	1.0
	1.5	1.9	1.3	10.7	0.1	0.6	0.2	3.1	0.9	5.1	1.8	0.8	0.3	1.6
岐阜県 岐阜 多治 富山 高山市 津市	0.6	1.3	0.6	11.4	—	0.0	0.2	3.1	2.2	5.4	1.3	1.0	0.6	0.2
	0.7	1.1	1.5	12.3	0.1	0.4	0.2	3.1	1.9	4.8	0.9	1.2	0.6	1.4
	1.2	0.8	1.5	13.8	0.1	0.6	0.1	3.0	1.7	4.0	0.5	0.3	0.3	0.3
	0.8	0.4	1.1	6.9	0.1	0.2	0.3	3.6	3.7	2.1	0.4	0.4	0.4	0.9
	1.1	1.8	1.2	10.2	0.5	0.2	0.3	3.3	0.3	2.0	0.6	0.7	0.5	0.4
東京都 都心 多摩 武蔵野 有馬 八王子	1.8	2.0	0.9	10.0	0.2	0.1	0.4	3.0	2.0	5.1	0.8	0.6	1.0	2.4
	1.3	0.8	1.1	16.5	0.5	0.5	0.3	3.3	2.3	5.1	1.7	0.9	0.6	0.8
	0.7	0.3	0.7	11.8	0.1	0.2	0.2	2.9	2.3	5.1	0.5	0.4	0.5	0.6
	0.6	0.5	1.2	9.9	0.2	0.1	0.3	3.4	1.5	3.1	0.4	0.5	0.6	0.2
	0.8	1.0	1.4	10.6	0.2	0.1	0.1	3.0	8.5	4.0	0.7	0.4	0.4	0.7
千葉県 千葉 市川 船橋 浦安 柏	1.3	1.0	1.5	10.7	0.1	0.3	0.1	2.8	1.1	2.1	0.5	0.6	0.5	1.0
	0.8	0.5	1.8	7.7	0.1	0.2	0.3	3.3	1.9	1.4	0.6	0.3	0.7	0.5
	0.4	0.5	1.0	11.9	0.1	0.1	0.4	2.8	2.6	3.6	3.3	1.0	0.4	1.9
	0.4	0.5	1.1	12.6	0.1	0.2	0.3	2.7	1.2	3.8	1.0	0.8	0.6	0.6
	0.3	0.5	1.1	10.3	0.0	0.2	0.2	2.8	2.2	2.7	0.3	0.4	0.9	1.4
徳島県 徳島 鳴門 高松 松山 坂井	0.9	0.3	0.5	7.2	0.2	0.4	0.1	2.1	3.0	2.2	1.1	1.1	0.7	2.5
	0.7	0.6	0.8	12.1	0.1	0.2	0.3	3.5	2.4	3.9	1.1	0.5	1.0	1.4
	0.7	0.5	1.0	6.4	0.0	0.1	0.3	3.2	2.4	2.6	0.3	0.6	0.3	0.5
	0.9	0.9	1.5	7.1	0.0	0.1	0.3	2.4	1.6	2.8	0.5	0.6	0.4	0.7
	0.7	0.5	1.0	9.4	0.9	0.2	0.3	2.8	4.3	4.0	1.4	0.5	1.2	1.5
香川県 高松 丸亀 坂田 三木 観音寺	0.8	1.0	0.8	8.0	—	0.1	0.4	2.7	3.4	3.3	0.7	0.6	1.0	2.4
	0.7	1.3	1.0	12.9	0.2	0.1	0.1	2.3	2.6	2.2	0.6	0.4	0.8	0.6
	0.9	0.5	1.1	9.3	0.1	0.1	0.2	2.9	1.7	3.8	0.9	0.4	0.6	0.2
	0.4	0.1	0.9	9.7	0.1	0.1	0.3	2.3	1.9	2.4	0.6	0.4	0.9	0.6
	0.6	0.3	1.5	5.7	0.1	0.1	0.3	2.5	4.3	3.2	1.8	0.6	0.7	0.4
愛媛県 松山 新居 大洲 西条 今治	0.4	0.6	1.2	6.9	0.6	0.0	0.4	2.1	3.7	2.9	1.3	0.4	0.8	0.4

常 被 患 率 (一 般 検 診)

一般検診・小

(%)

鼻 お よ び い ん 頭				伝 染 性 疾 患 の 患	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 動 障 害 機	寄 生 虫 病	そ の 他 の 疾 病 異 常	歯				そ の 他 の 歯 疾			
蓄 の う 症	アイ デ ノ	へ せ ん 肥 と う	鼻 の い 他 の 頭 患								む し 歯			計		処 置	完 了 者	未 処 置 者
1.6	0.8	10.2	5.1	3.6	0.3	1.5	0.3	0.3	0.4	0.9	82.3	5.4	76.9	1.3				
0.2	0.2	8.9	1.3	3.3	0.3	1.0	0.2	0.2	0.1	0.6	80.5	3.0	77.5	0.5				
2.5	0.2	10.1	3.4	4.1	0.2	1.7	0.1	0.3	0.5	2.3	92.1	1.3	90.8	2.3				
2.5	1.4	11.0	6.6	3.9	0.3	1.7	0.3	0.3	0.1	2.1	84.0	2.3	81.7	1.1				
0.8	0.3	9.2	2.7	6.2	0.2	1.7	0.4	0.4	0.2	2.3	77.0	3.2	73.8	0.7				
0.2	1.8	9.4	3.6	5.1	0.3	0.9	0.4	0.2	0.0	0.8	87.4	1.1	86.3	0.3				
3.2	0.2	11.9	3.0	7.7	0.4	0.6	0.6	0.4	0.1	1.9	77.8	7.7	70.1	0.4				
1.5	0.0	8.1	0.6	1.9	0.3	1.2	0.2	0.3	1.1	1.0	81.6	2.0	79.6	0.3				
0.3	0.0	10.1	1.8	4.0	0.3	2.1	0.4	0.3	0.1	0.6	74.6	3.4	71.2	1.5				
1.4	1.0	12.3	4.0	5.7	0.3	3.7	0.2	0.3	2.1	0.7	82.2	4.5	77.7	2.3				
0.8	0.4	12.1	3.0	6.2	0.4	2.1	0.4	0.4	0.3	0.6	82.7	6.4	76.3	2.3				
1.4	1.0	12.2	3.7	5.6	0.2	1.2	0.3	0.3	0.2	0.6	82.8	5.7	77.1	1.5				
0.8	0.6	13.0	2.8	3.5	0.2	2.1	0.4	0.2	0.2	1.0	80.4	3.8	76.6	1.2				
1.9	1.5	11.7	9.1	2.1	0.2	1.0	0.3	0.2	—	0.6	90.2	8.5	81.7	1.3				
2.4	1.0	13.0	6.8	1.9	0.3	1.7	0.3	0.3	0.1	1.0	91.4	6.8	84.6	0.8				
1.9	0.9	10.0	7.8	5.1	0.4	1.1	0.2	0.2	0.5	1.1	82.2	4.5	77.7	0.9				
2.4	0.5	7.6	10.1	3.2	0.4	1.6	0.7	0.3	1.1	0.4	81.1	15.1	66.0	0.7				
0.3	0.2	6.8	1.3	2.2	0.3	0.7	0.4	0.3	—	0.5	87.6	3.3	84.3	2.3				
0.6	0.1	10.0	2.1	5.4	0.4	0.5	0.2	0.3	0.0	0.7	79.1	4.6	74.5	1.0				
0.9	1.2	10.5	4.6	1.2	0.2	2.5	0.5	0.2	0.4	0.5	89.2	3.3	85.9	1.9				
7.2	0.4	11.7	8.0	3.5	0.3	1.0	0.9	0.2	0.2	1.4	91.7	6.6	85.1	4.3				
1.4	2.5	10.0	7.9	3.1	0.4	1.9	0.5	0.3	0.2	1.4	77.5	8.9	68.6	1.5				
0.9	0.7	11.7	4.2	3.2	0.4	1.7	0.6	0.4	1.0	0.3	87.4	5.0	82.4	1.0				
0.2	0.3	7.8	3.8	1.8	0.2	0.6	0.2	0.3	0.1	0.5	83.3	4.8	78.5	0.7				
0.7	0.4	13.0	4.2	1.8	0.3	0.7	0.2	0.3	0.5	0.7	84.3	5.4	78.9	1.5				
0.5	0.2	15.0	2.9	3.0	0.5	3.4	0.6	0.4	0.0	1.6	90.2	6.9	83.3	2.2				
3.5	1.3	16.0	14.2	2.7	0.2	1.3	0.3	0.4	0.0	0.8	91.1	6.8	84.3	1.9				
2.0	1.3	13.3	8.0	2.8	0.5	1.6	0.6	0.4	0.9	0.5	85.3	7.2	78.1	2.2				
1.3	0.5	12.6	6.2	3.1	0.3	0.5	0.2	0.2	0.3	0.8	84.2	7.3	76.8	1.0				
0.1	0.4	9.8	1.4	2.3	0.4	1.6	0.3	0.4	0.2	0.9	76.1	7.6	68.5	1.3				
1.0	1.2	12.2	3.8	1.1	0.5	1.3	0.3	0.3	0.1	0.6	85.1	6.9	78.2	0.7				
1.5	0.5	8.0	5.0	2.6	0.3	1.8	0.3	0.3	0.2	2.0	84.4	4.1	80.3	3.0				
1.0	0.7	11.9	4.1	6.4	0.3	1.4	0.2	0.2	0.2	1.2	85.7	3.7	82.0	2.4				
1.6	0.2	11.4	4.2	2.4	0.3	2.6	0.3	0.3	0.1	0.5	80.9	7.3	73.6	0.7				
1.8	0.1	6.8	3.3	3.3	0.3	1.2	0.4	0.3	1.1	0.8	80.2	4.5	75.7	1.0				
6.6	0.7	9.2	3.8	3.8	0.2	1.3	0.2	0.4	0.2	0.1	78.2	5.0	73.2	2.2				
1.0	0.7	8.1	5.0	2.1	0.5	1.2	0.2	0.3	0.1	1.5	83.7	2.2	81.5	0.4				
1.6	0.4	7.7	4.1	1.0	0.6	1.5	0.2	0.3	1.2	1.2	67.9	12.5	55.4	0.7				
0.4	0.1	8.8	0.9	0.6	0.4	1.9	0.3	0.3	—	0.5	82.4	4.2	78.2	0.3				
0.6	0.1	9.3	3.5	2.7	0.4	1.2	0.2	0.3	0.2	1.1	77.6	6.0	71.6	2.2				
3.0	1.3	8.8	11.0	5.6	0.3	1.8	0.4	0.6	0.5	0.8	66.9	7.2	59.7	1.3				
4.6	2.9	11.2	12.8	4.3	0.3	2.0	0.2	0.5	0.1	0.6	81.0	2.5	78.5	1.7				
1.0	0.8	7.4	3.4	4.4	0.3	0.9	0.3	0.5	0.1	0.6	82.3	3.8	78.5	0.7				
0.3	1.6	7.2	4.6	9.0	0.3	2.0	0.3	0.4	1.7	0.9	66.6	4.6	62.0	0.9				
2.0	1.1	8.0	3.2	3.3	0.3	0.9	0.3	0.4	0.2	0.5	81.8	4.8	77.0	1.2				
0.5	0.1	7.0	2.8	2.0	0.4	2.5	0.2	0.4	1.4	2.0	84.8	2.6	82.2	0.8				
1.0	1.7	4.5	3.1	2.4	0.3	2.1	0.2	0.4	0.1	2.4	75.6	3.0	72.6	1.4				

第12表 都道府県別 疾 病

(4) 小学校一女

区 分	栄養 要注 意	せき 柱異 常	胸 郭異 常	目								耳	
				近 視	遠 視	乱 視	弱 (両 眼)	色異 神常	トホ ラム	結 膜炎	その 他疾	難 (両 耳)	中 耳炎
全 国	0.7	0.5	0.7	13.7	0.4	0.3	0.2	0.2	3.4	4.7	1.1	0.5	0.4
北海道 北青岩宮秋	0.5	0.3	0.2	23.2	0.1	0.3	0.3	0.3	2.5	1.7	0.6	0.4	0.2
	0.4	0.2	0.3	17.8	0.5	0.0	0.8	0.3	12.2	3.7	0.7	0.3	0.5
	0.4	0.2	0.7	14.3	—	0.1	0.1	0.3	12.4	3.8	1.1	0.3	0.3
	0.3	0.1	0.4	12.8	0.1	0.1	0.6	0.2	5.3	3.8	0.7	0.7	0.2
	0.1	0.3	0.2	17.5	0.0	0.1	0.1	0.3	7.5	2.5	0.6	0.5	0.2
山形県 山福次栴群	0.8	1.1	0.9	12.6	0.1	0.1	0.2	0.3	6.4	4.8	2.0	0.4	0.3
	0.5	0.1	0.4	13.6	0.0	0.1	0.1	0.3	8.3	3.2	1.3	0.3	0.4
	0.6	0.8	1.2	11.4	0.1	0.2	0.3	0.2	4.8	2.5	0.3	0.7	0.6
	0.5	0.2	0.6	8.3	0.1	0.1	0.2	0.3	5.8	3.1	0.9	0.3	0.4
	0.9	0.4	1.2	7.9	0.1	0.3	0.2	0.2	1.7	3.1	1.6	0.3	0.3
埼玉県 埼玉東神新	0.5	0.2	0.4	8.7	0.3	0.2	0.2	0.1	2.7	5.2	0.9	0.4	0.4
	1.0	0.1	0.8	10.7	6.2	0.1	0.1	0.3	2.5	5.8	1.6	0.5	0.2
	0.5	0.2	0.4	16.5	0.3	0.6	0.1	0.1	0.9	10.7	1.3	0.5	0.3
	0.6	1.0	0.4	13.0	0.4	0.6	0.3	0.2	2.3	6.7	2.3	0.2	0.5
	0.6	0.6	1.3	9.8	0.1	0.2	0.3	0.3	1.4	5.3	2.1	0.4	0.5
富山県 富石福山長	1.0	0.6	1.0	14.8	0.3	0.1	0.2	0.3	0.6	5.1	1.3	0.2	0.2
	0.5	0.6	0.7	17.5	0.1	0.2	0.1	0.1	1.6	2.6	0.3	0.5	0.2
	0.7	1.1	0.6	18.0	0.0	0.1	0.3	0.3	1.3	3.4	0.5	0.6	0.2
	0.8	1.2	0.7	13.4	0.1	0.1	0.4	0.3	1.8	7.5	1.5	0.5	0.2
	1.3	1.2	0.8	14.3	0.1	0.7	0.1	0.1	1.3	6.3	2.0	0.7	0.2
岐阜県 岐静愛三滋	0.7	0.9	0.5	12.1	0.5	0.0	0.1	0.3	2.6	6.2	1.4	0.8	0.5
	0.6	0.9	0.8	8.2	0.1	0.4	0.1	0.2	2.0	5.3	1.1	1.1	0.4
	1.0	0.7	1.2	16.2	0.1	0.6	0.1	0.2	2.0	4.5	0.4	0.2	0.2
	1.0	0.3	0.7	6.7	0.0	—	0.3	0.3	4.8	2.4	0.4	0.3	0.2
	1.1	1.2	0.9	10.8	0.4	0.1	0.3	0.5	0.6	2.2	0.6	0.5	0.4
東京都 京大兵奈和	1.8	0.9	0.3	12.0	0.1	0.3	0.3	0.2	1.9	6.0	0.9	0.5	0.6
	1.0	0.5	1.0	21.7	0.3	0.8	0.2	0.1	2.4	6.1	1.6	0.8	0.4
	0.6	0.2	0.4	13.7	0.1	0.1	0.2	0.1	2.7	6.1	0.6	0.2	0.3
	0.7	0.3	0.5	12.9	0.2	0.1	0.3	0.3	1.7	3.6	0.4	0.4	0.3
	0.7	0.6	1.0	12.1	0.1	0.1	0.2	0.4	11.1	5.3	0.7	0.3	0.2
鳥島岡山 鳥島岡山	1.1	0.6	1.1	12.6	0.2	0.5	0.1	0.3	1.4	2.7	0.6	0.7	0.3
	0.8	0.4	1.1	11.0	0.1	0.3	0.3	0.3	2.6	1.5	0.7	0.3	0.3
	0.3	0.3	0.8	14.4	0.1	0.1	0.3	0.2	3.0	4.7	3.9	0.9	0.3
	0.4	0.3	0.7	16.1	0.1	0.2	0.3	0.2	1.3	4.5	1.4	0.8	0.4
	0.3	0.4	0.8	13.0	0.1	0.4	0.2	0.2	2.7	2.9	0.2	0.3	0.5
徳香愛高福 徳香愛高福	0.8	0.1	0.3	8.1	0.1	0.3	—	0.2	3.3	2.5	1.0	0.9	0.5
	0.7	0.6	0.9	14.2	0.1	0.1	0.2	0.2	2.4	3.8	0.9	0.7	0.5
	0.6	0.4	0.7	11.1	0.1	0.1	0.5	0.1	2.6	3.1	0.3	0.4	0.1
	0.8	0.7	1.0	7.6	—	0.0	0.4	0.2	1.7	2.7	0.6	0.4	0.3
	0.8	0.4	0.7	12.2	0.7	0.2	0.4	0.1	5.1	4.8	1.4	0.4	0.7
佐長熊大宮鹿 賀崎本分崎島	0.9	0.8	0.6	9.8	0.0	0.1	0.4	0.2	4.3	4.0	0.6	0.6	0.8
	0.8	1.1	0.8	15.7	0.1	0.2	0.1	0.3	3.2	2.5	0.6	0.5	0.5
	1.0	0.5	0.8	11.9	0.1	0.1	0.2	0.2	3.5	4.6	1.0	0.3	0.4
	0.3	0.1	0.5	13.0	0.2	0.1	0.3	0.3	2.2	2.7	0.7	0.4	0.8
	0.5	0.3	0.9	7.2	0.1	0.0	0.3	0.2	5.2	4.3	1.8	0.6	0.3

異常被患率 (一般検診)

一般検診・小

(%)

その他疾	鼻およびいん頭				伝 染 性 疾 患 の 皮 患	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 能 障 害	寄 生 虫 病	そ の 疾 他 異 常	歯				その 歯 他 疾
	蓄 の う 症	アイ デ ノ ド	へん せ と ん 大	肥 の い ん 頭								むし歯				
												計	処 置	完 了 者	未 処 置 者	
0.9	1.3	0.6	10.2	3.9	2.1	0.4	1.4	0.3	0.3	0.4	0.7	84.0	6.9	77.1	1.2	
0.2	0.1	0.1	9.5	1.0	2.2	0.2	1.1	0.2	0.3	0.1	0.5	83.4	4.0	79.4	0.3	
1.2	2.1	0.2	9.7	2.4	2.4	0.2	1.4	0.1	0.2	0.2	1.6	98.6	7.8	90.8	2.0	
1.2	2.6	1.1	10.7	7.2	2.7	0.4	1.8	0.4	0.3	0.3	1.4	86.0	3.0	83.0	0.9	
0.4	0.5	0.2	8.5	1.9	4.1	0.3	1.6	0.2	0.3	0.2	1.4	78.6	4.4	74.2	0.5	
1.2	0.2	1.4	9.0	3.1	2.7	0.3	0.8	0.4	0.3	0.0	0.5	87.4	1.6	85.8	0.2	
0.7	2.3	0.1	11.9	2.2	5.2	0.4	0.6	0.6	0.3	0.1	0.5	83.8	12.0	71.8	0.5	
0.4	1.2	0.0	8.1	0.4	1.3	0.3	1.1	0.2	0.3	1.0	0.8	84.2	2.8	81.4	0.4	
0.1	0.4	0.0	9.9	1.1	2.7	0.4	2.2	0.3	0.3	0.1	0.4	78.9	4.9	74.0	1.5	
0.2	1.2	0.8	11.8	2.7	4.3	0.3	3.3	0.2	0.4	1.9	0.6	83.8	5.6	78.2	2.1	
0.4	0.6	0.2	12.0	2.5	4.6	0.4	1.9	0.5	0.3	0.3	0.4	83.7	8.6	75.1	2.0	
1.2	1.2	0.7	11.7	3.1	3.3	0.2	1.2	0.2	0.3	0.1	0.3	86.0	8.6	77.4	1.2	
0.7	0.5	0.4	15.3	2.3	2.5	0.3	1.9	0.5	0.3	1.6	0.6	84.2	5.0	79.2	1.3	
2.5	1.3	1.1	12.1	6.4	0.9	0.2	0.9	0.2	0.2	0.0	0.5	90.8	10.8	80.0	1.1	
1.9	2.0	1.0	12.2	5.0	1.1	0.3	1.5	0.3	0.2	0.0	0.8	92.0	8.3	83.7	0.9	
0.7	1.5	0.5	10.8	6.2	3.3	0.3	1.0	0.3	0.3	0.6	0.7	84.5	7.0	77.5	0.7	
0.8	1.8	0.4	7.4	7.9	2.1	0.7	1.4	0.8	0.3	1.2	0.3	83.5	18.3	65.2	0.7	
0.4	0.3	0.1	7.6	1.0	1.4	0.5	0.6	0.3	0.3	—	0.7	88.3	4.6	83.7	2.8	
0.4	0.4	0.1	9.6	1.6	2.5	0.3	0.6	0.2	0.3	—	0.5	80.1	5.6	74.5	1.2	
1.0	0.7	1.2	10.4	2.9	0.8	0.3	2.1	0.5	0.2	0.3	0.5	94.3	4.1	90.2	1.8	
1.2	6.2	0.3	12.2	6.2	2.1	0.3	1.0	0.9	0.3	0.2	1.1	93.1	8.5	84.6	4.4	
0.1	1.1	1.8	10.3	5.5	2.1	0.3	1.8	0.4	0.3	0.1	1.0	80.6	11.4	69.2	1.8	
1.5	0.5	0.7	11.3	3.1	1.5	0.5	1.7	0.5	0.3	0.8	0.3	87.1	6.2	80.9	0.8	
0.3	0.1	0.3	7.3	3.0	1.0	0.3	0.6	0.2	0.2	0.1	0.3	85.1	5.2	79.9	0.7	
0.7	0.7	0.3	12.8	2.9	1.2	0.2	0.6	0.2	0.2	0.3	0.5	86.5	7.2	79.3	1.3	
0.3	0.2	0.1	14.4	2.2	1.7	0.7	3.3	0.5	0.4	0.0	1.0	90.8	8.4	82.4	1.7	
1.9	2.8	0.9	15.6	10.8	1.4	0.3	1.0	0.4	0.3	0.0	0.6	90.2	9.1	81.1	1.6	
0.9	1.6	1.2	12.5	5.6	1.1	0.8	1.8	0.8	0.3	0.8	0.4	86.7	9.6	77.1	2.4	
0.6	0.8	0.3	12.1	4.3	2.1	0.4	0.4	0.2	0.2	0.3	0.6	84.6	8.5	76.1	1.0	
0.1	0.1	0.3	10.0	0.9	1.2	0.4	1.5	0.3	0.4	0.1	0.7	79.5	9.6	69.9	1.4	
0.6	0.7	1.2	12.7	3.0	0.8	0.5	1.3	0.3	0.3	0.1	0.4	86.3	9.1	77.2	0.6	
0.8	1.4	0.3	8.3	4.4	1.2	0.3	1.6	0.4	0.2	0.2	0.5	84.7	5.1	79.6	2.5	
0.3	0.8	0.5	11.3	2.9	2.8	0.2	1.1	0.1	0.3	0.2	0.8	87.2	5.0	82.2	2.2	
1.9	1.6	0.1	10.5	2.8	1.3	0.4	2.2	0.2	0.3	0.1	0.5	82.3	9.8	72.5	0.5	
0.5	1.4	0.1	6.5	2.5	1.8	0.4	1.1	0.4	0.3	1.0	0.6	81.5	5.7	75.8	0.9	
1.5	6.6	0.8	9.0	3.0	2.1	0.3	1.2	0.2	0.3	0.3	0.1	81.6	6.9	74.7	2.0	
2.2	1.0	0.6	8.4	3.8	1.2	0.5	1.1	0.2	0.3	0.1	1.0	83.9	2.8	81.1	0.3	
1.0	1.1	0.2	7.4	2.6	0.6	0.7	1.5	0.2	0.3	1.0	1.0	72.6	14.8	57.8	0.7	
0.3	0.2	0.1	8.6	0.7	0.4	0.3	1.5	0.3	0.3	0.0	0.3	82.7	5.3	77.4	0.4	
0.5	0.5	0.0	9.2	2.8	1.7	0.4	0.9	0.1	0.2	0.2	0.8	81.0	7.6	73.4	2.6	
1.4	2.4	1.1	8.8	8.5	3.1	0.4	1.5	0.4	0.4	0.6	0.6	69.1	8.1	61.0	1.0	
1.8	4.2	2.8	11.5	10.4	2.4	0.4	1.7	0.3	0.5	0.1	0.6	83.0	3.4	79.6	1.6	
0.4	1.0	0.5	6.8	2.9	2.5	0.2	0.8	0.3	0.4	0.1	0.5	83.7	5.3	78.4	0.7	
0.1	0.3	1.4	7.5	3.5	5.3	0.4	2.0	0.4	0.6	1.5	0.7	68.2	5.4	62.8	0.7	
0.5	1.6	0.7	8.3	2.4	1.9	0.2	0.9	0.3	0.3	0.1	0.4	83.2	5.7	77.5	1.0	
0.3	0.4	0.1	6.4	2.1	1.1	0.5	2.5	0.2	0.3	1.3	1.4	85.9	3.4	82.5	0.7	
0.2	0.8	1.4	4.7	2.0	1.2	0.3	2.3	0.3	0.3	0.1	1.5	78.1	3.6	74.5	1.4	

第12表 都道府県別 疾 病

(5) 中学校一男

区 分	栄養 注意	せき 柱異常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 (両 眼)	色異 神常	トホ ーラム	結 膜炎	その他 眼疾	難 (両 耳)	中 耳炎
全 国	0.5	0.5	0.6	17.4	0.4	0.5	0.4	3.7	2.8	3.5	0.8	0.7	0.7
北海道 北青岩 道森手 城田	0.5	0.4	0.5	27.6	0.5	0.3	0.7	3.2	1.4	1.5	0.4	0.8	0.4
	0.7	1.3	0.4	18.4	2.1	0.2	0.8	4.9	8.8	4.0	0.7	0.6	0.6
	0.2	0.1	0.4	13.8	0.1	0.2	0.6	4.6	10.9	2.5	1.0	0.1	0.4
	0.3	0.5	0.7	13.6	0.1	0.9	0.3	3.1	8.0	2.3	0.7	0.5	0.4
山福次 形島城 木馬	0.7	0.8	0.8	15.6	0.3	0.3	0.4	4.7	4.9	3.9	0.9	0.7	0.8
	0.1	0.3	0.4	15.8	0.1	0.7	1.8	3.4	6.2	2.0	0.5	0.7	0.5
	0.3	0.6	0.7	12.4	0.0	0.6	0.4	3.4	3.0	0.9	0.4	0.6	0.5
	0.3	0.8	0.6	9.5	0.1	0.5	0.3	3.9	4.2	3.0	1.3	1.0	0.5
埼千東 奈京川 神瀨	0.3	0.6	1.0	14.4	0.2	0.6	0.4	3.9	1.7	3.6	1.2	1.0	0.6
	0.1	0.2	1.0	11.9	1.2	0.1	0.6	3.3	1.9	4.9	0.9	0.8	0.5
	0.1	0.4	0.8	25.4	0.6	1.1	0.2	3.4	0.5	5.7	1.4	0.4	0.7
	0.2	0.6	0.6	17.4	1.0	1.3	0.1	3.9	1.0	5.2	0.9	0.7	0.5
富石福 山川井 梨野	0.3	0.4	0.9	15.7	0.3	0.6	0.4	3.4	1.5	3.5	1.2	0.5	0.7
	0.8	0.7	0.7	19.7	0.0	0.6	0.2	4.6	1.4	4.0	0.8	0.5	0.4
	0.6	0.5	0.6	21.3	0.0	0.1	0.3	4.0	1.5	1.3	0.5	0.5	0.4
	1.5	1.1	0.7	22.3	0.0	0.2	0.5	4.2	1.0	3.2	0.4	0.8	0.4
岐静愛 三滋	0.6	0.7	0.7	13.5	0.2	0.5	0.4	4.6	2.1	5.1	0.9	0.6	0.7
	1.0	0.8	0.6	15.9	0.2	0.6	0.3	3.5	0.9	4.7	1.0	0.5	0.5
	0.7	0.7	0.6	18.0	—	0.2	0.3	3.7	2.4	5.9	2.4	0.4	0.5
	0.9	0.8	0.5	17.1	0.1	0.5	0.6	3.3	2.6	4.0	0.6	0.6	0.7
京大兵 奈和歌 阪庫良 山	0.8	0.6	0.4	22.3	0.2	1.0	0.2	3.2	2.9	1.3	0.6	0.3	0.5
	0.2	0.4	0.5	10.2	0.3	0.2	0.2	4.3	3.6	1.8	0.5	1.0	0.4
	0.5	0.9	0.4	19.8	0.2	0.3	0.2	4.2	0.3	2.0	0.4	0.8	0.4
	1.7	0.6	0.6	16.4	0.2	0.4	0.2	3.6	0.8	3.4	0.4	0.6	0.6
鳥島岡 取根山 島口	0.5	0.2	0.4	24.5	0.2	0.7	0.1	4.5	3.5	4.5	1.1	0.8	1.1
	0.8	0.9	1.7	18.3	1.2	0.1	0.4	4.4	2.7	2.8	0.4	0.6	0.5
	0.4	0.3	0.5	21.3	0.8	1.5	0.5	4.1	1.8	3.4	0.5	0.6	0.6
	0.2	0.2	0.7	14.0	0.1	0.6	0.1	3.2	10.2	3.1	0.9	0.6	0.3
徳香愛 高福	0.4	1.2	0.7	14.9	0.0	0.9	0.1	3.6	1.7	3.2	0.6	0.8	0.7
	0.4	0.4	0.6	13.5	0.4	0.8	0.2	3.6	1.6	1.2	0.7	0.6	0.5
	1.0	0.5	0.6	17.1	0.2	0.9	0.3	3.8	3.4	4.8	2.6	1.6	0.8
	0.9	0.2	0.6	19.4	0.1	1.1	0.2	3.5	0.8	3.7	0.7	0.6	0.7
佐長熊 大宮鹿 児	0.6	0.6	0.5	16.2	0.0	0.6	0.2	4.1	2.6	2.7	0.3	0.7	1.6
	1.0	0.4	0.4	12.4	0.2	0.8	0.5	3.3	1.5	3.5	0.7	1.0	0.8
	0.2	0.2	0.3	18.2	0.0	0.1	0.7	4.1	1.9	2.6	1.0	0.6	0.7
	0.2	0.2	0.5	11.4	0.9	0.1	0.2	3.3	2.0	3.9	0.3	0.9	0.4
賀崎本 分崎島	0.2	0.6	0.4	5.7	0.0	0.1	0.3	3.3	1.3	2.4	0.4	0.7	0.3
	0.4	0.5	0.7	16.9	1.1	0.5	0.5	4.2	3.6	3.2	0.4	0.9	1.4
	0.4	0.3	0.4	14.0	0.8	0.3	2.0	3.6	4.1	3.4	0.6	0.8	1.4
	0.5	0.5	0.5	16.4	0.1	0.2	0.1	3.4	3.1	5.5	0.3	0.5	0.8

異 常 被 患 率 (一 般 検 診)

一般検診・中

(%)

その耳 他疾	鼻およびいん頭				伝 染 性 の 皮 患	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 能 障 害	寄 生 虫 病	そ の 病 他 異 常	歯				その 歯 他疾
	蓄 う の 症	アイ デ ノ	へう とん と	肥 大 の 頭								鼻 の 疾 患	むし歯			
													計	処 置	完 了 者	
0.9	1.9	0.2	6.9	2.9	2.9	0.4	1.5	0.3	0.3	0.4	0.6	74.7	12.3	62.4	3.1	
0.3	0.2	0.2	7.0	0.5	4.0	0.4	1.0	0.3	0.4	0.1	0.9	73.3	10.5	62.8	1.3	
1.4	1.9	0.0	9.7	3.1	2.6	0.3	1.9	0.1	0.3	0.6	1.5	81.4	5.5	75.9	1.8	
1.3	5.5	0.0	9.8	7.4	2.5	0.2	1.0	0.3	0.3	0.1	0.8	73.4	8.0	65.4	1.9	
0.5	0.5	0.1	7.9	0.8	7.0	0.3	2.3	0.3	0.7	0.3	1.0	62.8	7.4	55.4	0.7	
1.1	1.2	0.3	6.0	2.1	4.7	0.3	1.1	0.6	0.4	0.2	0.7	76.9	3.8	73.1	3.1	
1.1	4.6	0.1	10.2	3.1	6.6	0.4	1.0	0.7	0.7	0.4	2.7	71.3	13.9	57.4	2.5	
0.1	0.5	—	6.2	0.7	2.2	0.5	1.2	0.4	0.3	0.6	0.4	70.0	7.5	62.5	4.3	
0.6	0.6	0.5	5.6	1.1	1.5	0.2	1.5	0.2	0.2	0.1	0.6	71.0	7.4	63.6	3.7	
0.3	1.9	0.1	8.7	2.2	3.8	0.3	4.6	0.3	0.3	1.5	0.3	74.4	7.7	66.7	7.5	
1.1	1.7	0.2	6.2	2.7	5.7	0.3	3.2	0.5	0.4	0.2	0.3	74.8	9.2	65.6	5.8	
0.7	1.4	0.1	6.8	3.1	4.4	0.3	0.8	0.4	0.3	0.1	0.7	82.8	13.3	69.5	5.1	
0.3	0.9	—	9.6	1.1	3.8	0.3	2.9	0.2	0.4	—	0.3	75.7	9.7	66.0	0.8	
2.1	2.0	0.1	7.4	5.6	3.2	0.3	0.4	0.1	0.1	—	0.2	84.1	19.4	64.7	2.1	
0.8	1.9	0.4	5.9	2.8	1.3	0.4	1.3	0.1	0.3	0.0	0.5	86.2	16.8	69.4	2.8	
0.6	1.4	0.1	8.0	3.5	3.6	0.3	2.2	0.2	0.3	0.2	1.1	76.6	14.0	62.6	3.3	
1.2	5.6	0.2	5.3	4.9	3.5	0.4	2.3	0.9	0.4	1.2	0.5	79.2	15.2	64.0	0.9	
0.2	3.0	0.0	7.2	0.4	1.4	0.4	1.6	0.2	0.4	—	0.6	77.4	9.8	67.6	1.6	
1.9	1.0	0.1	7.7	2.2	3.6	0.6	1.3	0.2	0.3	0.5	1.4	64.7	8.9	55.8	3.1	
1.5	5.7	—	8.3	4.2	1.9	0.5	2.9	0.2	0.3	0.7	0.4	79.2	9.4	69.8	3.7	
0.7	5.3	0.1	9.4	4.1	2.6	0.5	1.1	0.4	0.4	0.1	1.0	80.9	15.3	65.6	2.9	
1.3	1.4	0.1	6.1	3.1	1.5	0.3	0.7	0.5	0.5	0.7	0.6	71.9	13.2	58.7	3.9	
0.7	1.6	0.1	5.9	2.1	1.8	0.4	1.4	0.3	0.3	0.8	0.6	80.6	13.8	66.8	1.3	
0.4	1.2	0.2	5.7	1.3	2.0	0.2	1.6	0.2	0.3	0.0	0.2	74.6	12.7	61.9	2.5	
0.3	0.5	0.0	8.2	0.9	1.0	0.3	1.0	0.1	0.3	0.3	0.4	80.5	7.7	72.8	2.0	
0.6	0.5	0.2	14.3	1.9	3.3	0.6	2.7	0.9	0.3	0.0	0.7	80.4	10.6	69.8	5.8	
0.3	2.9	0.6	9.7	3.9	0.7	0.4	0.6	0.5	0.3	0.0	0.4	73.0	18.6	54.4	1.5	
1.5	1.7	0.3	7.1	4.5	0.8	0.6	1.3	0.3	0.3	0.7	0.9	80.2	15.9	64.3	5.0	
1.0	0.8	0.1	4.6	2.0	0.5	0.3	0.9	0.5	0.2	1.4	0.3	76.3	14.3	62.0	3.0	
0.4	0.2	0.1	7.3	1.6	2.4	0.6	1.3	1.0	0.4	1.3	0.7	82.7	23.4	59.3	1.0	
0.1	0.7	0.4	6.2	2.1	0.5	0.3	1.5	0.5	0.3	0.0	0.2	75.9	14.1	61.8	1.9	
1.0	1.1	0.1	6.7	4.5	3.6	0.2	1.2	0.1	0.2	—	0.6	66.6	9.5	57.1	3.5	
0.4	2.5	0.0	8.6	2.5	8.3	0.5	1.8	0.2	0.3	0.5	1.2	76.6	10.7	65.9	7.0	
1.6	2.9	0.1	6.7	3.5	0.7	0.5	1.4	0.1	0.2	0.1	0.5	67.9	13.2	54.7	3.9	
0.5	2.2	0.1	5.1	3.2	2.0	0.3	1.9	0.3	0.4	0.3	0.3	69.2	12.4	56.8	3.7	
2.6	7.1	0.4	4.5	5.8	5.4	0.3	0.9	0.3	0.3	0.2	0.1	75.3	12.5	62.8	1.9	
1.6	2.8	0.7	5.4	2.8	1.2	0.3	1.2	0.4	0.2	0.3	0.7	64.1	9.0	55.1	2.0	
0.7	1.6	0.0	5.0	2.2	0.7	0.4	1.4	0.2	0.3	1.0	0.7	74.8	21.4	53.4	2.1	
0.1	0.4	0.0	4.5	0.4	1.4	0.3	2.2	0.2	0.3	0.2	0.3	68.4	8.8	59.6	2.8	
0.5	0.8	0.1	5.3	1.0	5.3	0.3	0.8	0.2	0.2	0.3	0.4	79.3	17.2	62.1	5.4	
0.7	3.3	0.2	5.6	3.7	6.3	0.4	2.3	0.3	0.4	0.2	0.9	58.7	10.9	47.8	1.9	
2.5	4.9	0.4	8.1	8.6	4.1	0.4	1.6	0.3	0.3	0.3	0.8	68.5	7.2	61.3	2.7	
0.4	1.4	0.0	8.9	2.9	3.6	0.4	1.9	0.3	0.5	0.1	0.5	69.6	6.0	63.6	2.0	
0.6	1.2	0.2	6.6	2.7	4.0	0.3	3.3	0.3	0.4	0.8	0.6	57.9	7.6	50.3	3.2	
0.5	1.5	0.3	7.6	1.1	1.0	0.3	1.8	0.4	0.4	0.0	0.5	71.7	11.2	60.5	2.2	
0.1	0.3	0.0	5.9	0.1	1.5	0.6	2.3	0.3	0.5	1.4	0.7	68.8	7.6	61.2	2.5	
0.3	1.6	0.1	4.8	1.6	1.1	0.4	1.5	0.2	0.4	0.1	0.6	69.4	5.0	64.4	12.1	

第12表 都道府県別 疾 病

(6) 中学校一 女

区 分	栄養 要注 意	せき けい 異常	胸 郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 視 (両 眼)	色 異 常	ト ホ ー ラ ム	結 膜 炎	その 他 疾	難 聴 (両 耳)	中 耳 炎
全 国	0.4	0.4	0.4	20.4	0.4	0.6	0.5	0.3	3.0	3.6	0.8	0.5	0.5
北海道 北青森 岩手 宮城 秋田	0.4	0.2	0.4	36.6	0.3	0.4	1.1	0.4	1.2	1.2	0.2	0.4	0.3
	0.4	0.7	0.2	26.8	1.7	0.3	1.0	0.7	3.6	4.3	0.6	0.4	0.6
	0.2	0.2	0.2	19.5	0.0	0.2	1.2	0.4	13.1	3.0	1.1	0.3	0.4
	0.3	0.4	0.6	18.6	0.1	1.0	0.4	0.4	7.9	2.4	0.5	0.3	0.3
	0.7	0.5	0.2	22.7	0.2	0.1	1.0	0.4	6.4	2.0	0.5	0.9	0.5
山形 福島 茨城 栃木 群馬	0.8	1.0	0.6	18.6	0.3	0.3	0.5	0.4	6.8	4.2	1.0	0.7	0.5
	0.0	0.1	0.2	19.2	0.1	0.5	2.3	0.3	8.1	2.3	0.4	0.5	0.4
	0.2	0.6	0.3	16.6	0.1	0.7	0.5	0.3	3.5	0.8	0.2	0.5	0.3
	0.2	0.7	0.2	13.4	0.1	0.7	0.4	0.3	4.7	3.5	1.2	0.7	0.3
	0.3	0.4	0.2	18.6	0.2	0.8	0.6	0.3	1.6	3.6	1.0	0.4	0.4
埼玉 千葉 東京 神奈 新潟	0.2	0.6	0.6	18.9	0.3	0.7	0.3	0.2	1.9	3.8	1.2	0.8	0.3
	0.1	0.1	0.3	17.5	0.7	0.1	0.9	0.1	2.1	5.8	1.2	0.5	0.4
	0.1	0.4	0.8	36.7	2.5	1.4	0.3	0.2	0.4	5.5	1.4	0.4	0.6
	0.3	0.3	0.2	19.9	0.3	1.4	0.2	0.3	1.2	5.7	1.1	0.5	0.4
	0.2	0.4	0.6	19.5	0.5	0.5	0.6	0.3	2.1	4.6	1.1	0.4	0.5
富山 石川 福井 山梨 長野	0.6	0.7	0.3	24.5	0.1	0.7	0.1	0.9	1.3	4.4	0.7	0.5	0.4
	0.6	0.4	0.4	25.7	0.0	0.1	0.5	0.2	1.5	1.5	0.4	0.4	0.3
	1.5	1.5	0.6	27.1	0.1	0.3	0.5	0.4	1.5	3.9	0.6	0.7	0.3
	0.6	0.5	0.4	15.4	0.3	0.6	0.6	0.4	2.1	6.6	0.8	0.5	0.3
	0.5	0.5	0.3	19.5	0.1	0.5	0.3	0.2	0.8	5.5	1.1	0.4	0.4
岐阜 静岡 愛知 三重 滋賀	0.9	0.6	0.5	21.9	0.0	0.2	0.4	0.3	2.4	6.8	2.5	0.2	0.5
	0.7	0.5	0.4	22.0	0.2	0.5	0.9	0.2	2.8	4.8	0.7	0.3	0.5
	0.7	0.8	0.3	25.0	0.3	1.1	0.2	0.2	2.9	1.6	0.4	0.2	0.3
	0.2	0.3	0.3	12.6	0.2	0.3	0.2	0.6	3.7	1.5	0.5	0.7	0.3
	0.5	0.4	0.2	22.4	0.0	0.3	0.2	0.4	0.3	2.0	0.3	0.8	0.3
京都 大阪 兵庫 奈良 和歌	1.6	0.6	0.2	19.2	0.1	0.4	0.3	0.3	0.9	2.9	0.3	0.4	0.4
	0.6	0.2	0.2	31.0	0.6	0.8	0.7	0.3	3.4	4.3	1.1	0.7	0.9
	0.6	0.8	1.0	25.2	0.9	0.1	0.5	0.4	2.9	3.3	0.4	0.6	0.4
	0.3	0.2	0.2	20.7	0.4	1.4	0.4	0.3	1.7	3.6	0.4	0.4	0.4
	0.1	0.3	0.3	17.3	0.1	1.0	0.1	0.4	11.6	2.0	1.0	0.6	0.3
鳥取 島根 岡山 広島 山口	0.2	0.8	0.5	20.4	0.1	1.2	0.1	0.3	2.1	3.0	0.5	0.5	0.4
	0.5	0.4	0.5	16.4	0.1	1.2	0.2	0.3	1.7	1.4	0.7	0.5	0.5
	0.6	0.5	0.4	23.2	0.2	0.6	0.4	0.4	3.8	5.8	2.8	2.0	0.6
	0.3	0.1	0.2	27.8	0.1	1.3	0.0	0.2	1.0	3.4	0.7	0.5	0.5
	0.6	0.7	0.4	21.3	0.0	0.8	0.2	0.2	2.6	3.5	0.3	0.4	1.2
徳島 香川 愛媛 高松 福岡	0.7	0.2	0.1	15.3	0.1	0.8	0.5	0.4	1.7	3.4	0.7	0.7	0.5
	0.5	0.2	0.2	24.1	0.0	0.1	0.6	0.3	2.6	3.0	1.1	0.4	0.5
	0.1	0.2	0.4	15.4	0.6	0.2	0.3	0.2	2.1	4.9	0.3	1.0	0.3
	0.1	0.3	0.2	10.6	0.1	0.1	0.4	0.5	1.4	1.8	0.3	0.8	0.2
	0.3	0.4	0.4	22.9	1.0	0.8	0.6	0.3	3.4	3.2	0.3	0.5	1.0
佐賀 長門 熊本 大分 宮崎	0.3	0.3	0.3	18.8	0.2	0.3	1.7	0.3	4.0	3.9	0.6	0.7	1.0
	0.6	0.3	0.3	20.5	0.1	0.3	0.2	0.4	3.3	5.2	0.2	0.4	0.6
	0.5	0.6	0.3	14.1	0.1	0.2	0.5	0.5	2.5	3.4	0.8	0.6	0.8
	0.4	0.2	0.1	16.0	0.0	0.6	0.5	0.3	2.0	1.8	0.4	0.7	0.5
	0.3	0.6	0.7	11.7	0.1	0.2	0.5	0.7	6.8	4.0	1.2	0.4	0.4

異常被患率 (一般検診)

一般検診・中

(%)

その 耳 他疾	鼻およびいん頭				伝 染 性 の 皮 患	心 臓 の 疾 患	精 神 薄 弱	身 体 虚 弱	運 能 障 害	寄 生 虫 病	そ の 病 他 異 常	歯				その 歯 他疾	
	蓄 う の 症	アイ デ ノ ド	へ う せ と ん 大	肥 満 の 頭								鼻 の 他 の 頭	むし歯				
													計	処 置	完 了 者		未 処 置 者
0.6	1.7	0.1	6.8	2.4	1.3	0.4	1.4	0.3	0.3	0.4	0.5	76.3	14.2	62.1	2.4		
0.1	0.1	0.1	6.8	0.3	1.7	0.5	0.9	0.4	0.4	0.0	0.4	80.8	12.7	68.1	1.6		
1.4	1.8	0.0	10.0	2.8	1.7	0.4	2.1	0.2	0.4	0.6	1.0	86.4	5.9	80.5	1.8		
1.2	6.2	0.1	10.3	7.3	1.6	0.3	0.6	0.4	0.2	0.2	0.8	79.9	9.2	70.7	1.4		
0.5	0.5	0.1	8.5	1.1	4.5	0.3	2.3	0.4	0.5	0.3	0.9	71.7	9.6	62.1	0.6		
0.9	1.0	0.3	6.6	1.4	2.1	0.3	1.1	0.6	0.4	0.1	0.6	90.2	4.8	85.4	2.9		
0.7	3.5	0.1	10.1	2.5	3.7	0.4	1.0	0.9	0.7	0.2	1.8	80.9	17.1	63.8	1.9		
0.0	0.3	0.0	6.5	0.4	1.5	0.3	1.0	0.3	0.3	0.8	0.3	78.1	10.3	67.8	3.7		
0.4	0.4	0.5	5.6	0.8	0.8	0.6	1.8	0.1	0.3	0.1	0.4	77.4	10.0	67.4	3.2		
0.1	1.8	0.1	9.0	1.9	1.7	0.2	3.9	0.3	0.2	1.4	0.2	80.1	9.1	71.0	5.3		
0.7	1.5	0.2	6.0	2.3	3.3	0.2	2.8	0.2	0.3	0.1	0.3	81.3	11.7	69.6	5.1		
0.5	1.2	0.0	7.5	2.5	3.2	0.3	0.6	0.3	0.3	0.1	0.4	85.6	15.2	70.4	4.4		
0.3	0.9	0.0	9.6	0.8	1.6	0.2	2.3	0.2	0.3	—	0.2	81.3	11.8	69.5	0.9		
1.4	1.1	0.1	6.8	4.7	1.4	0.3	0.4	0.0	0.2	—	0.3	88.7	21.5	67.2	1.9		
0.6	1.7	0.4	5.9	2.1	0.6	0.3	1.1	0.1	0.3	0.0	0.3	89.2	18.7	70.5	2.1		
0.3	1.4	0.2	8.4	2.9	1.5	0.6	2.1	0.2	0.3	0.3	0.9	82.4	16.5	65.9	2.9		
1.0	5.1	0.2	5.7	4.1	1.2	0.5	1.9	0.9	0.3	1.3	0.5	63.9	19.7	44.2	0.8		
0.2	2.3	0.1	7.3	0.3	0.6	0.5	1.6	0.3	0.4	—	0.5	83.8	11.2	72.6	1.4		
1.6	0.9	0.1	8.9	1.2	1.4	0.6	1.4	0.2	0.2	0.6	1.0	72.8	14.4	58.4	2.3		
0.6	4.6	0.0	9.4	3.5	0.9	0.5	2.6	0.2	0.2	0.8	0.2	83.5	12.5	71.0	2.8		
0.5	4.8	0.1	9.4	3.6	1.4	0.5	0.7	0.5	0.4	0.1	0.7	86.2	18.3	67.9	2.3		
0.8	1.2	0.2	6.4	2.5	0.7	0.3	0.7	0.4	0.3	0.7	0.4	79.7	15.9	63.8	3.4		
0.4	1.7	0.1	5.1	1.6	0.7	0.4	1.5	0.5	0.3	0.8	0.4	87.6	15.7	71.9	1.1		
0.2	1.1	0.2	5.9	1.0	1.2	0.2	1.6	0.1	0.3	0.0	0.1	79.7	14.7	65.0	1.9		
0.2	0.4	0.0	7.5	0.6	0.6	0.4	0.8	0.2	0.2	0.3	0.3	85.4	9.3	76.1	1.6		
0.4	0.4	0.2	13.7	1.7	1.6	0.5	2.6	0.7	0.4	0.1	0.7	83.7	12.2	71.5	4.8		
0.4	2.8	0.7	10.5	3.1	0.3	0.4	0.7	0.7	0.2	0.0	0.5	76.8	25.3	51.5	1.1		
1.1	1.6	0.1	7.5	3.5	0.3	0.7	1.2	0.4	0.2	0.9	0.8	85.3	21.1	64.2	5.8		
0.8	0.6	0.3	5.2	1.7	0.1	0.4	0.9	0.2	0.2	1.5	0.5	80.4	16.3	64.1	3.0		
0.2	0.1	0.2	5.9	0.8	1.0	0.7	0.9	0.8	0.4	1.3	0.6	77.5	25.4	52.1	1.1		
0.3	0.2	0.6	6.5	1.7	0.2	0.4	0.9	0.6	0.3	0.0	0.3	80.2	17.5	62.7	1.5		
0.5	1.4	0.1	7.3	3.2	1.5	0.3	1.2	0.2	0.1	—	0.4	83.5	12.8	60.7	2.6		
0.4	2.6	0.1	9.2	2.2	3.8	0.5	1.5	0.3	0.2	0.5	0.7	80.9	12.9	68.0	5.5		
0.9	2.5	0.1	9.3	3.2	0.4	0.4	1.0	0.1	0.3	0.1	0.4	74.4	17.4	56.6	2.2		
0.7	2.6	0.0	5.9	3.5	0.9	0.3	1.4	0.3	0.2	0.3	0.3	76.3	15.3	61.0	2.8		
1.4	6.2	0.2	5.0	4.9	3.1	0.4	0.8	0.2	0.3	0.2	0.1	79.7	16.2	63.5	1.7		
0.7	2.4	0.1	6.3	2.8	0.6	0.5	0.9	0.3	0.3	0.3	0.5	70.9	12.1	58.8	1.9		
0.4	1.1	0.1	5.3	1.8	0.3	0.5	1.1	0.3	0.3	1.1	0.6	80.8	25.2	55.6	1.3		
0.1	0.4	0.0	4.9	0.4	0.8	0.4	2.1	0.3	0.2	0.2	0.3	74.6	12.0	62.6	2.9		
0.2	0.6	0.1	5.9	0.8	1.5	0.2	0.5	0.2	0.2	0.3	0.4	82.9	18.7	64.2	3.2		
0.6	2.4	0.2	5.3	3.0	2.4	0.5	2.2	0.3	0.3	0.2	0.7	64.9	14.4	50.5	1.7		
1.9	4.5	0.1	8.2	6.9	2.2	0.4	1.7	0.3	0.3	0.3	0.5	76.1	9.4	66.7	1.9		
0.3	1.4	0.0	9.9	2.5	1.8	0.4	1.9	0.5	0.5	0.1	0.3	75.2	8.2	67.0	1.5		
0.5	0.9	0.3	7.3	2.3	1.8	0.4	3.0	0.4	0.5	1.0	0.8	66.1	10.8	55.3	1.9		
0.5	0.9	0.0	8.1	0.8	0.5	0.4	1.9	0.5	0.2	0.1	0.4	76.2	13.3	62.9	1.7		
0.1	0.2	0.1	6.7	0.3	0.6	0.7	2.2	0.3	0.6	1.3	0.8	78.3	9.9	68.4	1.7		
0.2	2.3	0.1	6.7	1.7	0.4	0.3	1.7	0.4	0.5	0.1	0.5	77.6	5.2	72.4	3.1		

第12表 都道府県別 疾 病

(7) 高等学校一男

区	分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳	
					近 視	遠 視	乱 視	弱 視 (両眼)	色異 神常	トホ ラム	結 膜 炎	その 他疾	難 聴 (両耳)	中 耳 炎
全	国	0.3	0.4	0.4	32.7	0.3	1.5	0.5	3.9	1.9	3.5	0.8	0.6	0.7
北海道 北青森 岩手 宮城 秋	道森手 城田	0.2	0.2	0.2	39.8	0.3	0.5	0.7	3.9	0.8	1.2	0.2	6.9	0.3
		0.1	0.0	0.2	35.9	—	1.0	0.4	5.3	5.0	3.2	0.1	0.5	0.4
		0.2	0.3	0.3	31.1	0.1	7.3	2.5	4.5	11.2	2.8	0.6	1.2	1.0
		0.2	0.0	0.1	37.3	0.1	1.3	0.0	3.5	5.6	3.0	0.3	0.3	0.7
		0.1	0.2	0.2	34.0	0.0	0.3	—	4.2	4.1	1.7	0.4	0.2	0.6
		0.6	0.8	0.7	33.9	0.6	1.6	0.0	2.7	3.6	4.6	1.3	0.6	0.7
		0.0	0.2	0.3	32.6	0.3	1.1	2.0	2.7	2.2	1.5	0.3	0.2	0.2
		0.0	0.1	0.8	21.0	0.1	0.5	0.1	3.4	1.5	1.7	0.3	0.4	0.2
山福茨栃 群	形島城 木馬	0.0	0.2	0.6	25.9	0.1	2.6	0.0	3.5	3.2	4.9	1.4	1.1	0.6
		0.1	0.1	0.1	28.0	0.1	1.1	0.0	4.8	0.8	2.8	1.6	4.5	0.7
		0.1	0.2	0.3	28.2	1.9	1.9	0.2	4.4	0.9	3.3	1.2	0.3	0.5
		0.1	0.1	0.3	21.6	0.2	0.3	0.9	3.4	2.1	7.0	3.1	0.1	0.2
埼千東神 新	奈 玉葉京 川潟	0.2	0.2	0.4	40.0	1.3	2.7	0.5	3.7	0.3	4.2	0.9	0.4	0.7
		0.4	0.7	0.6	27.7	0.2	1.1	1.0	3.6	0.4	2.5	0.4	0.4	0.3
		0.3	0.3	0.6	35.8	0.2	0.8	0.1	4.6	0.5	2.5	1.0	0.4	0.6
		0.2	0.9	0.5	41.4	0.2	1.1	0.1	5.3	0.8	5.8	0.8	0.3	0.6
富石福 山長	山川井 梨野	0.0	0.6	0.3	45.7	—	0.5	0.3	4.5	0.8	4.3	0.8	0.2	0.6
		0.5	0.3	0.4	45.2	0.0	0.3	0.0	4.2	0.8	1.8	0.4	0.5	0.5
		0.1	0.0	0.5	24.3	0.4	0.7	0.0	6.1	0.5	1.9	0.3	0.1	0.6
		0.7	0.7	0.4	33.3	0.3	1.7	0.5	3.2	0.2	3.5	0.8	0.3	0.8
岐静愛 三滋	阜岡知 重賀	0.3	0.1	0.1	30.1	0.4	1.2	3.2	3.6	2.9	6.3	1.7	0.7	0.1
		0.2	0.3	0.4	39.2	0.1	1.3	0.0	4.6	1.9	4.9	0.4	1.1	0.8
		0.3	0.3	0.4	38.7	0.6	4.0	0.1	3.7	1.4	4.2	0.3	0.6	0.8
		0.4	0.1	0.3	12.9	—	0.3	0.1	3.9	3.8	3.8	0.4	0.5	0.6
		0.1	1.8	1.4	32.0	0.1	1.0	0.6	4.2	0.1	0.4	0.1	0.5	0.6
		0.2	0.2	0.6	31.4	0.6	2.1	2.0	4.7	0.8	4.1	1.0	0.5	0.9
		0.4	0.7	0.4	40.5	0.2	4.3	0.3	4.2	2.3	3.7	1.5	0.6	1.4
		0.6	1.0	0.2	35.9	0.2	0.8	0.9	4.1	2.2	3.3	0.7	0.5	0.5
京大兵奈 和	都阪庫 良山	0.0	0.1	0.1	23.8	0.6	0.7	0.8	3.6	0.7	2.0	0.7	0.9	0.1
		0.6	0.1	0.8	25.1	0.4	0.8	—	5.6	10.6	2.5	0.3	1.1	0.8
		—	0.5	0.8	31.0	0.4	2.9	0.1	3.1	0.3	0.6	0.1	0.4	0.1
		0.6	0.1	0.8	29.0	0.3	1.5	0.1	4.3	2.5	1.5	0.6	0.9	0.4
鳥島岡 広山	取根山 島口	0.1	0.3	0.5	31.6	0.0	1.3	0.1	3.4	1.6	3.1	2.2	1.0	0.7
		0.1	0.2	0.3	30.4	0.2	1.2	0.1	2.7	0.7	5.1	0.9	1.3	0.7
		0.4	0.4	0.8	23.7	0.0	0.5	0.7	3.4	2.4	3.1	0.3	0.3	1.3
		0.3	0.1	0.2	37.1	0.0	1.4	—	3.9	1.1	6.3	1.1	1.2	1.3
徳香愛 高福	島川媛 知岡	1.1	0.0	0.6	37.0	0.1	0.3	0.2	3.5	0.8	2.8	1.2	0.4	0.3
		0.2	0.3	0.4	25.2	0.7	0.3	0.7	3.9	0.9	3.1	0.4	0.4	0.6
		0.1	0.1	0.4	17.8	—	0.1	0.4	3.3	0.5	2.1	0.6	0.9	0.2
		0.3	0.2	0.4	26.5	0.8	0.9	0.4	3.3	3.8	3.5	0.8	1.0	0.7
佐長熊大 宮鹿	児 賀崎本 分崎島	—	0.4	0.3	29.8	—	0.3	—	3.4	1.9	8.6	0.8	1.6	0.7
		0.7	2.5	0.9	29.1	0.0	0.9	0.2	4.8	1.9	3.5	0.3	0.5	1.5
		0.1	0.2	0.3	22.3	0.1	1.0	0.1	4.2	2.3	5.1	1.5	0.2	1.9
		0.3	0.1	0.2	21.9	0.2	0.4	0.2	4.2	2.0	1.4	0.3	0.4	0.9
		0.1	0.1	0.3	26.5	0.1	2.9	—	5.5	2.5	1.9	0.5	0.6	0.5
		0.1	0.8	0.2	16.7	0.5	0.4	1.0	2.8	4.8	3.6	1.7	0.6	0.3

異常被患率 (一般検診)

一般検診・高

(%)

その他 他疾	鼻およびいん頭				伝皮 染病 性疾 患の患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運能 動障 機害	寄 生 虫 病	そ疾 の病 他異 の常	歯			その他 他疾
	蓄う の症	アイ デノ ド	へう んせ とん大	肥 のい 他患 の頭								む	し 歯		
													計	処 置 了	
0.6	2.1	0.1	4.3	3.1	0.4	0.3	0.0	0.1	0.2	0.2	0.5	72.3	18.0	54.3	3.4
0.3	1.1	0.0	3.1	1.6	0.7	0.3	0.0	0.1	0.2	0.0	0.4	79.1	12.7	66.4	3.1
0.6	4.4	0.1	3.8	8.0	0.0	0.2	-	0.5	0.2	-	0.1	82.9	15.2	67.7	2.4
1.2	5.3	0.2	5.3	8.7	0.2	0.2	-	0.1	0.2	-	0.9	71.6	13.8	57.8	1.8
0.3	2.6	-	4.9	4.9	0.1	0.2	-	0.0	0.2	0.2	0.2	52.4	11.4	41.0	1.4
0.1	1.9	0.0	4.2	1.0	1.8	0.1	-	0.2	0.3	-	0.4	79.3	10.5	68.8	2.8
0.7	5.1	0.0	5.0	3.1	0.4	0.3	-	0.1	0.1	0.1	0.3	62.5	19.5	43.0	0.9
0.1	0.1	0.0	2.3	0.6	0.2	0.3	-	0.3	0.2	0.9	0.2	69.7	10.7	59.0	6.5
0.1	1.7	0.0	2.8	1.9	1.7	0.3	-	0.0	0.2	-	0.2	67.0	12.5	54.5	3.3
0.7	2.2	-	9.6	8.9	0.4	0.3	-	0.0	0.3	0.0	0.7	74.7	14.6	60.1	1.1
0.4	4.1	-	6.3	4.1	0.0	0.3	-	0.0	0.3	-	0.2	74.6	17.7	56.9	2.0
0.5	1.6	0.0	3.0	3.2	0.0	0.2	0.0	0.1	0.2	0.2	0.1	75.9	22.2	53.7	5.8
0.2	1.4	0.0	5.7	2.3	0.2	0.1	-	0.1	0.1	0.2	0.2	73.8	17.4	56.4	3.1
0.9	1.5	0.1	5.7	3.7	0.1	0.2	-	0.1	0.2	-	0.4	78.2	20.2	58.0	3.7
0.1	0.8	0.3	3.0	1.7	0.6	0.4	-	0.1	0.2	-	0.3	80.7	22.5	58.2	3.4
0.4	3.8	0.0	2.6	1.5	1.0	0.5	-	0.0	0.2	-	0.4	71.2	17.4	53.8	2.4
0.6	7.2	0.0	5.3	6.1	0.3	0.4	-	0.1	0.2	1.3	0.8	73.0	19.1	53.9	0.2
1.1	3.0	0.0	4.8	5.7	0.2	0.5	-	0.3	0.2	-	1.2	74.8	18.7	56.1	0.0
0.3	1.1	-	2.8	2.1	1.0	0.6	-	-	0.3	1.5	2.2	62.0	11.0	51.0	4.4
0.8	2.2	0.1	4.4	5.2	0.1	0.2	-	0.0	0.3	0.2	0.1	71.6	14.6	57.0	0.9
1.5	3.3	0.0	6.5	5.7	0.4	0.4	-	0.1	0.3	0.1	1.0	77.0	16.1	60.9	5.0
0.0	1.0	0.0	4.3	0.2	0.3	0.3	-	0.0	0.2	0.1	0.6	72.0	22.4	49.6	1.8
0.5	1.3	-	3.7	2.9	0.0	0.4	-	0.0	0.2	0.1	0.5	69.8	21.6	48.2	2.3
0.6	1.1	0.1	4.2	1.6	0.3	0.3	-	0.0	0.2	0.0	0.2	65.6	20.0	45.6	1.9
0.1	0.7	0.1	4.3	0.5	0.3	0.3	-	0.1	0.1	0.1	0.4	82.1	11.4	70.7	2.7
0.3	0.6	0.0	6.2	0.3	0.1	0.5	-	0.0	0.3	0.0	0.7	75.7	26.5	49.2	2.7
0.4	2.4	0.0	5.1	4.3	0.1	0.3	-	0.2	0.2	0.1	0.5	71.4	20.3	51.1	2.5
1.0	4.3	0.0	5.7	4.9	0.1	0.6	-	0.1	0.2	0.4	1.1	77.9	23.2	54.7	6.4
0.3	1.1	-	1.9	1.1	0.1	0.3	-	0.1	0.1	0.0	0.3	71.2	26.6	44.6	3.8
-	0.0	0.1	5.1	0.0	0.2	0.2	-	-	0.5	0.0	0.2	68.3	29.1	39.2	2.2
0.9	2.4	0.1	6.4	1.3	0.1	1.0	-	-	0.4	0.2	0.1	76.8	19.7	57.1	7.8
0.0	-	-	5.2	-	0.2	0.4	-	-	0.1	0.2	1.2	64.8	22.8	42.0	1.4
0.4	1.7	-	5.0	2.6	1.0	0.5	-	0.0	0.2	-	0.9	76.5	13.5	63.0	3.4
0.7	2.1	0.1	4.0	3.3	0.1	0.5	-	0.0	0.2	0.0	0.4	68.5	21.7	46.8	1.8
0.5	1.4	0.1	2.8	2.2	1.2	0.4	-	0.1	0.2	0.3	0.2	68.2	17.3	50.9	3.2
0.3	5.0	0.6	2.7	3.5	0.4	0.4	-	0.1	0.2	0.1	0.4	65.3	15.1	50.2	13.6
1.0	5.1	-	3.3	4.9	0.0	0.4	-	0.3	0.4	0.3	0.3	66.3	14.0	52.3	2.9
0.2	1.0	-	3.7	1.3	0.6	0.4	-	0.0	0.2	-	0.3	72.4	27.6	44.8	2.2
0.4	1.1	0.0	2.2	0.7	0.1	0.7	-	0.1	0.2	-	0.6	68.7	15.6	53.1	3.5
0.0	1.3	-	1.5	0.3	0.3	0.4	-	0.3	0.2	0.3	0.3	71.4	14.9	56.5	4.2
0.8	1.4	0.2	3.7	3.6	0.3	0.3	0.1	0.1	0.1	0.6	0.6	63.0	13.3	49.7	2.9
2.5	6.0	0.3	4.1	10.7	0.9	0.2	-	-	0.4	-	0.4	66.9	12.9	54.0	4.2
0.4	3.6	-	4.4	4.0	1.0	0.3	-	0.3	0.2	0.0	0.6	72.6	10.8	61.8	6.4
0.5	1.0	-	3.9	4.8	0.3	0.2	-	0.1	0.3	0.1	0.8	62.0	12.7	49.3	9.7
0.5	1.8	0.1	3.3	1.7	0.5	0.2	-	0.0	0.2	0.1	0.3	62.2	17.9	44.3	1.5
0.0	1.1	-	3.6	1.0	0.2	0.4	-	0.4	0.2	0.8	0.6	69.6	9.5	60.1	1.6
0.2	0.7	-	2.3	1.6	0.7	0.3	-	0.0	0.2	0.2	0.2	71.2	14.5	56.7	6.7

(8) 高等学校一女

第12表 都道府県別 疾病

異常被患率 (一般検診)

一般検診・高
(%)

区 分	栄養 要注 意	はき 柱異 常	胸 郭異 常	目								耳		
				近 視	遠 視	乱 視	弱 視 (眼)	色 視 異常	トホ ー ラム	結 膜 炎	そ 眼 の 他 の 疾	難 聴 (耳)	中 耳 炎	そ 耳 の 他 の 疾
全 国	0.2	0.2	0.2	34.2	0.4	1.7	0.7	0.2	1.4	2.7	0.8	0.4	0.5	0.5
北海道 北青森 秋田	0.1	0.1	0.1	44.4	0.5	1.1	0.2	0.3	0.8	0.8	0.2	0.3	0.2	0.3
	0.0	0.1	0.1	37.6	—	2.2	0.0	0.4	4.6	2.9	0.3	0.3	1.4	0.3
	0.0	0.0	0.0	37.2	3.6	9.6	4.7	0.5	8.3	2.4	1.1	0.7	0.6	2.9
	—	0.0	0.2	35.5	0.2	1.3	—	0.8	4.8	3.4	0.4	0.2	0.4	0.5
山形 福島 栃木 群馬	0.1	0.1	0.1	40.2	—	0.6	—	0.4	3.0	1.7	0.5	0.1	0.2	—
	0.4	0.5	0.4	30.5	0.2	1.7	0.1	0.2	2.6	3.5	1.3	0.4	0.8	0.5
	0.0	0.1	0.0	31.4	0.3	2.2	1.0	0.2	1.7	1.2	0.1	0.2	0.0	0.0
	0.0	0.1	0.2	32.1	0.2	1.5	0.2	0.2	0.7	2.4	0.4	0.2	0.2	0.1
埼玉 千葉 東京 神奈川	0.1	0.1	0.2	25.6	0.6	1.7	0.0	0.1	2.6	2.8	0.9	0.9	0.7	0.4
	0.0	0.2	0.1	25.5	0.2	0.3	0.0	0.1	0.6	2.1	0.6	0.2	0.6	0.4
	0.1	0.0	0.1	25.3	0.2	3.1	0.1	0.2	0.9	3.6	0.9	0.1	0.5	0.6
	0.1	0.0	0.0	23.2	0.3	10.1	3.1	0.2	1.5	3.4	0.8	0.1	0.3	0.2
富山 石川 福井 山梨	0.1	0.1	0.1	42.3	0.6	2.1	0.5	0.2	0.1	2.7	1.0	0.3	0.5	0.7
	0.4	0.1	0.2	33.0	0.2	2.1	1.2	0.1	0.5	2.0	0.3	0.2	0.3	0.1
	0.1	0.0	0.2	38.6	1.3	1.2	0.2	0.2	0.6	4.3	1.6	0.5	0.4	0.1
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野 岐阜 静岡 愛知 三重	0.3	0.3	0.1	44.4	0.2	1.1	0.0	0.4	0.1	4.4	0.8	0.6	0.5	0.9
	0.2	0.1	0.1	46.0	—	0.4	0.2	0.2	0.5	4.6	0.9	0.3	0.5	0.9
	0.0	0.1	0.2	47.4	—	0.2	—	0.2	0.3	1.1	0.3	0.4	0.5	0.2
	—	0.1	0.1	18.9	0.1	0.7	0.1	0.3	0.8	1.6	1.2	0.1	0.7	1.6
大阪 兵庫 京都 奈良 和歌山	0.5	0.2	0.1	31.5	0.3	1.7	0.5	0.2	0.3	2.4	1.1	0.2	0.6	0.4
	0.1	0.0	0.4	29.3	0.2	1.9	3.3	0.2	0.7	1.0	0.2	0.5	0.1	0.0
	0.1	0.2	0.2	36.3	0.4	1.0	1.7	0.2	1.5	3.1	0.4	0.7	0.7	1.0
	0.3	0.3	0.3	44.5	0.2	5.1	0.1	0.2	1.6	2.1	0.3	0.5	0.4	0.3
徳島 香川 愛媛 高松 福岡	0.2	0.1	0.1	15.5	—	0.5	—	0.3	4.2	1.8	0.2	0.4	0.4	0.2
	0.2	0.3	0.1	39.1	0.1	0.8	0.2	0.1	0.1	0.4	0.2	0.5	0.3	0.3
	0.7	0.3	0.3	34.4	0.1	2.1	1.5	0.1	0.6	2.8	1.0	0.2	0.9	0.5
	0.4	0.4	0.4	45.5	0.4	4.7	1.1	0.3	1.0	2.3	0.8	0.3	0.7	0.6
鳥取 岡山 広島 山口	0.5	0.9	0.1	30.9	0.6	1.3	1.0	0.3	1.7	2.9	0.7	0.6	0.3	0.2
	0.1	0.0	0.1	29.6	0.3	0.3	0.8	0.3	0.4	1.8	0.4	0.4	0.2	0.0
	0.5	0.1	0.2	29.6	0.2	0.8	0.0	0.4	10.1	2.3	0.2	0.6	0.7	0.3
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
徳島 香川 愛媛 高松 福岡	—	0.1	0.1	31.5	0.3	1.7	—	0.1	1.6	2.9	0.7	0.1	0.1	0.4
	0.6	0.1	0.2	29.6	0.2	1.3	0.1	0.4	1.5	0.6	0.4	0.8	0.4	0.2
	0.1	0.3	0.5	34.1	0.3	1.5	0.0	0.1	1.6	4.1	3.0	0.9	0.4	0.7
	0.2	0.1	0.1	35.3	0.1	1.3	0.1	0.2	0.4	3.9	1.2	0.6	1.1	0.9
徳島 香川 愛媛 高松 福岡	0.2	0.1	0.3	33.5	0.0	0.8	0.4	0.2	1.0	1.4	0.2	0.3	0.4	0.2
	0.1	0.0	0.0	39.3	0.1	0.5	—	0.2	1.0	3.5	0.8	0.6	0.9	1.1
	0.2	0.1	0.0	44.6	0.1	0.3	0.4	0.1	0.2	2.1	0.8	0.3	0.2	0.2
	0.2	0.5	0.1	31.9	0.2	0.2	0.7	0.1	0.6	2.9	0.5	0.3	0.6	0.7
佐賀 熊本 大分 宮崎 鹿児島	0.0	—	0.1	10.9	—	0.5	0.1	0.4	0.4	1.8	0.4	0.4	0.3	0.1
	0.2	0.1	0.1	25.3	0.8	0.7	1.3	0.4	2.5	3.4	0.7	0.4	0.8	0.4
	—	0.2	0.3	35.8	—	0.2	—	0.2	0.9	7.7	0.4	0.7	0.4	1.6
	1.1	2.9	0.8	36.3	0.0	1.2	0.2	0.2	1.0	3.8	0.2	0.2	0.6	0.2
佐賀 熊本 大分 宮崎 鹿児島	0.2	0.6	0.2	21.3	0.2	0.9	0.1	0.2	1.2	3.5	1.5	0.2	0.9	0.3
	0.3	0.1	0.0	30.1	0.2	0.2	0.4	0.2	1.6	1.5	0.2	0.4	0.7	0.3
	0.1	0.0	0.1	29.3	0.1	3.0	—	0.1	2.4	2.5	0.5	0.3	0.2	—
	0.0	0.2	0.1	22.3	0.6	0.3	3.3	0.3	4.0	3.8	2.7	0.6	0.3	0.2

鼻およびいん頭				伝皮 染病 性疾 患の患	心臓 の疾 患	精 神 薄 弱	身 体 虚 弱	運 動 機 能 障 害	寄 生 虫 病	そ疾 の病 他異 の常	歯			
蓄 のう 症	アノ イ デド	へせん んと大	鼻の いん頭 の疾 患								むし歯			そ歯 の他 の疾
											計	処完了 置者	未処置 者ある	
1.6	0.1	4.4	2.1	0.1	0.4	0.0	0.1	0.1	0.1	0.5	80.2	20.7	59.5	3.2
1.0	0.1	3.1	1.1	0.0	0.4	—	0.1	0.2	0.1	0.3	85.0	12.3	72.7	1.4
3.6	0.0	6.3	7.5	0.0	0.3	—	0.3	0.4	—	0.3	69.0	13.0	56.0	4.3
4.4	0.1	3.5	3.7	0.1	0.3	—	0.2	0.2	—	0.5	79.7	13.3	66.4	1.2
1.0	—	6.6	1.6	0.0	0.1	—	0.0	0.1	0.1	0.2	71.7	12.1	59.6	1.6
0.6	0.0	6.3	1.1	0.5	0.2	—	0.0	0.2	—	0.4	80.2	8.0	72.2	2.7
4.5	—	5.1	2.5	0.1	0.4	—	0.1	0.2	0.0	0.3	72.1	20.2	51.9	0.8
0.1	—	3.3	0.1	0.2	0.1	—	0.0	0.1	0.1	0.3	80.0	15.9	64.1	2.9
0.6	—	4.3	1.3	0.2	0.1	—	0.0	0.1	—	0.1	71.5	18.4	53.1	3.5
4.1	0.3	4.9	4.0	0.6	0.4	—	0.2	0.2	0.0	0.5	84.1	14.6	69.5	4.1
3.8	0.5	7.5	2.5	0.1	0.2	—	0.0	0.2	—	0.2	82.4	17.8	64.6	4.1
2.0	0.1	2.9	2.0	0.0	0.3	—	0.1	0.1	0.0	0.2	85.0	23.9	61.1	6.6
0.3	0.1	5.6	2.4	0.1	0.2	—	—	0.1	0.6	0.3	84.2	20.7	63.5	2.8
0.7	0.1	5.4	2.9	0.1	0.3	—	0.1	0.1	—	0.4	85.2	23.4	61.8	2.8
0.6	0.0	3.9	0.9	0.0	0.2	—	0.1	0.1	—	0.2	88.9	22.4	66.5	3.9
2.6	—	3.1	2.2	0.1	0.2	—	0.0	0.1	—	0.6	77.5	20.5	57.0	2.8
6.3	—	5.0	4.1	0.1	0.4	—	0.2	0.1	—	0.8	86.4	23.9	62.5	0.1
2.9	—	5.3	4.0	—	0.4	—	0.0	0.1	—	1.1	84.6	17.6	67.0	1.1
0.9	—	3.6	1.2	0.1	1.1	—	0.1	0.1	1.5	1.3	73.3	14.6	58.7	1.8
3.4	0.1	4.8	4.9	—	0.3	—	0.0	0.1	—	0.3	81.1	17.0	64.1	2.1
3.5	—	4.5	3.4	0.1	0.3	—	0.3	0.2	0.0	0.6	85.6	16.3	69.3	3.8
0.6	0.1	3.7	0.1	0.5	0.4	—	0.1	0.1	0.0	0.7	84.8	21.1	63.7	2.2
1.4	0.2	3.6	1.7	0.1	0.4	—	0.0	0.1	0.2	0.2	82.8	19.6	63.2	1.7
1.0	0.1	4.1	1.1	0.2	0.2	—	0.0	0.1	0.0	0.2	79.4	23.1	56.3	1.2
0.6	—	3.3	0.5	0.1	0.3	—	0.0	0.1	0.0	0.1	87.8	13.8	74.0	2.0
0.6	0.1	4.3	0.2	0.1	0.3	—	0.0	0.1	0.1	0.9	80.6	17.1	63.5	3.5
1.3	0.1	5.0	2.3	0.1	0.7	—	0.2	0.2	0.1	0.9	78.7	22.7	56.0	7.3
1.6	0.0	5.7	2.8	0.0	0.6	—	0.0	0.1	0.0	2.5	82.5	26.3	56.2	7.6
0.7	0.1	2.9	1.3	0.0	0.4	—	0.1	0.1	0.0	0.4	78.0	25.9	52.1	3.5
0.0	0.1	3.0	—	0.1	0.4	—	—	0.2	0.1	0.1	64.0	37.9	36.1	1.5
3.4	0.1	6.2	1.5	—	0.6	—	0.0	0.3	1.4	0.4	83.9	24.8	59.1	8.2
0.4	—	2.8	0.2	0.0	0.5	—	—	0.1	0.1	0.6	68.8	23.5	45.3	1.3
0.8	—	6.2	2.4	0.5	0.3	—	0.0	0.2	0.0	0.9	82.6	11.7	70.9	2.4
1.6	—	5.8	1.5	0.0	0.5	—	—	0.1	0.0	0.4	78.2	28.7	49.5	4.1
1.7	0.0	4.6	4.0	0.2	0.3	—	0.1	0.2	0.2	0.4	69.1	20.9	48.2	3.7
2.4	0.0	3.5	0.9	0.1	0.2	—	0.0	0.0	0.1	0.2	78.1	22.5	55.6	3.1
4.3	—	3.6	1.6	—	0.4	—	0.1	0.1	0.2	0.2	71.3	16.9	54.4	1.6
—	—	1.1	0.4	—	0.4	—	0.0	0.1	0.0	0.4	84.1	32.6	51.5	1.7
3.4	—	5.1	1.2	0.1	0.5	—	0.1	0.2	0.0	0.5	77.6	20.2	57.4	2.8
1.1	0.0	1.0	0.7	0.0	0.5	—	0.7	0.3	0.5	1.0	84.2	21.3	62.9	3.7
1.4	0.3	5.1	2.6	0.1	0.4	0.0	0.0	0.1	0.6	0.3	74.5	29.8	44.7	1.3
4.3	2.2	3.1	6.9	0.2	0.2	—	—	0.2	0.1	0.5	67.7	16.5	51.2	3.2
1.9	0.0	7.4	1.2	0.6	0.4	—	0.2	0.2	0.0	0.5	78.2	16.3	61.9	3.5
0.9	—	2.8	1.8	0.1	0.2	—	0.1	0.1	0.2	1.7	69.9	18.0	51.9	3.3
1.2	0.0	3.2	1.6	0.1	0.3	0.0	0.0	0.2	0.0	0.7	66.9	19.7	47.2	0.8
0.8	0.0	4.2	1.1	0.1	0.5	—	0.1	0.0	0.0	0.9	76.3	13.1	63.2	2.2
1.1	0.0	2.7	2.2	0.3	0.3	—	0.1	0.2	—	0.1	83.0	17.8	65.2	3.0